

# HRM4Baltic koos Microsoft Dynamics Business Centraliga veebiteenuste dokumentatsioon

# 1. Sisukord

<b>1. Sisukord.....</b>	<b>2</b>
<b>2. Liidese ulatus .....</b>	<b>5</b>
<b>3. Dokumendis kasutatud lühendite selgitused .....</b>	<b>6</b>
<b>4. Selgitused veebiliidese ühenduse ja tehnoloogia kohta .....</b>	<b>6</b>
<b>5. HRM4Baltics GET teenused .....</b>	<b>6</b>
<b>5.1. Puudumiste žurnaal.....</b>	<b>6</b>
<b>5.2. Koolituste loend .....</b>	<b>8</b>
<b>5.3. Koolitusel osalejad .....</b>	<b>10</b>
<b>5.4. Lahkumise alused .....</b>	<b>12</b>
<b>5.5. Töötajate lapsed .....</b>	<b>13</b>
<b>5.6. Lepingute loend .....</b>	<b>14</b>
<b>5.7. Töötajate palgad.....</b>	<b>17</b>
<b>5.8. Palgakontode loend .....</b>	<b>18</b>
<b>5.9. Töötaja pangakontode loend .....</b>	<b>20</b>
<b>5.10. Parameetrid.....</b>	<b>22</b>
<b>5.11. Palgažurnaali read.....</b>	<b>23</b>
<b>5.12. Puhkusetaotlused .....</b>	<b>25</b>
<b>5.13. Puhkuste saldo ajalugu.....</b>	<b>26</b>
<b>5.14. Puudumiste asendajad .....</b>	<b>28</b>
<b>5.15. Puudumiste loend .....</b>	<b>30</b>
<b>5.16. Töötajate seisund .....</b>	<b>32</b>
<b>5.17. Struktuuri tase 1 .....</b>	<b>34</b>
<b>5.18. Struktuuri tase 2 .....</b>	<b>35</b>
<b>5.19. Struktuuri tase 3 .....</b>	<b>35</b>
<b>5.20. Struktuuri tase 4 .....</b>	<b>37</b>

5.21.	Lepingu liigid .....	39
5.22.	Töötaja dokumendid .....	40
5.23.	Töötaja passiivsused.....	42
5.24.	Aktiivsed töötajad.....	43
5.25.	Töötajate loend.....	44
5.26.	Töötajate oskuste loend .....	49
5.27.	Puhkuste ajakava žurnaal .....	52
5.28.	Töötaja tööajatabeli kannete pärimine .....	53
5.29.	Töötajate palgalipikud .....	58
6.	<i>HRM4Baltics GET ja POST teenused</i> .....	59
6.1.	Palga ametikohad .....	59
6.2.	Passiivsuse põhjused .....	61
7.	<i>HRM4Baltics POST teenused</i> .....	62
7.1.	Palga kannete lisamine .....	62
7.2.	Töötaja lapse lisamine .....	64
7.3.	Lepingute lisamine .....	65
7.4.	Palgažurnaali lisa kande kirjutamine.....	67
7.5.	Panga lisamine töötajale.....	69
7.6.	Töötaja parameetrite lisamine .....	70
7.7.	Puhkuseajakava lisamine .....	71
7.8.	Puudumiste lisamine töötajale .....	72
7.9.	Seisundi lisamine töötajale .....	74
7.10.	Tasu lisamine töötajale.....	76
7.11.	Tööajatabeli kannete lisamine .....	77
7.12.	Tööajatabeli projekti lisamine.....	80
7.13.	Töötajate lisamine.....	81
7.14.	Väliste projektide lisamine .....	86

7.15.	Tööajatabeli projekti ülesande lisamine .....	87
7.16.	Asendamiste saatmine BC-sse .....	89
8.	<i>Rest api päringud</i> .....	90
8.1.	Rest API päringu üld selgitused .....	90
8.2.	Puhkuse taotluste lühi päring .....	92
8.3.	Puhkuste taotluste päring .....	93
8.4.	Töötajate loend .....	95
8.5.	Tagasi lükatud maksed .....	100
8.6.	Palgaregistri päring .....	103
8.7.	Töötajate sünnipäevade ja tööjuubelite päring .....	104
8.8.	Palgakontode päring .....	105
8.9.	Palgakannete päring .....	106
8.10.	Väralatalogide päring .....	108
8.11.	Arvestusperioodi kanded .....	109
8.12.	Infoliikide kanded .....	109
8.13.	Puhkuste ajakava lugemise teenus .....	111
8.14.	Puudumiste žurnaali lugemine .....	112
8.15.	Puudmiste asendajate lugemise teenus .....	114
8.16.	Ettevõtte kõigi töötajad päring .....	114
8.17.	Ettevõtte puudumiste päring iseteenindusest .....	119
8.18.	Tööajatabeli kanded .....	121
8.19.	Andmeedastuse staatuse muutmine .....	125

## 2. Liidese ulatus

Odata päringu kaudu jagatakse ja kirjutatakse ERP'i järgnevad andmed:

Puudumiste žurnaal  
Koolitused ja seal osalejad  
Lahkumise alused  
Töötajate lapsed  
Töötajate lepingud  
Töötajate palgad  
Palgakontod  
Töötajate palgalipikud  
Töötajate pangad  
Töötajate parameetrid  
Palgažurnaali read  
Puhkusetaotlused  
Puhkuste saldo ajalugu  
Puudumiste asendajad  
Puudumiste lugemine  
Töötaja seisund  
Struktuuri tasemed 1,2,3,4.  
Lepingu liigid  
Töötajate dokumendid  
Töötajate passiivsused  
Töötajate töösuhe  
Töötajate loend  
Töötajate oskused  
Töötajate puhkuste ajakava  
Ametikohad  
Palgalipikud  
Töötajate passiivsuse põhjused  
Palga kannete lisamine ja registreerimine  
Laste lisamine  
Lepingute lisamine  
Palgažurnaali andmete lisamine  
Töötaja panga lisamine  
Parameetrite lisamine  
Puhkuste ajakava lisamine  
Puudumiste lisamine  
Töötasu lisamine  
Tööajatabeli kannete lisamine  
Töötajate lisamine  
Väliste projektide lisamine tööajatabelisse  
Tööajatabeli projekti ülesande lisamine  
Tagasi lükatud maksete kirjutamine  
Palgaregistri päring

### 3. Dokumendis kasutatud lühendite selgitused

Odata	Veebiteenuses kasutatav veebiprotokoll
BC	Microsoft Business Central 365
Basic Auth.	Autentimise viis
OAuth 2.0	Autentimise viis
JSON	Veebiteenuse andme formaat

### 4. Selgitused veebiliidese ühenduse ja tehnoloogia kohta

Veebiteenused on loodud OData, SoaP ja API veebiprotokollidele. Kasutatakse HTTP pärtingut ja kirjutamise/lugemise vastus kuvatakse JSON formaadis.

Veebiteenuse näidis pärtingud on tehtud Postman lahenduses, kus on kasutatud Basic Autentimist. Kasutajanimi ja parool võetakse BC-st kasutaja kaardilt väljadelt Kasutajanimi ja Parool. Basic autentimist on võimalik kasutada ainult Business Centrali on-prem versioonis.

OAuth 2.0 autentimise kasutamiseks on vaja seadistada AAD's vajalik rakendus ning siduda see Microsoft Business Central 365 keskkonnas.

### 5. HRM4Baltics GET teenused

Andmete lugemiseks BC-st kasutatakse GET pärtingut.

#### 5.1. Puudumiste žurnaal

Andmed loetakse BC-st tabelist 24002027 (PLK Payroll Absence Jrn Line). Veebiteenuse lehe ID 24008416.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Absence Jrn Line 24002027
<b>Journal_Batch_Name</b>	Code		Journal Batch Name
<b>Entry_No</b>	Integer		Entry No.
<b>Entry_GUID</b>	Code		Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Employee_Name</b>	Text		Employee Name
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Description</b>	Text		Description
<b>From_Date</b>	Date		From Date

<b>To Date</b>	Date		To Date
<b>Days</b>	Decimal		Days
<b>Quantity_Days</b>	Days		Quantity
<b>Quantity_Working_Days</b>	Decimal		Quantity Working Days
<b>Child_No</b>	Integer		Child No.
<b>Child_Name</b>	Text		Child Name
<b>Holidays</b>	Decimal		Holidays
<b>Hours</b>	Decimal		Hours
<b>Holiday_Payment</b>	Option	Payday/Holiday/Monthly	Holiday Payment
<b>Notes</b>	Text		Notes
<b>Sharepoint_Entry_No</b>	BigInteger		Sharepoint Entry No.
<b>Main_Contract_No</b>	Code		Main Contract No
<b>Payroll_Dimension_1_Code</b>	Code	Palgadimensioon	Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code	Palgadimensioon	Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code	Palgadimensioon	Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code	Palgadimensioon	Payroll Dimension 4 Code
<b>Department_No</b>	Code		Department No.
<b>Department_Desc</b>	Text		Department Desc.
<b>Level_2_No</b>	Code	Struktuuriüksus	Level 2 No.
<b>Level_2_Name</b>	Text		Level 2 Name
<b>Level_3_No</b>	Code	Struktuuriüksus	Level 3 No.
<b>Level_3_Name</b>	Text		Level 3 Name
<b>Level_4_No</b>	Code	Struktuuriüksus	Level 4 No.
<b>Level_4_Name</b>	Text		Level 4 Name

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/AbsenceJournalRead](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/AbsenceJournalRead)

Näidis vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/AbsenceJournalRead",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ001JWZnpSSUNHdmFmMn14UUdNM2ZXOW53UjMvbHReEdsZ2o5QkgzYVVTSms9MTswMDsn\\\"",
            "Journal_Batch_Name": "VAIKIMISI",
            "Entry_No": 10000,
            "Entry_GUID": "00000000-0000-0000-0000-000000000000",
            "Employee_No": "T0003",
            "Employee_Name": "Teele Tuisk",
            "Cause_of_Absence_Code": "P_PUHKUS",
            "Description": "Puhkus",
        }
    ]
}
```

```

    "From_Date": "2022-09-14",
    "To_Date": "2022-09-17",
    "Days": 4,
    "Quantity_Days": 4,
    "Quantity_Working_Days": 3,
    "Child_No": 0,
    "Child_Name": "",
    "Holidays": 0,
    "Hours": 32,
    "Holiday_Payment": " ",
    "Notes": "",
    "Sharepoint_Entry_No": 0,
    "Main_Contract_No": "",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": ""
}
]
}
}

```

## 5.2. Koolituste loend

Andmed loetakse BC-st tabelist 24008830 (PER Payroll Training). Antud leht annab välja BC-sse sisestatud koolituste loendi.

Veebiteenuse lehe ID 24008364.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PER Payroll Training 24008830
No	Code		No.
Name	Text		Name
Area_Code	Code	Koolituse valdkonna tähis	Area Code
Area_Name	Text	Koolituse valdkonna nimi	Area Name
Subtype_Code	Code	Alamliigi tähis, näiteks ettevõtte sisene koolitus	Subtype Code
Subtype_Name	Name		Subtype Name
Training_Plan_Type	Option	Planned/Unplanned/Extraordinary	Training Plan Type

<b>Training_Company_Name</b>	Text		Training Company Name
<b>Educators</b>	Text		Educators
<b>Internal</b>	Boolean	True/False	Internal
<b>Multi_Companies</b>	Boolean	True/False	Multi Companies
<b>Status</b>	Option	Open/Closed/Cancelled	Status
<b>From Date</b>	Date		From Date
<b>To Date</b>	Date		To Date
<b>Academic_Hours</b>	Integer		Academic Hours
<b>Training_Amount</b>	Decimal		Training Amount
<b>Count_of_Participants</b>	Integer		Count of Participants
<b>Related_No</b>	Code	Seotud koolituse number	Related No
<b>Skill_Type_Code</b>	Code	Oskuse liigi tähis	Skill Type Code
<b>Skill_Code</b>	Code	Oskuse tähis	Skill Code
<b>Skill_Level_Code</b>	Code	Oskuse taseme tähis	Skill Level Code
<b>Feedback</b>	Text		Feedback

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/Koolitused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/Koolitused)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
/$metadata#Company('Tuuritaja%20AS')/Koolitused",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0Ozk3MlwvdzdZSktOVXZSMDFBTk5BZ2RndFhFT1lZNHd0QzV20URSRk1
TdGs9MTswMDsn\\",
            "No": "K000003",
            "Name": "Raamatupidamise ABC",
            "Area_Code": "FINANTS",
            "Area_Name": "Finantsalased teadmised",
            "Type_Code": "KOOLITUS",
            "Type_Name": "Koolitus",
            "Subtype_Code": "",
            "Subtype_Name": "",
            "Training_Plan_Type": "Unplanned",
            "Training_Company_No": "V00010",
            "Training_Company_Name": "Koolitaja AS",
            "Educators": "Tiina Tiir",
            "Internal": true,
            "Multi_Companies": true,
            "Status": "Open",
            "From_Date": "2022-09-19",
            "To_Date": null
        }
    ]
}
```

```

        "To_Date": "2022-09-30",
        "Academic_Hours": 16,
        "Training_Amount": 0,
        "Count_of_Participants": 1,
        "Related_No": "",
        "Skill_Type_Code": "TÖÖALASED",
        "Skill_Code": "RMT",
        "Skill_Level_Code": "SPETSIALIST",
        "Feedback": ""

    }
]
}

```

### 5.3. Koolitusel osalejad

Andmed loetakse BC-st tabelist 24008439 (PER Training Participants) ja 24008830(PER Payroll Training). Antud teenusega on võimalik kätte saada kõigil koolitustel osalenud töötajate nimekiri.

Veebiteenuse lehe ID 24008365.

Välja nimetus	Tüüp	Märkus	Andmed tabelitest 24008439 PER Training Participants ja 24008830 PER Payroll Training
<b>Training_No</b>	Code		Training No
<b>Line_Code</b>	Code		Line Code
<b>Line_No</b>	Integer	Töötaja rea number osalejate nimekirjas	Line No
<b>Training_Name</b>	Text	Koolituse nimetus	Name
<b>Training_Area_Code</b>	Code		Training Area Code
<b>Training_Area_Name</b>	Text		Training Area Name
<b>Training_Type_Code</b>	Code		Training Type Code
<b>Training_Type_Name</b>	Text		Training Type Name
<b>Training_Subtype_Code</b>	Code		Training Subtype Code
<b>Training_Subtype_Name</b>	Text		Training Subtype Text
<b>Participated</b>	Boolean	True/False	Participated
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Employee_No</b>	Code		Employee No.

<b>Employee_Name</b>	Text		Employee Name
<b>Feedback</b>	Text		Feedback
<b>Department_No</b>	Code		Department No.
<b>Department_Desc</b>	Text		Department Desc.
<b>Level_2_No</b>	Code	Struktuuri taseme kood	Level 2 No.
<b>Level_2_Name</b>	Text		Level 2 Name
<b>Level_3_No</b>	Code	Struktuuri taseme kood	Level 3 No.
<b>Level_3_Name</b>	Text		Level 3 Name
<b>Level_4_No</b>	Code	Struktuuri taseme kood	Level 4 No.
<b>Level_4_Name</b>	Text		Level 4 Name
<b>Profession_No</b>	Code		Profession No.
<b>Profession_Desc</b>	Text		Profession Desc.
<b>Training_Plan_Type</b>	Option	Planned/Unplanned/Extraordinary	Training Plan Type
<b>Skill_Type_Code</b>	Code	Oskuse liigi tähis	Skill Type Code
<b>Skill_Code</b>	Code	Oskuse tähis	Skill Code
<b>Skill_Level_Code</b>	Code	Oskuse taseme tähis	Skill Level Code
<b>Academic_Hours</b>	Integer		Academic Hours
<b>Credit_Points</b>	Decimal	Ainepunktid	Credit Points
<b>Valid_From</b>	Date	Dokumendi kehtivusaeg	Valid From
<b>Valid_To</b>	Date	Dokumendi kehtivusaeg	Valid To
<b>Document_No</b>	Code		Document No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/Koolituselosalejad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/Koolituselosalejad)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
/$metadata#Company('Tuuritaja%20AS')/Koolituselosalejad",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ003FiT1FZN3B2aFc4Z1p6Ly9HUIrQWZyT1BGTElsMU5TbkdjVnA40HJ
rZUk9MTswMDsn\\",
            "Training_No": "K000003",
            "Line_Code": "",
            "Line_No": 1,
            "Training_Name": "Raamatupidamise ABC",
            "Training_Area_Code": "FINANTS",
            "Training_Area_Name": "Finantsalased teadmised",
            "Training_Type_Code": "KOOLITUS",
            "Training_Type_Name": "Koolitus",
        }
    ]
}
```

```

    "Training_Subtype_Code": "",
    "Training_Subtype_Name": "",
    "Participated": true,
    "From_Date": "2022-09-19",
    "To_Date": "2022-09-30",
    "Employee_No": "T0003",
    "Employee_Name": "Teele Tuisk",
    "Feedback": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": "",
    "Profession_No": "",
    "Profession_Desc": "",
    "Training_Plan_Type": "Unplanned",
    "Skill_Type_Code": "TÖÖALASED",
    "Skill_Code": "RMT",
    "Skill_Level_Code": "SPETSIALIST",
    "Academic_Hours": 16,
    "Credit_Points": 3,
    "Valid_From": "0001-01-01",
    "Valid_To": "0001-01-01",
    "Document_No": ""
}
]
}
}

```

#### 5.4. Lahkumise alused

Andmed loetakse BC-st tabelist 24002004 (PLK Payroll Grounds for Termi.). Antud teenuses on kirjeldatud kõik seadusest tulenevad lahkumise alused töötaja töölepingu lõpetamisel. Veebiteenuse lehe ID 24008313.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002004 PLK Payroll Grounds for Termi.
No	Code		No.
Description	Text		Description
Employee_Initiative	Boolean	True/False	Employee Initiative
Employer_Initiative	Boolean	True/False	Employer Initiative
Law_Section	Text		Law Section

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/LahkumiseAlusEd](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/LahkumiseAlusEd)

Näidis päringu vastus:

```
{
    "@odata.etag": "W/\\"JzQ000U5TFY2Kzd5cWRrY2xneTF0U1Y5dVN3ZHpGYStEdTNFUnpNT3hkVWhsTm89MTswMDsn\\",
    "No": "TA_79",
    "Description": "§ 79 poolte kokkuleppel",
    "Employee_Initiative": false,
    "Employer_Initiative": true,
    "Law_Section": "§ 79"
},
{
    "@odata.etag": "W/\\"JzQ003JrNU1KeGZhUGHsN015Yjk1ZDU3MjAwQTVCa1RPTVRkd01KQkJQV0E4NzQ9MTswMDsn\\",
    "No": "TA_80LG1",
    "Description": "§ 80 lg 1 tähtaja möödumine",
    "Employee_Initiative": false,
    "Employer_Initiative": true,
    "Law_Section": "§ 80lg1"
},
{
    "@odata.etag": "W/\\"JzQ000FpSzh1cGtiMUd3Z3d4Ump2amh6NEhWK1hPWG1XVWJCenlhaDdWak1ZQ1U9MTswMDsn\\",
    "No": "TA_86LG1",
    "Description": "§ 86 lg 1 ülesütllemine katseajal",
    "Employee_Initiative": false,
    "Employer_Initiative": true,
    "Law_Section": "§ 86lg1"
},
...
}
```

## 5.5. Töötajate lapsed

Andmed loetakse BC-st tabelist 24002130 (PLK Employee Children). Antud tabelis kuvatakse kõiki BC-sse sisestatud töötajate lapsi.

Veebiteenuse lehe ID 24012904.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002130 PLK Employee Children
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer		Line No.
<b>Name</b>	Text		Name
<b>Personal_ID</b>	Code		Personal ID
<b>Birth_Date</b>	Date		Birth Date
<b>Sex</b>	Option	Female/Male	Sex
<b>Invalid</b>	Boolean	True/False	Invalid

Comment	Text		Comment
<b>Locked</b>	Boolean	True/False	Locked
<b>SQL_Timestamp</b>	BigInteger	*	SQL Timestamp
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ChildrenRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/ChildrenRead)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/ChildrenRead",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0009nSWJxTmFjYlBsd21BQ05PQVBXR1QycTM5VUNsRjdaVUJoK3pvUlF
4YVU9MTswMDsn\\",
            "Employee_No": "T0002",
            "Line_No": 1,
            "Name": "Hannes Kask",
            "Personal_ID": "63212434433",
            "Birth_Date": "2020-09-05",
            "Sex": "Male",
            "Invalid": false,
            "Comment": "",
            "Locked": false,
            "SQL_Timestamp": 54511248,
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"
        },
        {
            "@odata.etag": "W/\\"JzQ00095bEJUaGFBcko2WUpTcj1MMkVVcVN0c1N4aEt6R0ptbmVqdDYxZ1p
PbFk9MTswMDsn\\",
            "Employee_No": "T0003",
            "Line_No": 1,
            "Name": "Uku Tuisk",
            "Personal_ID": "62344400122",
            "Birth_Date": "2018-05-01",
            "Sex": " ",
            "Invalid": false,
            "Comment": "",
            "Locked": false,
            "SQL_Timestamp": 54511284,
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"
        }
    ]
}
```

## 5.6. Lepingute loend

Andmed loetakse BC-st tabelist 24002019 (PLK Employee Contracts). Kuvatakse ettevõte kõigi töötajate lepingute loendit.

Veebiteenuse lehe ID 24008312.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002019 PLK Employee Contracts
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer	Lapse rea number töötaja kohta	Line No
<b>Entry_Type</b>	Option	Leping/Lepingu lisa	Entry_Type
<b>Contract_No</b>	Code		Contract No
<b>Contract_Code</b>	Code	Lepingu liigi tähis, seadusest tulenevad tähised	Contract Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Profession_No</b>	Code		Profession No.
<b>Profession_Category_No</b>	Code		Profession Category No.
<b>Job_Title</b>	Text		Job Title
<b>Working_Factor</b>	Decimal		Working Factor
<b>Additional_Working_Factor</b>	Decimal		Additional Working Factor
<b>Grounds_for_Term_Code</b>	Code	Lahkumise aluse tähis, seadusest tulenev	Grounds for Term. Code
<b>Cov_Working_Register_ID</b>	Code	Tööregistri ID	Cov. Working Register ID
<b>Department_No</b>	Code		Department No.
<b>Department_Desc</b>	Text		Department Desc.
<b>Level_2_No</b>	Code	Struktuuri taseme kood	Level 2 No.
<b>Level_2_Name</b>	Text		Level 2 Name
<b>Level_3_No</b>	Code	Struktuuri taseme kood	Level 3 No.
<b>Level_3_Name</b>	Text		Level 3 Name
<b>Level_4_No</b>	Code	Struktuuri taseme kood	Level 4 No.
<b>Level_4_Name</b>	Text		Level 4 Name
<b>Get_Novice_Date</b>	Date		Novice Ending Date
<b>SQL_Timestamp</b>	BigInteger	*	SQL Timestamp
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Lepingud](http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Lepingud)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/Lepingud",
    "value": [
```

```
{  
    "@odata.etag": "W/\\"JzQ001c0eTlKZE16UXM5YkZxNUozcCtKwlkpuNWc5MzcxZm1waGIwQ1VWdXd  
QQTg9MTswMDsn\\",  
    "Employee_No": "T0001",  
    "Line_No": 10000,  
    "Entry_Type": "Contract",  
    "Contract_No": "L000001",  
    "Contract_Date": "0001-01-01",  
    "Contract_Code": "11",  
    "From_Date": "2022-04-01",  
    "To_Date": "0001-01-01",  
    "Description": "Määramata ajaks, osalise tööajaga",  
    "Profession_No": "001",  
    "Profession_Category_No": "",  
    "Job_Title": "Tuuritaja",  
    "Working_Factor": 1,  
    "Additional_Working_Factor": 0,  
    "Grounds_for_Term_Code": "",  
    "Cov_Working_Register_ID": "",  
    "Department_No": "",  
    "Department_Desc": "",  
    "Level_2_No": "",  
    "Level_2_Name": "",  
    "Level_3_No": "",  
    "Level_3_Name": "",  
    "Level_4_No": "",  
    "Level_4_Name": "",  
    "Get_Novice_Date": "2022-08-02",  
    "SQL_Timestamp": 52851820,  
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"  
},  
{  
    "@odata.etag": "W/\\"JzQ001Rrc3Z00GR6SmJhdWp5b0p1VUdLYUQwdnhxQWVuK2pjQmhIdGhLRkv  
TdGs9MTswMDsn\\",  
    "Employee_No": "T0002",  
    "Line_No": 10000,  
    "Entry_Type": "Contract",  
    "Contract_No": "L000002",  
    "Contract_Date": "0001-01-01",  
    "Contract_Code": "10",  
    "From_Date": "2022-03-01",  
    "To_Date": "0001-01-01",  
    "Description": "Määramata ajaks",  
    "Profession_No": "",  
    "Profession_Category_No": "",  
    "Job_Title": "",  
    "Working_Factor": 1,  
    "Additional_Working_Factor": 0,  
    "Grounds_for_Term_Code": "",  
    "Cov_Working_Register_ID": "",  
    "Department_No": "",
```

```

    "Department_Desc": "",  

    "Level_2_No": "",  

    "Level_2_Name": "",  

    "Level_3_No": "",  

    "Level_3_Name": "",  

    "Level_4_No": "",  

    "Level_4_Name": "",  

    "Get_Novice_Date": "2022-07-02",  

    "SQL_Timestamp": 52851821,  

    "Entry_GUID": "00000000-0000-0000-0000-000000000000"  

},

```

## 5.7. Töötajate palgad

Andmed loetakse BC-st tabelist 24002020 (PLK Employee Salaries). Antud tabelist saab kätte kõigile töötajatele seadistatud töötasud.  
Veebiteenuse lehe ID 24008310.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002020 PLK Employee Salaries
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer	Tasude rea number töötaja töötasu kohta	Line No.
<b>Salary_No</b>	Code	Eelseadistatud palga tähis	Salary No.
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Amount</b>	Decimal		Amount
<b>Connected_Employee_No</b>	Code	Seotud töötaja	Connected Employee No.
<b>Payment_Code</b>	Code	Väljamakse liigi tähis	Payment Code
<b>Annual_Salary</b>	Decimal		Annual Salary
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Palgad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Palgad)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Palgad",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ00205TEt0SmdHcjlnREcwNkc3Yk5FcnduWlpaemVhTHRuZGVBMytwNTZ
UZEk9MTswMDsn\\",
      "Employee_No": "T0001",
      "Amount": 1000,
      "Description": "Töötaja töötasud"
    }
  ]
}
```

```

    "Line_No": 10000,
    "Salary_No": "TASU_KUUPALK",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "Kuupalk, päevapõhine arvestus",
    "Amount": 2000,
    "Connected_Employee_No": "",
    "Payment_Code": "10",
    "Annual_Salary": 0,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
},
{
    "@odata.etag": "W/\\"JzQ00zF1WW50TVd00WhDM09PdGsyMm96MUN6cnZ4Skk2WXZvQ3pVRCTvbGR
ma2s9MTswMDsn\\",
    "Employee_No": "T0002",
    "Line_No": 10000,
    "Salary_No": "TASU_KUUPALK",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "Kuupalk, päevapõhine arvestus",
    "Amount": 2000,
    "Connected_Employee_No": "",
    "Payment_Code": "10",
    "Annual_Salary": 0,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
},
...

```

## 5.8. Palgakontode loend

Andmed loetakse BC-st tabelist 24002030 (PLK Payroll Accounts). Antud päringuga saab kätte palgakontode loendi ning võimaldab seadistada teatud parameetritele filtreid.  
Veebiteenuse lehe ID 24008378.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002030 PLK Payroll Accounts
No	Code		No.
Name	Text		Name
Amount	Decima l		Amount
Employee_Filter	Code		Employee Filter
Accounting_Filter	Code		Accountin g Filter
Payment_Filter	Code		Payment Filter

<b>Date_Filter</b>	Date		Date Filter
<b>Type_Filter</b>	Option	Registering/Total/Heading/Payment	Type Filter
<b>Payroll_Dimension_1_Filter</b>	Code		Payroll Dimension 1 Filter
<b>Payroll_Dimension_2_Filter</b>	Code		Payroll Dimension 2 Filter
<b>Payroll_Dimension_3_Filter</b>	Code		Payroll Dimension 3 Filter
<b>Payroll_Dimension_4_Filter</b>	Code		Payroll Dimension 4 Filter
<b>Bank_Register_Filter</b>	Integer		Bank Register Filter
<b>Payment_Code_Filter</b>	Code		Payment Code Filter
<b>Main_Contract_Filter</b>	Code		Main Contract Filter

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Palgakontod](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Palgakontod)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Palgakontod",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzRaNVVFdHBFRytEcWhxK3VjbTRvemJYMIpBOHlBTFptb0J0QmI1bHI
2MFE9MTswMDsn\\",
            "No": "1000",
            "Name": "ARVESTATUD TULUD",
            "Amount": 0,
            "Employee_Filter": "",
            "Accounting_Filter": "",
            "Payment_Filter": "",
            "Calculation_Filter": "",
            "Date_Filter": "",
            "Type_Filter": "",
            "Payroll_Dimension_1_Filter": "",
            "Payroll_Dimension_2_Filter": "",
            "Payroll_Dimension_3_Filter": "",
            "Payroll_Dimension_4_Filter": "",
            "Bank_Register_Filter": "",
            "Payment_Code_Filter": "",
            "Main_Contract_Filter": ""
        }
    ]
}
```

```

},
{
    "@odata.etag": "W/\"JzQ002dvL0FHWWRtQkIvd2lud243bkg5RVozMUxLR1YyY1grUGttM1FCdGN
NdmM9MTswMDsn\",
    "No": "1010",
    "Name": "-- Puhkuse ja keskm.palga alus",
    "Amount": 0,
    "Employee_Filter": "",
    "Accounting_Filter": "",
    "Payment_Filter": "",
    "Calculation_Filter": "",
    "Date_Filter": "",
    "Type_Filter": "",
    "Payroll_Dimension_1_Filter": "",
    "Payroll_Dimension_2_Filter": "",
    "Payroll_Dimension_3_Filter": "",
    "Payroll_Dimension_4_Filter": "",
    "Bank_Register_Filter": "",
    "Payment_Code_Filter": "",
    "Main_Contract_Filter": ""
},
...

```

## 5.9. Töötaja pangakontode loend

Andmed loetakse BC-st tabelist 24002017 (PLK Employee Banks). Teenusega saadetakse töötajatele seadistatud pangakontod.

Veebiteenuse lehe ID 24008311.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002017 PLK Employee Banks
<b>Employee_No</b>	Code		Employee No.
<b>Grade_of_Class</b>	Integer	Konto tähtsusjärjestus	Grade of Class
<b>Bank_No</b>	Code	Eelseadistatud pangakontod	Bank No
<b>Bank_Account</b>	Code		Bank Account
<b>Percentage</b>	Decimal	Defineerib, mitu % kantakse kuhu kontole	Percentage
<b>Amount</b>	Decimal	Defineerib, mis summa kantakse kuhu kontole	Amount
<b>IBAN</b>	Code		IBAN
<b>Reference_No</b>	Code	Viitenumber	Reference No
<b>Payment_Amount</b>	Decimal		Payment Amount
<b>Description</b>	Text	Makse saaja nimi	Description
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date

Entry_GUID	Guid	*	Entry GUID
------------	------	---	------------

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Bank](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Bank)

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
    /$metadata#Company('Tuuritaja%20AS')/Bank",  
    "value": [  
        {  
            "@odata.etag": "W/\\"JzQ001lsVXIxbk8xc0JsakVjRVhUZHB1SSs5emNxclBKNTNLcmtrOEQ5T11  
ITjQ9MTswMDsn\\\"",  
            "Employee_No": "T0001",  
            "Grade_of_Class": 10000,  
            "Bank_No": "LHV",  
            "Bank_Account": "",  
            "Percentage": 0,  
            "Amount": 0,  
            "IBAN": "454343533335",  
            "Reference_No": "",  
            "Payment_Amount": 0,  
            "Description": "Triinu Kuur",  
            "From_Date": "0001-01-01",  
            "To_Date": "0001-01-01",  
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"  
        },  
        {  
            "@odata.etag": "W/\\"JzQ00zBHcXRPQndSQXdzT2R1YU5PRVRwaS9MdTRtZk4rU1BGWHN2TU1xV0R  
jd009MTswMDsn\\\"",  
            "Employee_No": "T0002",  
            "Grade_of_Class": 10000,  
            "Bank_No": "SEB",  
            "Bank_Account": "",  
            "Percentage": 0,  
            "Amount": 0,  
            "IBAN": "44332224555522",  
            "Reference_No": "",  
            "Payment_Amount": 0,  
            "Description": "Kalle Malle",  
            "From_Date": "0001-01-01",  
            "To_Date": "0001-01-01",  
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"  
        },  
        {  
            "@odata.etag": "W/\\"JzQ003c1Mn1mQUdySnh1NU02SGtFaEFZS0dFdnNBSGptOHV1bG9INWtzY1R  
rwUE9MTswMDsn\\\"",  
            "Employee_No": "T0003",  
            "Grade_of_Class": 10000,  
            "Bank_No": "LHV",  
            "Bank_Account": ""  
        }  
    ]  
}
```

```

    "Percentage": 0,
    "Amount": 0,
    "IBAN": "224446643333",
    "Reference_No": "",
    "Payment_Amount": 0,
    "Description": "Teele Tuisk",
    "From_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
}
]
}
...

```

## 5.10. Parameetrid

Andmed loetakse BC-st tabelist 24002021 (PLK Employee Parameters). Antud teenusega edastatakse kõigi töötajate kohta seadistatud parameetrid.

Veebiteenuse lehe ID 24012905.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002021 PLK Employee Parameters
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer	Parameetri rea number töötaja kohta	Line No
<b>Parameter_No</b>	Code	Parameetri tähis	Parameter No
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>SQL_Timestamp</b>	BigInteger	*	SQL Timestamp
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/SOAPParameters](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/SOAPParameters)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
/$metadata#Company('Tuuritaja%20AS')/SOAPParameters",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ0OzVFT1JswG1uUjZHUnJ6Sm1VTW1kcXVIdEgzZnhLaVBybEIvQnh2aWV
TN1U9MTswMDsn\\\"",
      "Employee_No": "T0001",
      "Line_No": 10000,
      "Parameter_No": "PENSIONAR",
      "From_Date": "2056-04-01",
      "To_Date": "0001-01-01",
      "Percentage": 0,
      "Amount": 0
    }
  ]
}
```

```

    "Description": "Pensionär alates 07.04.2056",
    "SQL_Timestamp": 45211834,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
},
{
    "@odata.etag": "W/\\"JzQ0029NNz1FVz1MZVdEMzJLcG1Bb3Z0WWYyN0dCSEcxUxveE9mYXhyakx
051U9MTswMDsn\\",
    "Employee_No": "T0001",
    "Line_No": 20000,
    "Parameter_No": "LISA7",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "7 päeva eriseloomuga töö eest diisel-
elektri - ja instruktorivedurijuhile",
    "SQL_Timestamp": 45211913,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
},
{
    "@odata.etag": "W/\\"JzQ001ZMeGFTZncxZ2tEM0huYmZURnN4NENHa0c1aHMvc1dqTjRRWmJkc1l
TVGs9MTswMDsn\\",
    "Employee_No": "T0001",
    "Line_No": 30000,
    "Parameter_No": "RESERV28",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "Puhkusereserv 28 päeva",
    "SQL_Timestamp": 45211926,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
},
...

```

## 5.11. Palgažurnaali read

Andmed loetakse BC-st tabelist 24002033 (PLK Payroll Journal Line). Antud teenusega on võimalik pärida sisestatud registreerimata Palgažurnaali ridu. Veebiteenuse lehe ID 24008415.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002033 PLK Payroll Journal Line
<b>Journal_Batch_N ame</b>	Code	Töölehe nimetus	Journal Batch Name
<b>Line_No</b>	Integer	Žurnaali rea number	Line No
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Type</b>	Option	Normal/Additional	Type
<b>Employee_No</b>	Code		Employee No.
<b>Employee_Name</b>	Text		Employee Name
<b>Employee_Status</b>	Option	Prospect/Active/Inactive/Terminated	Employee Status
<b>Account_NO</b>	Code		Account No

<b>Document_No</b>	Code	Žurnaali töölehe dokumendi number	Document No
<b>Accounting_Period</b>	Code		Accounting Period
<b>Payment_Period</b>	Code		Payment Period
<b>Calculation_Period</b>	Code		Calculation Period
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Remark</b>	Text	Märkus	Remark
<b>Show_Remark_In_Payroll_Report</b>	Boolean	True/False	Show Remark In Payroll Report
<b>Payment_Code</b>	Code		Payment Code
<b>Currency_Code</b>	Code		Currency Code
<b>Currency_Factor</b>	Decimal		Currency Factor
<b>Currency_Factor_Date</b>	Date		Currency Factor Date
<b>Manual_Currency</b>	Boolean	True/False	Manual Currency
<b>Currency_Amount</b>	Decimal		Currency Amount
<b>Main_Contract_No</b>	Code		Main Contract No
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>PER_Job_No</b>	Code		PER Job No
<b>PER_Job_Description</b>	Text		PER Job Description
<b>PER_Task_No</b>	Code		PER Task No
<b>PER_Task_Description</b>	Text		PER Task Description

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/PayrollJournalRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/PayrollJournalRead)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/$metadata#Company('Tuuritaja%20AS')/PayrollJournalRead",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O1J3MDdwZ0hDWHVDRVJERzVle1kwWmFWeG1HK3JkNFJrVkxGemtKwJZnVHM9MTswMDsn\\\"",
        }
    ]
}
```

```

"Journal_Batch_Name": "VAIKIMISI",
"Line_No": 10000,
"Entry_GUID": "00000000-0000-0000-0000-000000000000",
>Type": "Normal",
"Employee_No": "T0003",
"Employee_Name": "Teele Tuisk",
"Employee_Status": "Active",
"Account_No": "",
"Document_No": "PALK 23.09.22",
"Posting_Date": "2022-09-23",
"Accounting_Period": "2022-09",
"Payment_Period": "2022-09",
"Calculation_Period": "2022-09",
"Amount": 15,
>Description": "",
"Remark": "",
>Show_Remark_In_Payroll_Report": false,
"Payment_Code": "10",
"Currency_Code": "",
"Currency_Factor": 0,
"Currency_Factor_Date": "0001-01-01",
"Manual_Currency": false,
"Currency_Amount": 0,
>Main_Contract_No": "",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"PER_Job_No": "",
"PER_Job_Description": "",
"PER_Task_No": "",
"PER_Task_Description": ""
}
]
}
}

```

## 5.12. Puhkusetaotlused

Andmed loetakse BC-st tabelist 24013072 (PER Payroll Request). Antud pärguga on võimalik kätte saada kõik BC-s töötajate poolt esitatud puhkusetaotlused.  
Veebiteenuse lehe ID 2408487.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24013072 PER Payroll Request
<b>Request No</b>	Code		Request No
<b>Employee No</b>	Code		Employee No.
<b>Full Name</b>	Text		Full Name
<b>Level 1 No</b>	Code	Struktuuri taseme kood	Level 1 No.

<b>Level_2_No</b>	Code	Struktuuri taseme kood	Level 2 No.
<b>Level_3_No</b>	Code	Struktuuri taseme kood	Level 3 No.
<b>Level_4_No</b>	Code	Struktuuri taseme kood	Level 4 No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/HolidayRequests](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/HolidayRequests)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/HolidayRequests",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O25TY1Bhd0Z1bWZqZHJ0eVBIOW9iWHiamp1NwxSemxud1RBTvNoSUc
            2bkE9MTswMDsn\\\"",
            "Request_No": "PUH0001",
            "Employee_No": "T0003",
            "Full_Name": "Teele Tuisk",
            "Level_1_No": "",
            "Level_2_No": "",
            "Level_3_No": "",
            "Level_4_No": "",
            "Holiday_Type": "P_PUHKUS",
            "Holdiay_Type_Description": "Põhipuhkus",
            "Starting_Date": "2022-10-03",
            "Ending_Date": "2022-10-09",
            "Days": 7,
            "Substitution": "",
            "Request_Info": "Põhipuhkus 03.10.22 - 09.10.22",
            "Request_URL": "http://palk.westeurope.cloudapp.azure.com:8016/PALK18APPTEST/?c
            ompany=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAAwADE%3d",
            "Approval_Status": "Approved"
        }
    ]
}
```

### 5.13. Puhkuste saldo ajalugu

Andmed loetakse BC-st tabelist PLK Holiday Balance History (24012923).

Veebiteenuse lehe ID 24012992.

Uuenenud kanded tekivad tööjärjekorra 24002043 käivitamisel. Tööjärjekorda on võimalik käivitada nii päeva, kuu, kui ka aasta lõikes.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Holiday Balance History (24012923)
<b>Entry_No</b>	Integer		Entry No
<b>Employee_No</b>	Code		Employee No
<b>Balance_Date</b>	Date		Balance Date
<b>Balance_Type</b>	Code	Day/Month/Year	Balance Type
<b>Last Date Modified</b>	Date		Date Added
<b>Balance_Amount_1</b>	Decimal		Balance Amount_1
<b>Balance_Amount_2</b>	Decimal		Balance Amount_2
<b>Balance_Amount_3</b>	Decimal		Balance Amount_3
<b>Balance_Amount_4</b>	Decimal		Balance Amount_4
<b>Balance_Amount_5</b>	Decimal		Balance Amount_5
<b>Balance_Amount_6</b>	Decimal		Balance Amount_6
<b>Balance_Amount_7</b>	Decimal		Balance Amount_7
<b>Balance_Amount_8</b>	Decimal		Balance Amount_8
<b>Balance_Amount_9</b>	Decimal		Balance Amount_9
<b>Balance_Amount_10</b>	Decimal		Balance Amount_10
<b>Balance_Amount_11</b>	Decimal		Balance Amount_11
<b>Balance_Amount_12</b>	Decimal		Balance Amount_12
<b>Balance_Amount_13</b>	Decimal		Balance Amount_13
<b>Balance_Amount_14</b>	Decimal		Balance Amount_14
<b>Balance_Amount_15</b>	Decimal		Balance Amount_15
<b>Balance_Amount_16</b>	Decimal		Balance Amount_16
<b>Balance_Amount_17</b>	Decimal		Balance Amount_17
<b>Balance_Amount_18</b>	Decimal		Balance Amount_18
<b>Balance_Amount_19</b>	Decimal		Balance Amount_19
<b>Balance_Amount_20</b>	Decimal		Balance Amount_20
<b>Balance_Amount_21</b>	Decimal		Balance Amount_21
<b>Balance_Amount_22</b>	Decimal		Balance Amount_22
<b>Balance_Amount_23</b>	Decimal		Balance Amount_23
<b>Balance_Amount_24</b>	Decimal		Balance Amount_24
<b>Balance_Amount_25</b>	Decimal		Balance Amount_25
<b>Balance_Amount_26</b>	Decimal		Balance Amount_26
<b>Balance_Amount_27</b>	Decimal		Balance Amount_27
<b>Balance_Amount_28</b>	Decimal		Balance Amount_28
<b>Balance_Amount_29</b>	Decimal		Balance Amount_29
<b>Balance_Amount_30</b>	Decimal		Balance Amount_30
<b>Balance_Amount_31</b>	Decimal		Balance Amount_31
<b>Balance_Amount_32</b>	Decimal		Balance Amount_32

Näidis päringu aadress:

[http://palk.westeuropew.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PuhAjalugu](http://palk.westeuropew.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/PuhAjalugu)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropew.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/PuhAjalugu",
    "value": [
```

```
{
    "@odata.etag": "W/\\"JzQ0O2pmc3FMZExCcU1VYzVQdnhxYUhDMzdXcFFVVHYxRDNUYWI5VXN3ZX
2a0k9MTswMDsn\\",
    "Entry_No": 1,
    "Employee_No": "T0001",
    "Balance_Date": "2022-10-17",
    "Balance_Type": "DAY",
    "Last_Date_Modified": "2022-10-17",
    "Balance_Amount_1": -16.7386301369863014,
    "Balance_Amount_2": 0,
    "Balance_Amount_3": 0,
    "Balance_Amount_4": 0,
    "Balance_Amount_5": 0,
    "Balance_Amount_6": 0,
    "Balance_Amount_7": 0,
    "Balance_Amount_8": 0,
    "Balance_Amount_9": 0,
    "Balance_Amount_10": 0,
    "Balance_Amount_11": 0,
    "Balance_Amount_12": 0,
    "Balance_Amount_13": 0,
    "Balance_Amount_14": 0,
    "Balance_Amount_15": 0,
    "Balance_Amount_16": 0,
    "Balance_Amount_17": 0,
    "Balance_Amount_18": 0,
    "Balance_Amount_19": 0,
    "Balance_Amount_20": 0,
    "Balance_Amount_21": 0,
    "Balance_Amount_22": 0,
    "Balance_Amount_23": 0,
    "Balance_Amount_24": 0,
    "Balance_Amount_25": 0,
    "Balance_Amount_26": 0,
    "Balance_Amount_27": 0,
    "Balance_Amount_28": 0,
    "Balance_Amount_29": 0,
    "Balance_Amount_30": 0,
    "Balance_Amount_31": 0,
    "Balance_Amount_32": 0
},
...
}
```

## 5.14. Puudumiste asendajad

Andmed loetakse BC-st tabelist 24002099 (PLK Payroll Subst. Led. Entry). Kuvatakse puudumise asendajat puudumise kande kohta.  
Veebiteenuse lehe ID 24008379.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002099 PLK
---------------	------	--------	---------------------------------

			Payroll Subst. Led. Entry
<b>Abs_Entry_No</b>	Code	Puudumise kande number	Abs Entry No
<b>Entry_No</b>	Code	Asenduse kande number puudumise kohta	Entry No
<b>Employee_No</b>	Code		Employee No.
<b>Substituent_No</b>	Code		Substituent_No
<b>Substituent_Name</b>	Text		Substituent_Name
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Description</b>	Text		Description

Näidis päringu aadress:

[http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Asendajad](http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Asendajad)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/Asendajad",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ000IyaU8zaEVpdHc4R2pZaVzzVGtMOE9FQTRNWERvTHRhcW05S041dGZ
            uZUk9MTswMDsn\\\"",
            "Abs_Entry_No": 1,
            "Entry_No": 10000,
            "Employee_No": "T0001",
            "Substituent_No": "T0004",
            "Substituent_Name": "Stig Segasaar",
            "From_Date": "2022-07-15",
            "To_Date": "2022-07-17",
            "Cause_of_Absence_Code": "P_PUHKUS",
            "Description": "Asendab klienti AS Sisu"
        },
        {
            "@odata.etag": "W/\\"JzQ0005rYXhb3psY2J6YmYzQWN5cGQ5MmZza3BSUjdicnc1NFhxcWpoQ2J
            FVWM9MTswMDsn\\\"",
            "Abs_Entry_No": 6,
            "Entry_No": 10000,
            "Employee_No": "T0002",
            "Substituent_No": "T0003",
            "Substituent_Name": "Teele Tuisk",
            "From_Date": "2022-08-22",
            "To_Date": "2022-09-11",
            "Cause_of_Absence_Code": "P_PUHKUS",
        }
    ]
}
```

```

        "Description": """",
    },
    {
        "@odata.etag": "W/\\"JzQ0001QUWkxTTZKcWt2Ymc1VDBLcUZCQuDCT09kOXlwan1zWitJWkZnbTh
YZ1U9MTswMDsn\\",
        "Abs_Entry_No": 8,
        "Entry_No": 10000,
        "Employee_No": "T0003",
        "Substituent_No": "T0004",
        "Substituent_Name": "Stig Segasaar",
        "From_Date": "2022-09-14",
        "To_Date": "2022-09-17",
        "Cause_of_Absence_Code": "P_PUHKUS",
        "Description": "Asendus puhkuseks"
    }
]
}

```

## 5.15. Puudumiste loend

Andmed loetakse BC-st tabelist 24002028 (PLK Payroll Abs. Ledger Entry). Antud teenuse kaudu on võimalik käte saada kogu ettevõttes regisiteeritud puudumiste nimekiri koos asendajate infoga.

Veebiteenuse lehe ID 24012902.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002028 PLK Payroll Abs. Ledger Entry ja 24002099 PLK Payroll Subst. Led. Entry
<b>Entry_No</b>	Integer		Entry No.
<b>Employee_No</b>	Code		Employee No.
<b>Employee_Name</b>	Text		Employee Name
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Quantity_Days</b>	Integer		Quantity(Days)
<b>Quantity_Working_Days</b>	Integer		Quantity(Working Days)
<b>Sharepoint_Entry_No</b>	BigInteger		Sharepoint Entry No.
<b>Holiday_Payment</b>	Option	Payday/Holiday/Monthly	Holiday Payment
<b>Notes</b>	Text		Notes
<b>Child_No</b>	Integer		Child No.
<b>Child_Name</b>	Text		Child Name

<b>SQL_Timestamp</b>	BigInteger	*	SQL Timestamp
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Applied_Abs_Ledg_Entry_No</b>	Integer	Seotud puudumise kande number jätkuhraiguslehe sidumiseks.	Applied Abs.Ledg.Entry No.
<b>SubstitutionTextSimple</b>		Andmed võetakse Palga asendamise andmikust. Väärtus : Substituent No.	
<b>SubstitutionTextFull</b>		Andmed võetakse Palga asendamise andmikust. Väärtus : Substituent No., Substituent Name, Form-to Date.	

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/AbsRead](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/AbsRead)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/AbsRead",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ002NGWmoyK0xsVkhZZnhkc01iT WJn0C9YVGE4eEdGV3VMVG40QVptSU9
UeTg9MTswMDsn\\\"",
            "Entry_No": 1,
            "Employee_No": "T0001",
            "Employee_Name": "Triinu Tuur",
            "Cause_of_Absence_Code": "P_PUHKUS",
            "From_Date": "2022-07-15",
            "To_Date": "2022-07-17",
            "Description": "Puhkus",
            "Quantity_Days": 3,
            "Quantity_Working_Days": 1,
            "Sharepoint_Entry_No": 0,
            "Holiday_Payment": " ",
            "Notes": "",
            "Child_No": 0,
            "Child_Name": "",
            "SQL_Timestamp": 48267006,
            "Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
            "Applied_Abs_Ledg_Entry_No": 0,
            "SubstitutionTextSimple": "T0004",
            "SubstitutionTextFull": "T0004 Stig Segasaar (07/15/22-07/17/22)"
        },
        {
            "@odata.etag": "W/\\"JzQ0001GUldDdE5hQmpOaktwQWFJQkRWS2VXV1pKR1M3dTN0d1E3SVE5MHR
3V289MTswMDsn\\\"",
            ...
        }
    ]
}
```

```

    "Entry_No": 2,
    "Employee_No": "T0002",
    "Employee_Name": "Kalle Malle",
    "Cause_of_Absence_Code": "V_TPTASU",
    "From_Date": "2022-03-06",
    "To_Date": "2022-03-07",
    "Description": "Tasustatud tervisepäev",
    "Quantity_Days": 2,
    "Quantity_Working_Days": 1,
    "Sharepoint_Entry_No": 0,
    "Holiday_Payment": " ",
    "Notes": "",
    "Child_No": 0,
    "Child_Name": "",
    "SQL_Timestamp": 50339357,
    "Entry_GUID": "3ccdbd0a-24c1-4bab-b583-f4689e0313b2",
    "Applied_Abs_Ledg_Entry_No": 0,
    "SubstitutionTextSimple": "",
    "SubstitutionTextFull": ""
},

```

## 5.16. Töötajate seisund

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Antud teenusega on võimalik pärida kõigi töötajate seisundit.  
Veebiteenuse lehe ID 24008309.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002016 PLK Employee Status
<b>Employee_No</b>	Code		Employee No.
<b>Status</b>	Option	Active/Inactive/Prospect/Terminated	Status
<b>From_Date</b>	Date		From Date
<b>Description</b>	Text		Description
<b>Initial_Date</b>	Date		Initial Date
<b>To_Date</b>	Date		To Date
<b>Cause_of_Inactivity_Code</b>	Code		Cause of Inactivity Code
<b>Remark</b>	Text		Remark
<b>Cov_Working_Register_ID</b>	Code	Tööregistri ID	Cov. Working Register ID
<b>Amount</b>	Decimal		Amount
<b>Main_Contract_No</b>	Code		Main Contract No.
<b>Grounds_for_Term_Code</b>	Code		Grounds for Term. Code
<b>Termination_Description</b>	Text		Termination Description

<b>Cause_of_Term_Code</b>	Code		Cause of Term. Code
<b>Cause_of_Term_Description</b>	Text		Cause of Term. Description
<b>Department_No_internal_use</b>	Code		Department No. (internal use)
<b>Job_Title_internal_use</b>	Text		Job Title (internal use)
<b>Department_Name_internal_use</b>	Text		Department Name (internal use)
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Seisund](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Seisund)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Seisund",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzVHMWJqSFdMbFVKS0h3WkJ5dEhaVkRURU9X0GV1RkdZL2RyM1VCdHV
yVHc9MTswMDsn\\",
            "Employee_No": "T0001",
            "Status": "Active",
            "From_Date": "2022-03-01",
            "Description": "Leping",
            "Initial_Date": "0001-01-01",
            "To_Date": "0001-01-01",
            "Cause_of_Inactivity_Code": "",
            "Remark": "",
            "Cov_Working_Register_ID": "",
            "Amount": 0,
            "Main_Contract_No": "",
            "Grounds_for_Term_Code": "",
            "Termination_Description": "",
            "Cause_of_Term_Code": "",
            "Cause_of_Term_Description": "",
            "Department_No_internal_use": "",
            "Job_Title_internal_use": "",
            "Department_Name_internal_use": "",
            "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867633"
        },
        {
            "@odata.etag": "W/\\"JzQ000drU29Iekw0SG9EdHB6MTRpZnhCVG1HSH1HTjIxEdnRHBrb1UxeHh
nR1E9MTswMDsn\\",
            "Employee_No": "T0002",
            "Status": "Active",
            "From_Date": "2022-03-01",
            "Description": "Leping",
            "Initial_Date": "0001-01-01",
            "To_Date": "0001-01-01",
            "Cause_of_Inactivity_Code": ""
        }
    ]
}
```

```

    "Remark": "",
    "Cov_Working_Register_ID": "",
    "Amount": 0,
    "Main_Contract_No": "",
    "Grounds_for_Term_Code": "",
    "Termination_Description": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Department_No_internal_use": "",
    "Job_Title_internal_use": "",
    "Department_Name_internal_use": "",
    "Entry_GUID": "e6183e37-e183-4a99-8bee-183d74ac01bd"
},
...

```

### 5.17. Struktuuri tase 1

Andmed loetakse BC-st tabelist 24002010 (PLK Payroll Department). Teenus annab infot ettevõtte 1 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008499.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002010 PLK Payroll Department
No	Code		No.
Name	Text		Name
Name_English	Text		Name English
Manager_No	Code		Manager No
Closed	Boolean	True/False	Closed
Dimension_Value	Code		Dimension Value

Näidis püringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase1](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Tase1)

Näidis püringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Tase1",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O2xqR3M1V3hWMExUeEVqZTNUcytvMXoxWFhSTUVTdGNGUjBKVFJURkc
3b0k9MTswMDsn\\",
            "No": "10",
            "Name": "Nõukogu",
            "Name_English": "",
            "Manager_No": "",
            "Closed": false,
            "Dimension_Value": ""
        }
    ]
}
```

## 5.18. Struktuuri tase 2

Andmed loetakse BC-st tabelist 24002092 (PLK Payroll Level 2). Teenus annab infot ettevõtte 2 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008498.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002092 PLK Payroll Level 2
<b>Level_1_No</b>	Code		Level 1 No
<b>No</b>	Code		No
<b>Level_1_Name</b>	Name		Level 1 Name
<b>Name</b>	Text		Name
<b>Name_English</b>	Text		Name English
<b>Manager_No</b>	Code		Manager No
<b>Closed</b>	Boolean	True/False	Closed
<b>Dimension_Value</b>	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase2](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Tase2)

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
    /$metadata#Company('Tuuritaja%20AS')/Tase2",  
    "value": [  
        {  
            "@odata.etag": "W/\\"JzQ002tyNnZTUuNOZk1YSXBCNjhmcHE1SHdmU1pBcXp6WGE2TDlxZFVDVjJ  
            PbUU9MTswMDsn\\\"",  
            "Level_1_No": "10",  
            "No": "100",  
            "Level_1_Name": "Nõukogu",  
            "Name": "Juhatus",  
            "Name_English": "",  
            "Manager_No": "",  
            "Closed": false,  
            "Dimension_Value": ""  
        }  
    ]  
}
```

## 5.19. Struktuuri tase 3

Andmed loetakse BC-st tabelist 24002096 (PLK Payroll Level 3). Teenus annab infot ettevõtte 3 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008497.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002096 PLK Payroll Level 3
<b>Level_1_No</b>	Code		Level 1 No
<b>Level_2_No</b>	Code		Level 2 No
<b>No</b>	Code		No
<b>Level_1_Name</b>	Name		Level 1 Name
<b>Level_2_Name</b>	Name		Level 2 Name
<b>Name</b>	Text		Name
<b>Name_English</b>	Text		Name English
<b>Manager_No</b>	Code		Manager No
<b>Closed</b>	Boolean	True/False	Closed
<b>Dimension_Value</b>	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase3](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Tase3)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Tase3",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ002FpN3Jra3F1eTNuNH1GVFh6UU8xY1h1cW1xL0dpQkVDZU42NjcvZW5
mMGs9MTswMDsn\\",
            "Level_1_No": "10",
            "Level_2_No": "100",
            "No": "101",
            "Level_1_Name": "Nõukogu",
            "Level_2_Name": "Juhatus",
            "Name": "Raamatupidamine",
            "Name_English": "",
            "Manager_No": "",
            "Closed": false,
            "Dimension_Value": ""
        },
        {
            "@odata.etag": "W/\\"JzQ003JxVmNPZ2FBeWxTT0h5d2pEdVN4akI1USTjRzVUTHVCeUZkR3cvWFV
aU1E9MTswMDsn\\",
            "Level_1_No": "10",
            "Level_2_No": "100",
            "No": "102",
            "Level_1_Name": "Nõukogu",
            "Level_2_Name": "Juhatus",
            "Name": "Ostuosakond",
            "Name_English": "",
            "Manager_No": "",
            "Closed": false,
            "Dimension_Value": ""
        }
    ]
}
```

```
{  
    "@odata.etag": "W/\\"JzQ001NITDROM\WtGRU9oSUdK NzNCZTNscXU1cnBodi92SzN0TlJlWlBxdWZ  
nYTA9MTswMDsn\\",  
    "Level_1_No": "10",  
    "Level_2_No": "100",  
    "No": "103",  
    "Level_1_Name": "Nõukogu",  
    "Level_2_Name": "Juhatus",  
    "Name": "Müügiosakond",  
    "Name_English": "",  
    "Manager_No": "",  
    "Closed": false,  
    "Dimension_Value": ""  
},  
{  
    "@odata.etag": "W/\\"JzQ003JFNWd50V1YRuk3YmdIUnE1dEE5U1ZKTVFmNWg4Q1U4bnY2N0pVZHB  
rZm89MTswMDsn\\",  
    "Level_1_No": "10",  
    "Level_2_No": "100",  
    "No": "104",  
    "Level_1_Name": "Nõukogu",  
    "Level_2_Name": "Juhatus",  
    "Name": "Turundus",  
    "Name_English": "",  
    "Manager_No": "",  
    "Closed": false,  
    "Dimension_Value": ""  
},  
{  
    "@odata.etag": "W/\\"JzQ003kyYWZtNk9YcFduVFJSZ09RSEQ5TwxDL01UdS9zeUh1TUJvU3VdnF  
pYXM9MTswMDsn\\",  
    "Level_1_No": "10",  
    "Level_2_No": "100",  
    "No": "105",  
    "Level_1_Name": "Nõukogu",  
    "Level_2_Name": "Juhatus",  
    "Name": "Tugiüksus",  
    "Name_English": "",  
    "Manager_No": "",  
    "Closed": false,  
    "Dimension_Value": ""  
}  
]  
}
```

## 5.20. Struktuuri tase 4

Andmed loetakse BC-st tabelist 24002097 (PLK Payroll Level 4). Teenus annab infot ettevõtte 4 struktuuri taseme kohta.  
Veebiteenuse lehe ID 2408496.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002097 PLK Payroll Level 4
<b>Level_1_No</b>	Code		Level 1 No
<b>Level_2_No</b>	Code		Level 2 No
<b>Level_3_No</b>	Code		Level 3 No
<b>No</b>	Code		No
<b>Level_1_Name</b>	Name		Level 1 Name
<b>Level_2_Name</b>	Name		Level 2 Name
<b>Level_3_Name</b>	Name		Level 3 Name
<b>Name</b>	Text		Name
<b>Name_English</b>	Text		Name English
<b>Manager_No</b>	Code		Manager No
<b>Closed</b>	Boolean	True/False	Closed
<b>Dimension_Value</b>	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase4](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Tase4)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/Tase4",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzdranJQR1VTUD1BUEEwdExGZGt1VmUvdnpUOTQ0bWhZbUZ4S1kwTnN
XZ009MTswMDsn\\",
            "Level_1_No": "10",
            "Level_2_No": "100",
            "Level_3_No": "101",
            "No": "1011",
            "Level_1_Name": "Nõukogu",
            "Level_2_Name": "Juhatus",
            "Level_3_Name": "Raamatupidamine",
            "Name": "Pearaamatupidamine",
            "Name_English": "",
            "Manager_No": "",
            "Closed": false,
            "Dimension_Value": ""
        },
        {
            "@odata.etag": "W/\\"JzQ0009wb2sza1RaUkZJbXFUK1pBRUJzTwLa3hVQ3pEZHd BUTNGM1h4Y0p
jk1k9MTswMDsn\\",
            "Level_1_No": "10",
            "Level_2_No": "100",
            "Level_3_No": "102",
            "No": "1022",
            "Level_1_Name": "Nõukogu",
            "Level_2_Name": "Juhatus",
            "Level_3_Name": "Ostuosakond",
        }
    ]
}
```

```

        "Name": "EU",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
        "Dimension_Value": ""

    },
    {
        "@odata.etag": "W/\\"JzQ001BhWF1KdFE30GluNHFMMEZQbDFjQUZXcVNiQUg0TTBiZWtsVmFmR1I
vM0U9MTswMDsn\\",
        "Level_1_No": "10",
        "Level_2_No": "100",
        "Level_3_No": "102",
        "No": "1023",
        "Level_1_Name": "Nõukogu",
        "Level_2_Name": "Juhatus",
        "Level_3_Name": "Ostuosaakond",
        "Name": "EE",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
        "Dimension_Value": ""

    },
    {
        "@odata.etag": "W/\\"JzQ003c4VGRNODY5ZURHTm5IN3NZanMwZm96bHdBVzFoWnd5dGt2TGFBRET
0Um89MTswMDsn\\",
        "Level_1_No": "10",
        "Level_2_No": "100",
        "Level_3_No": "103",
        "No": "1033",
        "Level_1_Name": "Nõukogu",
        "Level_2_Name": "Juhatus",
        "Level_3_Name": "Müügiosaakond",
        "Name": "EU",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
        "Dimension_Value": ""

    },
    ...

```

## 5.21. Lepingu liigid

Andmed loetakse BC-st tabelist 24002011 (PLK Payroll Empl. Contract). Antud teenuse abil on võimalik pärida BC-sse seadistatud töölepingu liike.

Veebiteenuse lehe ID 24008315.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002011 PLK Payroll Empl. Contract
No	Code		No.
Description	Text		Description

Type	Option	Employment Contract/Contract/Board/Councillor/Contract Agreement/Alimony Recipient/Other	Type
------	--------	--	------

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6lepinguLiigid](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6lepinguLiigid)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/T%C3%B6lepinguLiigid",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0001rV0pTUG9VdEpveTQ3UnFyZS8vdFlsdW50Q09GWUw3cy84bTV2eDI
    2U2c9MTswMDsn\\",
            "No": "10",
            "Description": "Määramata ajaks",
            "Type": "Employement Contract"
        },
        {
            "@odata.etag": "W/\\"JzQ003pSSGxRb25McGQ5M3JzbDlxazhFLzBMdWg1dlk5NzQxM1lVaDNVN3V
    IaTA9MTswMDsn\\",
            "No": "11",
            "Description": "Määramata ajaks, osalise tööajaga",
            "Type": "Employement Contract"
        },
        ...
    ]
}
```

## 5.22. Töötaja dokumendid

Andmed loetakse BC-st tabelist 24002119 (PLK Employee Documents). Teenusega on võimalik pärida kõigile töötajatele seadistatud dokumente ning nende kehtivust. Veebiteenuse lehe ID 24008363.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002119 PLK Employee Documents
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer	Mitmes dokument töötaja kohta	Line No
<b>Employee_Name</b>	Text		Employee Name
<b>PLK_Employee_Status</b>	Option	Active/Inactive/Prospect/ Terminated	PLK Employee Status
<b>Citizenship_Code</b>	Code		Citizenship Code
<b>Document_No</b>	Code		Document No
<b>Document_Type</b>	Code		Document Type
<b>Document_Type_Description</b>	Text		Document Type Description
<b>Document_Publisher</b>	Code		Document Publisher

<b>Document_Publisher_Name</b>	Text		Document Publisher Name
<b>Document_Valid_From</b>	Date		Document Valid From
<b>Document_Valid_To</b>	Date		Document Valid To
<b>Comment</b>	Text		Comment
<b>Locked</b>	Boolean	True/False	Locked
<b>Department_No</b>	Code		Department No.
<b>Department_Desc</b>	Text		Department Desc.
<b>Level_2_No</b>	Code	Struktuuri taseme kood	Level 2 No.
<b>Level_2_Name</b>	Text		Level 2 Name
<b>Level_3_No</b>	Code	Struktuuri taseme kood	Level 3 No.
<b>Level_3_Name</b>	Text		Level 3 Name
<b>Level_4_No</b>	Code	Struktuuri taseme kood	Level 4 No.
<b>Level_4_Name</b>	Text		Level 4 Name
<b>Picture</b>	Blob		Attachment

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Documents](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Documents)

Näidis päringu vastus:

{

```

    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/Documents",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ000w4dGZhOTJCQXNLZGtBd2hHWjJicDNKRWowUjFYRDB5M2YxNnYxNW9
    GOUk9MTswMDsn\\",
            "Employee_No": "T0002",
            "Line_No": 1,
            "Employee_Name": "Kalle Malle",
            "PLK_Employee_Status": "Active",
            "Citizenship_Code": "",
            "Document_No": "A1233",
            "Document_Type": "D02",
            "Document_Type_Description": "ID-kaart",
            "Document_Publisher": "",
            "Document_Publisher_Name": "",
            "Document_Valid_From": "2022-09-26",
            "Document_Valid_To": "2028-09-26",
            "Comment": "",
            "Locked": false,
            "Department_No": "10",
            "Department_Desc": "Nõukogu",
            "Level_2_No": "100",
            "Level_2_Name": "Juhatus",
            "Level_3_No": "103",
            "Level_3_Name": "Müügiosakond",
            "Level_4_No": "1034",
            "Level_4_Name": "EE",
        }
    ]
}
```

```

        "Picture": """",
    },
{
    "@odata.etag": "W/\\"JzQ0024vUWVEZFBRTVTa2VUM2hSKzVtODVpQ2RqaGZuT2J4N1hpQUZYM2Z
rb0E9MTswMDsn\\",
    "Employee_No": "T0003",
    "Line_No": 1,
    "Employee_Name": "Teele Tuisk",
    "PLK_Employee_Status": "Active",
    "Citizenship_Code": "",
    "Document_No": "A11445",
    "Document_Type": "D01",
    "Document_Type_Description": "Pass",
    "Document_Publisher": "",
    "Document_Publisher_Name": "",
    "Document_Valid_From": "2020-09-05",
    "Document_Valid_To": "2026-08-14",
    "Comment": "",
    "Locked": false,
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": "",
    "Picture": ""
}
]
}
}

```

### 5.23. Töötaja passiivsused

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Antud loendis kuvatakse kõiki passiivseid töötajaid.

Veebiteenuse lehe ID 24008494.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002016 PLK Employee Status
<b>Employee_No</b>	Code		Employee No.
<b>Status</b>	Option	Inactive	Status
<b>From_Date</b>	Date		From Date
<b>Description</b>	Text		Description
<b>To_Date</b>	Date		To Date
<b>Cause_of_Inactivity_Code</b>	Code		Cause of Inactivity Code
<b>Main_Contract_No</b>	Code		Main Contract No
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6tajaPassiivsused](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6tajaPassiivsused)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/T%C3%B6tajaPassiivsused",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O2xpSStMZTZYRGtvWFVCekpWV1p1WEZ2SWdKMHUzdGw5SF1sUEQ0YVV
            HUKk9MTswMDsn\\\"",
            "Employee_No": "T0010",
            "Status": "Inactive",
            "From_Date": "2022-09-26",
            "Description": "Vanemapuhkus (kuni lapse 3.a saamiseni)",
            "To_Date": "0001-01-01",
            "Cause_of_Inactivity_Code": "LHOOLD",
            "Main_Contract_No": "",
            "Entry_GUID": "7cf25fa9-d7e0-453e-b8b1-82e18feb16cf"
        }
    ]
}
```

## 5.24. Aktiivsed töötajad

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Päringus kuvatakse ainult aktiivseid töötajaid.

Veebiteenuse lehe ID 24008495.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002016 PLK Employee Status
<b>Employee_No</b>	Code		Employee No.
<b>Status</b>	Option	Active	Status
<b>From_Date</b>	Date		From Date
<b>Description</b>	Text		Description
<b>To_Date</b>	Date		To Date
<b>Initial_Date</b>	Date		Initial Date
<b>Seniority_Date</b>	Date		Seniority Date
<b>Grounds_for_Term_Code</b>	Code		Grounds for Term Code
<b>Termination_Description</b>	Text		Termination Description
<b>Cause_of_Term_Code</b>	Code		Cause of Term Code
<b>Cause_of_Term_Description</b>	Text		Cause of Term Description
<b>Remark</b>	Text		Remark
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmployeeStatus](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/EmployeeStatus)

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
    /$metadata#Company('Tuuritaja%20AS')/EmployeeStatus",  
    "value": [  
        {  
            "@odata.etag": "W/\\"JzQ001o2Q295UWZ0Rks4RXRpY1FhdjZn0HRYUDdCci9u0HU0Q0xUWlkxOU1  
            LWVk9MTswMDsn\\\"",  
            "Employee_No": "T0001",  
            "Status": "Active",  
            "From_Date": "2022-03-01",  
            "Description": "Leping",  
            "To_Date": "2022-10-15",  
            "Initial_Date": "0001-01-01",  
            "Seniority_Date": "0001-01-01",  
            "Grounds_for_Term_Code": "TA_80LG1",  
            "Termination_Description": "§ 80 lg 1 tähtaja möödumine",  
            "Cause_of_Term_Code": "",  
            "Cause_of_Term_Description": "",  
            "Remark": "",  
            "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867633"  
        },  
        {  
            "@odata.etag": "W/\\"JzQ003pERXJoeVZYSHBwT3AxME5IOWHVDBjU3Axbi9LQU40a2ROSVhNS0J  
            PNDg9MTswMDsn\\\"",  
            "Employee_No": "T0001",  
            "Status": "Active",  
            "From_Date": "2022-10-01",  
            "Description": "Leping",  
            "To_Date": "0001-01-01",  
            "Initial_Date": "0001-01-01",  
            "Seniority_Date": "0001-01-01",  
            "Grounds_for_Term_Code": "",  
            "Termination_Description": "",  
            "Cause_of_Term_Code": "",  
            "Cause_of_Term_Description": "",  
            "Remark": "",  
            "Entry_GUID": "67914410-2b81-4b0b-8855-e4b38cef0b97"  
        },  
        ...  
    ]  
}
```

## 5.25. Töötajate loend

Andmed loetakse BC-st tabelist 24002014. Võimaldab pärida kõigi töötajate üldandmeid töötajate loendist.

Veebiteenuse lehe ID 24012900.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002014
No	Code		No
Personal ID	Text		Personal ID
First Name	Text		First Name
Last Name	Text		Last Name
Birth Date	Date		Birth Date
Deny Birth Date Publish	Boolean	True/False	Deny Birth Date Publish
Sex	Option	Male/Female	Sex
Status	Boolean	True/False	Status
Employment Date	Date		Employment Date
Termination Date	Date		Termination Date
Inactive Date	Date		Inactive Date
Job Title	Text		Job Title
Job Title English	Text		Job Title English
Profession Category No	Code		Profession Category No
Profession Category Decs	Text		Profession Category Decs
Profession Group Code	Code		Profession Group Code
Profession Group Description	Text		Profession Group Description
Working Factor	Decimal		Working Factor
Noviciate	Boolean	True/False	Noviciate
E Mail	Text		E-Mail
Company E Mail	Text		Company E-Mail
Phone No 1	Text		Phone No. 1
Phone No 2	Text		Phone No. 2
Mobile Phone No 1	Text		Mobile Phone No. 1
Mobile Phone No 2	Text		Mobile Phone No. 2
Address	Text		Address
Address 2	Text		Address 2
City	Text		City
Post Code	Code		Post Code
Country Code	Code		Country Code
Seniority Date	Date		Seniority Date
Level 1 No	Code		Level 1 No.
Level 1 Name	Text		Level 1 Name
Level 1 Name English	Text		Level 1 Name English
Level 2 No	Code	Struktuuri taseme kood	Level 2 No.
Level 2 Name	Text		Level 2 Name
Level 2 Name English	Text		Level 2 Name English
Level 3 No	Code	Struktuuri taseme kood	Level 3 No.
Level 3 Name	Text		Level 3 Name
Level 3 Name English	Text		Level 3 Name English
Level 4 No	Code	Struktuuri taseme kood	Level 4 No.
Level 4 Name	Text		Level 4 Name
Level 4 Name English	Text		Level 4 Name English

<b>Manager_No</b>	Code		Manager No.
<b>Manager_Name</b>	Text		Manager Name
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Custom_Field_1</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi	Custom Field 1
<b>Custom_Field_2</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi	Custom Field 2
<b>Custom_Field_3</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi	Custom Field 3
<b>Custom_Field_4</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi	Custom Field 4
<b>Custom_Field_5</b>	Code	Võimaldab seadistada kliendi poolt	Custom Field 5

		eel defineeritud väärtustega või sisestatava tekstiga väärtusi	
<b>Custom_Field_6</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 6
<b>Custom_Field_7</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 7
<b>Custom_Field_8</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 8
<b>Custom_Field_9</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 9
<b>I_Statistics_Group_Code</b>	Code		I Statistics Group Code
<b>II_Statistics_Group_Code</b>	Code		II Statistics Group Code
<b>Picture</b>	Blob	Töötaja pilt	Picture
<b>SQL_Timestamp</b>	BigInteger	*	SQL Timestamp
<b>Entry_GUID</b>	Guid	*	Entry GUID

<b>Blocked</b>	Boolean	True/False	Blocked
<b>Sch_From_Filter</b>	Date		Sch. From Filter
<b>Sch_To_Filter</b>	Date		Sch. To Filter
<b>Workstation code</b>	Code		Workstation code
<b>Workstation Address</b>	Text		
<b>Workstation Name</b>	Text		Workstation Name

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmpRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/EmpRead)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/EmpRead",
    "value": [
        {
            "@odata.etag": "W/\"JzQ003hLWUZhdnVTSDA3ckt3UkJZQTJEOFpjZ2ZFdwYvNUE1U1RIWDNCNVU
            0dG89MTswMDsn\"",
            "No": "T0002",
            "Personal_ID": "36706225719",
            "First_Name": "Kalle",
            "Last_Name": "Malle",
            "Birth_Date": "1967-06-22",
            "Deny_Birth_Date_Publish": false,
            "Sex": "Male",
            "Status": "Active",
            "Employment_Date": "2022-03-01",
            "Termination_Date": "0001-01-01",
            "Inactive_Date": "0001-01-01",
            "Job_Title": "",
            "Job_Title_English": "",
            "Profession_Category_No": "",
            "Profession_Category_Decs": "",
            "Profession_Group_Code": "",
            "Profession_Group_Description": "",
            "Working_Factor": 1,
            "Noviciate": false,
            "E_Mail": "",
            "Company_E_Mail": "Kalle@tuur.ee",
            "Phone_No_1": "",
            "Phone_No_2": "",
            "Mobile_Phone_No_1": "",
            "Mobile_Phone_No_2": "",
            "Address": "",
            "Address_2": "",
            "City": "",
            "Post_Code": "",
            "County": "",
            "Country_Code": "",
            "Seniority_Date": "0001-01-01",
            "Level_1_No": "10",
            "Level_2_No": null,
            "Level_3_No": null
        }
    ]
}
```

```
"Level_1_Name": "Nõukogu",
"Level_1_Name_English": "",
"Level_2_No": "100",
"Level_2_Name": "Juhatus",
"Level_2_Name_English": "",
"Level_3_No": "103",
"Level_3_Name": "Müügiosakond",
"Level_3_Name_English": "",
"Level_4_No": "1034",
"Level_4_Name": "EE",
"Level_4_Name_English": "",
"Manager_No": "",
"Manager_Name": "",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"Custom_Field_1": "",
"Custom_Field_2": "",
"Custom_Field_3": "",
"Custom_Field_4": "",
"Custom_Field_5": "",
"Custom_Field_6": "",
"Custom_Field_7": "",
"Custom_Field_8": "",
"Custom_Field_9": "",
"Custom_Field_10": "",
"I_Statistics_Group_Code": "",
"II_Statistics_Group_Code": "",
"Picture": "",
"SQL_Timestamp": 54656480,
"Entry_GUID": "1f827038-8b46-4de5-ab0e-59e5d47314b6",
"Blocked": false,
"Sch_From_Filter": "",
"Sch_To_Filter": ""},  
...  
}
```

## 5.26. Töötajate oskuste loend

Andmed loetakse BC-st tabelist PER Employee Skill 24008863. Võimaldab pärida kõigi ettevõtte töötajatele seadistatud oskusi ja nende tasemeid ja selle täitmist. Veebiteenuse lehe ID 24008492.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PER Employee Skill (24008863)
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer	Töötaja kohta oskuse rea number	Line No
<b>Employee_Name</b>	Text		Employee Name
<b>Employee_Status</b>	Option	Active/Inactive/Prospect/Terminated	Employee Status
<b>Skill_Type_Code</b>	Code		Skill Type Code
<b>Skill_Type_Description</b>	Text		Skill Type Description
<b>Skill_Code</b>	Code		Skill Code
<b>Skill_Description</b>	Text		Skill Description
<b>Skill_Level_Code</b>	Code		Skill Level Code
<b>Skill_Level_Description</b>	Text		Skill Level Description
<b>From_Date</b>	Date		From Date
<b>Until_Date</b>	Date		Until Date
<b>Requested_Level_Code</b>	Code		Requested Level Code
<b>Requested_Level_Description</b>	Text		Requested Level Description
<b>Comment</b>	Text		Comment
<b>Entry_GUID</b>	Guid		Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmployeeSkills](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/EmployeeSkills)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/EmployeeSkills",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ0O20rckNDVFg4bys4Lyt1dz1lN1hwVFZjdWRuTjVkmWhyT3BxMkdhzX1
jSEE9MTswMDsn\\",
      "Employee_No": "T0002",
      "Line_No": 10000,
      "Employee_Name": "Kalle Malle",
      "Employee_Status": "Active",
      "Skill_Type_Code": "ARVUTI",
      "Skill_Type_Description": "Arvutiprogrammid",
      "Skill_Code": "EXCEL",
      "Skill_Description": " ",
      "Skill_Level_Code": "B",
    }
  ]
}
```

```
        "Skill_Level_Description": "Spetsialisti/konsultandi",
        "From_Date": "2022-09-01",
        "Until_Date": "0001-01-01",
        "Requested_Level_Code": "A",
        "Requested_Level_Description": "Arendaja",
        "Comment": "",
        "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
        "@odata.etag": "W/\\"JzQ00zh0VU1FQXZXcVA1Nk5zK2xhTWFYTFIzQj1VM1AvbUI2SVVHV1dmU3R
Bdk09MTswMDsn\\",
        "Employee_No": "T0002",
        "Line_No": 2000,
        "Employee_Name": "Kalle Malle",
        "Employee_Status": "Active",
        "Skill_Type_Code": "KEELED",
        "Skill_Type_Description": "Keeled",
        "Skill_Code": "INGLISE",
        "Skill_Description": "Inglise keel",
        "Skill_Level_Code": "B",
        "Skill_Level_Description": "Spetsialisti/konsultandi",
        "From_Date": "0001-01-01",
        "Until_Date": "0001-01-01",
        "Requested_Level_Code": "D",
        "Requested_Level_Description": "Tavakasutaja",
        "Comment": "",
        "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
        "@odata.etag": "W/\\"JzQ003FFSGZIdkQvei9LVEJuTUt2Y2t0cDl0cnIxL211elU1dG1UNU0xMzB
DYk09MTswMDsn\\",
        "Employee_No": "T0003",
        "Line_No": 1000,
        "Employee_Name": "Teele Tuisk",
        "Employee_Status": "Active",
        "Skill_Type_Code": "ARVUTI",
        "Skill_Type_Description": "Arvutiprogrammid",
        "Skill_Code": "WORD",
        "Skill_Description": " ",
        "Skill_Level_Code": "B",
        "Skill_Level_Description": "Spetsialisti/konsultandi",
        "From_Date": "2022-09-01",
        "Until_Date": "0001-01-01",
        "Requested_Level_Code": "B",
        "Requested_Level_Description": "Spetsialisti/konsultandi",
        "Comment": "",
        "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    }
]
```

## 5.27. Puhkuste ajakava žurnaal

Andmed loetakse BC-st tabelist PLK Payroll Holiday Sch. Lines 24002050. Antud teenusega on võimalik pärida puhkuste ajakava žurnaali andmeid.

Veebiteenuse lehe ID 24008490.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Holiday Sch. Lines (24002050)
<b>Entry_No</b>	Integer		Entry No.
<b>Journal_Batch_Name</b>	Code	Töölehe nimetus	Journal Batch Name
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Employee_Name</b>	Text		Employee Name
<b>Employee_Status</b>	Option	Active/Inactive/Prospect/Derminated	Employee Status
<b>Holiday_Code</b>	Code		Holiday Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Days</b>	Decimal		Quantity(Days)
<b>Holiday_Payment</b>	Option	Payday/Holiday/Monthly	Holiday Payment
<b>Notes</b>	Text		Notes
<b>Posted</b>	Boolean	True/False	Posted
<b>Department_No</b>	Code		Department No.
<b>Level_2_No</b>	Code	Struktuuri taseme kood	Level 2 No.
<b>Level_3_No</b>	Code	Struktuuri taseme kood	Level 3 No.
<b>Level_4_No</b>	Code	Struktuuri taseme kood	Level 4 No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Holiday](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Holiday)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Holiday",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzREeTRLQzM3Vm9TM1pBOXhkaG84Wk9oY29UMzJnNFVESWQ0Y05NdTE
2ZGc9MTswMDsn\\",
            "Entry_No": 1,
            "Journal_Batch_Name": "2023",
            "Entry_GUID": "00000000-0000-0000-0000-000000000000",
            "Employee_No": "10000000000000000000000000000000",
            "Employee_Name": "MÄRKUS MÄRKUS",
            "Department_No": "10000000000000000000000000000000",
            "Level_2_No": "10000000000000000000000000000000",
            "Level_3_No": "10000000000000000000000000000000",
            "Level_4_No": "10000000000000000000000000000000"
        }
    ]
}
```

```
"Employee_No": "T0001",
"Employee_Name": "Triinu Tuum",
"Employee_Status": "Active",
"Holiday_Code": "P_PUHKUS",
"From_Date": "2023-06-05",
"To_Date": "2023-06-11",
"Description": "Puhkus",
"Days": 7,
"Holiday_Payment": "Payday",
"Notes": "",
"Posted": false,
"Department_No": "10",
"Level_2_No": "100",
"Level_3_No": "102",
"Level_4_No": "1022"
},
{
"@odata.etag": "W/\\"JzQ003VQZDZWNm5PMHN6bUdacG1rRHlONHpNMkt0YUtSHV6aFZ6dVhOWUN
meWM9MTswMDsn\\\"",

"Entry_No": 2,
"Journal_Batch_Name": "2023",
"Entry_GUID": "00000000-0000-0000-0000-000000000000",
"Employee_No": "T0002",
"Employee_Name": "Kalle Malle",
"Employee_Status": "Active",
"Holiday_Code": "P_PUHKUS",
"From_Date": "2023-03-20",
"To_Date": "2023-03-26",
"Description": "Puhkus",
"Days": 7,
"Holiday_Payment": "Payday",
"Notes": "",
"Posted": false,
"Department_No": "10",
"Level_2_No": "100",
"Level_3_No": "103",
"Level_4_No": "1034"
},
...
}
```

## 5.28. Töötaja tööajatabeli kannete pärimine

Andmed saadakse BC tabelitest PLK Working Schedule Entries (24002101). Iga päringu rida on ühe töötaja tööajatabeli kande rida.

Veebiteenuse lehe ID 24008472.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Working Schedule Entries (24002101)
<b>Working_Schedule_Group_No</b>	Code		Working Schedule Group No
<b>Employee_No</b>	Code		Employee No.
<b>Date</b>	Date		Date
<b>Entry_No</b>	Integer	Kande number töötaja päeva kande kohta	Entry No
<b>Line_No</b>	Integer	Rea number töötaja päeva kande kohta	Line No
<b>Employee_Name</b>	Text		Employee Name
<b>Employee_Job_Title</b>	Text		Employee Job Title
<b>Planning_Month</b>	Date		Planning Month
<b>Planning_Month_Text</b>	Text		
<b>Month_Normal_Hours</b>	Decimal	Arvutatav välі kuu tundide kirjeldamiseks	
<b>Month_Evening_Hours</b>	Decimal	Arvutatav välі kuu tundide kirjeldamiseks	
<b>Month_Night_Hours</b>	Decimal	Arvutatav välі kuu tundide kirjeldamiseks	
<b>Month_Holiday_Hours</b>	Decimal	Arvutatav välі kuu tundide kirjeldamiseks	
<b>Month_Total_Hours</b>	Decimal	Arvutatav välі kuu tundide kirjeldamiseks	
<b>Month_Nominal_Hours</b>	Decimal	Arvutatav välі kuu tundide kirjeldamiseks	
<b>Month_Hours_Difference</b>	Decimal	Arvutatav välі kuu tundide kirjeldamiseks	
<b>Month_Day_Overtime_Hours</b>	Decimal	Arvutatav välі kuu tundide kirjeldamiseks	
<b>Month_Amount</b>	Decimal	Arvutatav välі kuu tundide kirjeldamiseks	
<b>Month_Quantity</b>	Decimal	Arvutatav välі kuu tundide kirjeldamiseks	
<b>Weekday</b>	Option	Mo,Tu,We,Th,Fr,Sa,Su	Weekday
<b>Route_Code</b>	Code		Route Code
<b>Route_Version_Code</b>	Code		Route Version Code
<b>Route_Day_Code</b>	Date		Route Day Code
<b>Working_Shift_Code</b>	Code		Working Shift Code
<b>Since</b>	Time		Since
<b>Till</b>	Time		Till
<b>Hours</b>	Decimal		Hours
<b>Normal_Hours</b>	Decimal		Normal Hours

<b>Evening_Hours</b>	Decimal		Evening Hours
<b>Night_Hours</b>	Decimal		Night Hours
<b>Holiday_Hours</b>	Decimal		Holiday Hours
<b>Holiday_Normal_Hours</b>	Decimal		Holiday Normal Hours
<b>Holiday_Evening_Hours</b>	Decimal		Holiday Evening Hours
<b>Holiday_Night_Hours</b>	Decimal		Holiday Night Hours
<b>Break_Hours</b>	Decimal		Break Hours
<b>Break_Since</b>	Time		Break Since
<b>Break_Till</b>	Time		Break Till
<b>Break_Normal_Hours</b>	Decimal		Break Normal Hours
<b>Break_Evening_Hours</b>	Decimal		Break Evening Hours
<b>Break_Night_Hours</b>	Decimal		Break Night Hours
<b>Break_Holiday_Normal_Hours</b>	Decimal		Break Holiday Normal Hours
<b>Break_Holiday_Evening_Hours</b>	Decimal		Break Holiday Evening Hours
<b>Break_Holiday_Night_Hours</b>	Decimal		Break Holiday Night Hours
<b>Day_Overtime_Hours</b>	Decimal		Day Overtime Hours
<b>Shortened_Nominal_Hours</b>	Decimal		Shortened Nominal Hours
<b>Shortened_Holiday_Date</b>	Date		Shortened Holiday Date
<b>Entry_Type</b>	Code		Entry Type
<b>Percentage</b>	Decimal		Percentage
<b>Quantity</b>	Decimal		Quantity
<b>Hour_Cost</b>	Decimal		Hour Cost
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Comment</b>	Text		Comment
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Absence_Hours</b>	Decimal		Absence Hours
<b>PER_Job_No</b>	Code		PER Job No.
<b>PER_Job_Description</b>	Text		PER Job Description
<b>PER_Task_No</b>	Code		PER Task No.
<b>PER_Task_Description</b>	Text		PER Task Description
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code

<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Leader_No</b>	Code		Leader No
<b>Leader_Name</b>	Text		Leader Name
<b>Brigade_Code</b>	Code		Brigade Code
<b>Brigade_Name</b>	Text		Brigade Name
<b>Submitted</b>	Boolean	True/False	Submitted
<b>Submitted_Time</b>	Datetime		Submitted Time
<b>Accepted</b>	Boolean	True/False	Accepted
<b>Accepted_Time</b>	Datetime		Accepted Time
<b>Registered</b>	Boolean	True/False	Registered

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/IteraHolidayRequests](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/IteraHolidayRequests)

Näidis päringu vastus:

```
{
    "@odata.etag": "W/\\"JzQ0O2E5R3VHYwP0OVJuNHd1cnA0TWV1MkZz0UpLYWsweEF5MTVSNnFzRlhVaFk9MTswMDsn\\\"",
    "Working_Schedule_Group_No": "VEDURIJUHT",
    "Employee_No": "T0002",
    "Date": "2022-07-04",
    "Entry_No": 2,
    "Line_No": 0,
    "Employee_Name": "Kalle Malle",
    "Employee_Job_Title": "",
    "Planning_Month": "2022-07-01",
    "Planning_Month_Text": "July 2022",
    "Month_Normal_Hours": 13,
    "Month_Evening_Hours": 10,
    "Month_Night_Hours": 3,
    "Month_Holiday_Hours": 0,
    "Month_Total_Hours": 26,
    "Month_Nominal_Hours": 168,
    "Month_Hours_Difference": -142,
    "Month_Day_Overtime_Hours": 0,
    "Month_Amount": 0,
    "Month_Quantity": 0,
    "Weekday": "Mo",
    "Route_Code": "KPA",
    "Route_Version_Code": "RP",
    "Route_Day_Code": "2022-07-04",
    "Working_Shift_Code": ""
}
```

```
        "Since": "20:00:00",
        "Till": "21:00:00",
        "Hours": 1,
        "Normal_Hours": 0,
        "Evening_Hours": 1,
        "Night_Hours": 0,
        "Holiday_Hours": 0,
        "Holiday_Normal_Hours": 0,
        "Holiday_Evening_Hours": 0,
        "Holiday_Night_Hours": 0,
        "Break_Hours": 0,
        "Break_Since": "00:00:00",
        "Break_Till": "00:00:00",
        "Break_Normal_Hours": 0,
        "Break_Evening_Hours": 0,
        "Break_Night_Hours": 0,
        "Break_Holiday_Normal_Hours": 0,
        "Break_Holiday_Evening_Hours": 0,
        "Break_Holiday_Night_Hours": 0,
        "Day_Overtime_Hours": 0,
        "Shortened_Nominal_Hours": 0,
        "Shortened_Holiday_Date": "0001-01-01",
        "Entry_Type": "TÖÖAEG_2",
        "Percentage": 0,
        "Quantity": 0,
        "Hour_Cost": 0,
        "Amount": 0,
        "Description": "",
        "Comment": "2-päevase tuuri tööaeg",
        "Cause_of_Absence_Code": "",
        "Absence_Hours": 0,
        "PER_Job_No": "",
        "PER_Job_Description": "",
        "PER_Task_No": "",
        "PER_Task_Description": "",
        "PER_Task_Description_Employee": "",
        "Payroll_Dimension_1_Code": "",
        "Payroll_Dimension_2_Code": "",
        "Payroll_Dimension_3_Code": "",
        "Payroll_Dimension_4_Code": "",
        "Leader_No": "",
        "Leader_Name": "",
        "Brigade_Code": "",
        "Brigade_Name": "",
        "Submitted": false,
        "Submitted_Time": "0001-01-01T00:00:00Z",
        "Accepted": false,
        "Accepted_Time": "0001-01-01T00:00:00Z",
        "Registered": false
    },
}
```

## 5.29. Töötajate palgalipikud

Andmed päritakse raportiga 24002000 PLK Employee Salary Report.

Veebiteenuse lehe ID 24008301.

Päringuga tuleb kindlasti kaasa anda filter Calculation\_Filter\_In. Vajadusel saab lisada ka töötaja numbre filtri.

Välja nimetus	Tüüp	Märkus	Andmed aruandest 24002000 PLK Employee Salary Report
<b>No</b>	Code		
<b>Calculation_Filter_In</b>	Code	Formaadis '2022-09'	
<b>Department_No</b>	Code		
<b>CalculationFilter</b>	Code		
<b>SalaryReportB64</b>	Base64		

Näidis päringu aadress:

[http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Palgalipikud?\\$filter=Calculation\\_Filter\\_In eq '2022-09'](http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Palgalipikud?$filter=Calculation_Filter_In eq '2022-09')

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Palgalipikud",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ000UzTDZva01LeWpQUFQwVG81VnIyWGc3QTZvVjMvcVFZd2FaNlwvwVzYyLzQ9MTswMDsn\\",
            "No": "T0003",
            "Calculation_Filter_In": "",
            "Department_No": "10",
            "CalculationFilter": "2022-09",
            "SalaryReportB64": "JVBERi0xLjMNCjEgMCBvYmoNC1svUERGIC9UZXh0IC9jbWFnZUIgL01tYwd1QyAvSW1hZ2VJXQ0KZW5kb2JqdQo2IDAgb2JqDQo8PCAvTGVuZ3RoIDE4NjMgL0ZpbHR1ciAvRmxhdGVEZWNVZGUgPj4gc3RyZWftDQpYCbVa227cNhB9D+B/4KNTpCyHdwBgvRR1iyBB2sSb9qHpw8arBBvvOo531f5+hzeJuqwky2CvYTL4ZyZORwORz579JVwS4XUBCFI4jSmha8IBYEVVKQu5L8Sw70HjFaaCD5+90nIgwFvhAjCipMgSsxqgXhghplneTHM1wfF/STJIRJRrtJoNMkv/xPK/LDL4IUtCgKsvpImP+HKqT1iIA1q1eIUFcu3EoFZYUgqw05f/72j4vL1fPVu58fk9Vnsqv0XKz0Hr05hRcMRbANYKWo5rqHGIowLUFW4KctwCyBUS5UC/PLF69fvyc/X1zMRR29zAE1SQIIumCWoC3Cqgh6UBAKQRmYWlKh5+0cQY5oDVO1oLaUCdEW/OrdEmaJMAvCLJFmNV6SxPS8JDRHxknnJW4VfgVcCadxF5b10We3363sFNfnHGqrc56SZiikqEHHLTN41UzETZ2Vm8iVmKsmolWLSzK9E8hByhpvRIj8RqCqM081Yj4B2lIAceWeJAAbWF17lobw91vsP5R2uy3lPt+A8+DmqB9zV3p8DytWQcvSXxISCyv1SSuXanzEmDGPmKrwUfpCSX5vwyUQYy39XF18afy/x5cYAP53cx+a3Zt6PXXvq+EV7tEzx65kjB8xpxc9SK1rmnHNJRd+HMX7aYnIwdjR+Ey6M8dOFpNaY6EFtg/XSZipZD9EzmVe8ZG7zKPSSxJMpxxaL3ZRYDsKab78dwgioyermehtdtXzckoGyWtvZbHEy+EUUbNj5/AE4eJKJ8ma1I6RdUJvImuud1Xtqv36+tDTm0jVMnchqQSSybTU8gLPTHnal\MOpY9PDN6Y2huJJH2kFGHLA0AOPl0X8rsLL0ULgmL6K9IubtqZROboBI+wHuEpoKpjJUSMzonBYqdzjINUKE7nmhAMPu9IkJHm9ot0x62Ytz72cWdwTiFdj3ucQDv/fXr5893Q02nQIJ7jNIzYjrfddhDuy76bQpn2XoT2x70bP4YQ304db7o3FVQI8xuKpsw2NFYv9m07/ln95F25N3ty/w+ydQFuzd4Z/vfjbXxGsIv+Qv/7G/20cfYUrF3
```

FDWGvI3nvcalmP7MjlfNk4ECvhtihWOJloqq9aevMyekwvTtUgM2FlBAU4Bfq/09zVkJ2meAbvtncZdPJz8Y6Cbma5a3  
Peq8BHZ7tR9rxIfEe50zfgxLdx17L5Wk+Z/  
...

## 6. HRM4Baltics GET ja POST teenused

All pool kirjeldatud teenuseid on võimalik kasutada nii tabelisse kirjutamiseks, kui ka lugemiseks. GET- lugemiseks, POST- kirjutamiseks.

### 6.1. Palga ametikohad

Andmed loetakse ja kirjutatakse BC-sse tabelisse PLK Payroll Profession (24002009), kus on kirjeldatud kõik ettevõtte ametikohad.

Veebiteenuse lehe ID 24008314.

Välja nimetus	Tüüp	Märkus	Andmed tabelis PLK Payroll Profession (24002009)
No	Code		No
Type	Option	Normal/Heading	Type
Name	Text		Name
Name_English	Text		Name English
Locked	Boolean	True/False	Locked
ISCO_Code	Code		ISCO Code
Statistical_Jobs_Class_Code	Code		Statistical Jobs Class Code
Structure_Code	Code		Structure Code
Structure_Subcode	Code		Structure Subcode
Profession_Group_Code	Code		Profession Group Code
Profession_Group_Description	Text		Profession Group Description

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/SoapAmetid](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/SoapAmetid)

JSON näidis POST päringuks:

```
{  
    "No": "4-004",  
    "Type": "Heading",  
    "Name": "Ostuosaakond",  
    "Name_English": "",  
    "Locked": false,  
    "ISCO_Code": "",  
    "Statistical_Jobs_Class_Code": "",  
    "Structure_Code": "",  
    "Structure_Subcode": "",  
    "Profession_Group_Code": "",  
    "Profession_Group_Description": "",  
    "Job_Description": ""}
```

}

Näidis pärингute vastus:

POST

{

```
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/SoapAmetid/$entity",
    "@odata.etag": "W/\\"JzQ002cyU0FjVlVTK2tsczNoSk5DMGhqOUVJcHnbXRXT0pzRGczZmtTU3JVM2M9MTs
    wMDsn\\\"",
    "No": "4-004",
    "Type": "Heading",
    "Name": "Ostuosaakond",
    "Name_English": "",
    "Locked": false,
    "ISCO_Code": "",
    "Statistical_Jobs_Class_Code": "",
    "Structure_Code": "",
    "Structure_Subcode": "",
    "Profession_Group_Code": "",
    "Profession_Group_Description": "",
    "Job_Description": ""
```

}

GET

{

```
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/SoapAmetid",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ000ZhOFBETVNMMjhJREpHcVBzYS94SUxYb0piOW1qUG5Ma01PTVBrbzF
            vbjA9MTswMDsn\\\"",
            "No": "003",
            "Type": "Normal",
            "Name": "Raamatupidaja",
            "Name_English": "Head Accountant",
            "Locked": false,
            "ISCO_Code": "",
            "Statistical_Jobs_Class_Code": "24110002",
            "Structure_Code": "",
            "Structure_Subcode": "",
            "Profession_Group_Code": "",
            "Profession_Group_Description": "",
            "Job_Description": "Ettevõtte raamatupiamise korraldamine ja meeskonna juhtimine.
e. Aastaaruannete koostamine."
        },
        {
            "@odata.etag": "W/\\"JzQ003YnMkdSc1Rpc2pNb3dEMEE4T0tKndERjlxLysvUzBwYTRZUH1vUUN
            UY289MTswMDsn\\\"",
            "No": "3-003",
            "Type": "Heading",
        }
    ]
}
```

```

        "Name": "Raamatupidamine",
        "Name_English": "",
        "Locked": false,
        "ISCO_Code": "",
        "Statistical_Jobs_Class_Code": "",
        "Structure_Code": "",
        "Structure_Subcode": "",
        "Profession_Group_Code": "",
        "Profession_Group_Description": "",
        "Job_Description": ""
    }
]
}

```

## 6.2. Passiivsuse põhjused

Andmed loetakse ja kirjutatakse BC-sse tabelisse PLK Payroll Cause of Inactive (24002003).  
Veebiteenuse lehe ID 24008493.

Välja nimetus	Tüüp	Märkus	Andmed tabelis PLK Payroll Cause of Inactive (24002003)
No	Code		No
Description	Text		Description

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PassiivsuseP%C3%B5hjused](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjused)

JSON näidis:

```
{
    "No": "PUH",
    "Description": "Isapuhkus"
}
```

Näidis päringu vastus:

POST

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjused/$entity",
    "@odata.etag": "W/\\"JzQ003huQU9GOU1vM3QvZ21iaWhPRGl5azIxRHpWbjV0TEMzbFc4bk1Iczl6aHM9MTswMDsn\\",
    "No": "PUH",
    "Description": "Isapuhkus"
}
```

GET

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjused",
    "value": [

```

```
{
    "@odata.etag": "W/\\"JzQ0OzhTYmRGRytJUGpSdDhCbm9pME9oS0NiYng0eWZDZG03ZjN6VFdhKy9
rRVU9MTswMDsn\\",
    "No": "AJAT",
    "Description": "Ajateenistus"
},
{
    "@odata.etag": "W/\\"JzQ000JTcXNTbFdtdVgrdWJOMmRnRHF6ZlNhVW9nMURCOS9qU11LbzR6OUU
rMUU9MTswMDsn\\",
    "No": "LHOOLD",
    "Description": "Vanemapuhkus (kuni lapse 3.a saamiseni)"
}
]
}
```

## 7. HRM4Baltics POST teenused

Kannete kirjutamiseks BC tabelitesse kasutatakse JSON formaati ja POST päringut.

### 7.1. Palga kannete lisamine

Andmed kirjutatakse BC-sse tabelisse 24002035. Teenus kirjutab protsessi käigus kõigepealt andmed tabelisse 24002033 (PLK Payroll Journal Line) ning seejärel registreerib read automaatselt tabelisse 24002036 (PLK Payroll Registers).

Veebiteenuse lehe ID 24008308.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Ledger Entry 24002035
<b>SOAP_Entry_No</b>		Primary Key ja pannakse automaatselt taustal kaasa POST toiminguga	
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Journal_Batch_Name</b>	Code	Töölöhe nimetus	Journal Batch Name
<b>Document_No</b>	Code		Document No.
<b>Account_No</b>	Code		Account No
<b>Employee_No</b>	Code		Employee No.
<b>Posting_Date</b>	Date		Posting Date
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Remark</b>	Text		Remark
<b>Accounting_Period</b>	Code		Accounting Period
<b>Payment_Period</b>	Code		Payment Period
<b>Calculation_Period</b>	Code		Calculation Period
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code

<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Currency_Code</b>	Code		Currency Code
<b>Currency_Amount</b>	Decimal		Currency Amount

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PERSOAPJournalInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/PERSOAPJournalInsert)

JSON näidis:

```
{
    "SOAP_Entry_No": 1,
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",
    "Journal_Batch_Name": "VAIKIMISI",
    "Document_No": "A124",
    "Account_No": "1223",
    "Employee_No": "T0004",
    "Posting_Date": "2022-09-30",
    "Amount": 100,
    "Description": "Lisatasu Stig",
    "Remark": "",
    "Accounting_Period": "2022-09",
    "Payment_Period": "2020-10",
    "Calculation_Period": "2021-09",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Currency_Code": "",
    "Currency_Amount": 0
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PERSOAPJournalInsert/$entity",
    "@odata.etag": "W/\\"JzQ000FEV2cyY2RUaHZNVUJDNIkRYQWdBMD1VWkUwK1pUMnExOGljTWJ4LzlaNk09MTswMDsn\\",
    "SOAP_Entry_No": 4,
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",
    "Journal_Batch_Name": "VAIKIMISI",
    "Document_No": "A124",
    "Account_No": "1223",
    "Employee_No": "T0004",
    "Posting_Date": "2022-09-30",
    "Amount": 100,
    "Description": "Lisatasu Stig",
```

```

    "Remark": "",
    "Accounting_Period": "2022-09",
    "Payment_Period": "2020-10",
    "Calculation_Period": "2021-09",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Currency_Code": "",
    "Currency_Amount": 0
}

```

## 7.2. Töötaja lapse lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee Children (24002130).  
Veebiteenuse lehe ID 24008304.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee Children (24002130)
<b>SOAP_Entry_No</b>		Primary Key ja pannakse automaatselt taustal kaasa POST toiminguga	
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Name</b>	Text		Name
<b>Personal_ID</b>	Code		Personal ID
<b>Birth_Date</b>	Date		Birth Date
<b>Sex</b>	Option	Male/Female	Sex
<b>Invalid</b>	Boolean	True/False	Invalid
<b>Comment</b>	Text		Comment
<b>Locked</b>	Boolean	True/False	Locked
<b>Delete_Entry</b>	Boolean	True/False	Delete Entry

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/KidsInsert](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/KidsInsert)

JSON näidis:

```
{
    "SOAP_Entry_No" : 3,
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",
    "Employee_No": "T0002",
    "Name": "Kertu Kukk",
    "Personal_ID": "467744444444",
    "Birth_Date": "2015-10-06",
    "Sex": "Male",
    "Invalid": false,
```

```

    "Comment": "",
    "Locked": false,
    "Delete_Entry": false
  }
}

```

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/KidsInsert/$entity",
  "@odata.etag": "W/"JzQ00y9nRksxcU9Uei9SbGlaVVVJZ3plWkxCcWZoeWtQVWFEdmJCS2RtTU1ndUE9MTs
wMDsn\"",
  "SOAP_Entry_No": 1,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Employee_No": "T0002",
  "Name": "Kertu Kukk",
  "Personal_ID": "467744444444",
  "Birth_Date": "2015-10-06",
  "Sex": "Male",
  "Invalid": false,
  "Comment": "",
  "Locked": false,
  "Delete_Entry": false
}
}

```

### 7.3. Lepingute lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee Contracts (24002019).  
Veebiteenuse lehe ID 24008302.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee Contracts (24002019)
<b>Employee_No</b>	Code		Employee No.
<b>Entry_Type</b>	Option	Contract/Addendum	Entry Type
<b>Contract_No</b>	Code		Contract No
<b>Contract_Code</b>	Code	Lepingu liigi tähis, seadusest tulenevad tähised	Contract Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Profession_No</b>	Code		Profession No.
<b>Profession_Category_No</b>	Code		Profession Category No.
<b>Job_Title</b>	Text		Job Title
<b>Working_Factor</b>	Decimal		Working Factor
<b>Additional_Working_Factor</b>	Decimal		Additional Working Factor

Grounds_for_Term_Code	Code	Lahkumise aluse tähis, seadusest tulenev	Grounds for Term. Code
Department_No	Code		Department No.
Level_2_No	Code	Struktuuri taseme kood	Level 2 No.
Level_3_No	Code	Struktuuri taseme kood	Level 3 No.
Level_4_No	Code	Struktuuri taseme kood	Level 4 No.
Delete_Entry	Boolean	True/False	
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/ContractInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/ContractInsert)

JSON näidis:

```
{
    "Employee_No": "T0004",
    "Entry_Type": "Contract",
    "Contract_No": "L000004",
    "Contract_Date": "2002-01-04",
    "Contract_Code": "11",
    "From_Date": "2022-04-01",
    "To_Date": "0001-01-01",
    "Description": "Määramata ajaks, osalise tööajaga",
    "Profession_No": "001",
    "Profession_Category_No": "",
    "Job_Title": "Tuuritaja",
    "Working_Factor": 1,
    "Additional_Working_Factor": 0,
    "Grounds_for_Term_Code": "",
    "Department_No": "",
    "Level_2_No": "",
    "Level_3_No": "",
    "Level_4_No": "",
    "Noviciate_Ending_Date": "2022-01-01",
    "Delete_Entry": false,
    "Entry_GUID": "00000000-0000-0000-0000-000000000002"
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/$metadata#Company('Tuuritaja%20AS')/ContractInsert/$entity",
    "@odata.etag": "W/\\"JzQ000NFU0dFQnB1dlRCbzEveTJMMk81VFZHaTFXbDI0U0pGwmF0NGhwN290dmM9MTswMDsn\\",
    "SOAP_Entry_No": 2,
    "Entry_GUID": "00000000-0000-0000-0000-000000000002",
    "Employee_No": "T0004",
    "Entry_Type": "Contract",
    "Contract_No": "L000004",
```

```

    "Contract_Date": "2002-01-04",
    "Contract_Code": "11",
    "From_Date": "2022-04-01",
    "To_Date": "0001-01-01",
    "Description": "Määramata ajaks, osalise tööajaga",
    "Profession_No": "001",
    "Job_Title": "Tuuritaja",
    "ISCO_Code": "",
    "Working_Factor": 1,
    "Additional_Working_Factor": 0,
    "Profession_Category_No": "",
    "Job_Description": "",
    "Grounds_for_Term_Code": "",
    "Department_No": "",
    "Level_2_No": "",
    "Level_3_No": "",
    "Level_4_No": "",
    "Noviciate_Ending_Date": "2022-01-01",
    "Delete_Entry": false
}

```

#### 7.4. Palgažurnaali lisa kande kirjutamine

Andmed kirjutatakse BC-sse tabelisse 24002033 (PLK Payroll Journal Line).  
Veebiteenuse lehe ID 24012906.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Journal Line 24002033
<b>Journal_Batch_Name</b>	Code	Töölehe nimetus	Journal Batch Name
<b>Line_No</b>	Integer	Žurnaali rea number	Line No
<b>Entry_GUID</b>	Guid		Entry GUID
<b>Account_No</b>	Code		Account No
<b>Employee_No</b>	Code		Employee No.
<b>Posting_Date</b>	Date		Posting Date
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Remark</b>	Text	Märkus	Remark
<b>Accounting_Period</b>	Code		Accounting Period
<b>Payment_Period</b>	Code		Payment Period
<b>Calculation_Period</b>	Code		Calculation Period
<b>Currency_Factor</b>	Decimal		Currency Factor
<b>Currency_Factor_Date</b>	Date		Currency Factor Date
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code

<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Currency_Code</b>	Code		Currency Code
<b>Currency_Amount</b>	Decimal		Currency Amount

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/JournalInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/JournalInsert)

JSON näidis:

```
{
    "Entry_GUID": "00000000-0000-0000-0000-000000000004",
    "Journal_Batch_Name": "VAIKIMISI",
    "Line_No": 2000,
    "Account_No": "",
    "Employee_No": "T0004",
    "Posting_Date": "2022-09-23",
    "Amount": 200,
    "Description": "",
    "Remark": "",
    "Accounting_Period": "2022-09",
    "Payment_Period": "2022-09",
    "Calculation_Period": "2022-09",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Currency_Code": "",
    "Currency_Amount": 0
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/$metadata#Company('Tuuritaja%20AS')/JournalInsert/$entity",
    "@odata.etag": "W/ \"JzQ00zQ0Sm5WbmllK3RHaGVFSkV2R3hod2dGV3JhSzhBSkR0VktIVzVWQ2lTUzg9MTsWMDsn\",
    "Journal_Batch_Name": "VAIKIMISI",
    "Line_No": 100,
    "Entry_GUID": "00000000-0000-0000-0000-000000000004",
    "Account_No": "",
    "Employee_No": "T0004",
    "Posting_Date": "2022-09-23",
    "Amount": 200,
    "Description": "",
    "Remark": "",
    "Accounting_Period": "2022-09",
    "Payment_Period": "2022-09",
    "Calculation_Period": "2022-09",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": ""}
```

```

    "Payroll_Dimension_4_Code": "",  

    "Currency_Code": "",  

    "Currency_Amount": 0  

}

```

## 7.5. Panga lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse 24002017 (PLK Employee Banks).  
Veebiteenuse lehe ID 24008307.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse 24002017 PLK Employee Banks
<b>SOAP_Entry_No</b>			
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Grade_of_Class</b>	Integer	Konto tähtsusjärjestus	Grade of Class
<b>Bank_No</b>	Code	Eelseadistatud pangakontod	Bank No
<b>Bank_Account</b>	Code		Bank Account
<b>Percentage</b>	Decimal	Defineerib, mitu % kantakse kuhu kontole	Percentage
<b>Amount</b>	Decimal	Defineerib, mis summa kantakse kuhu kontole	Amount
<b>Description</b>	Text	Makse saaja nimi	Description
<b>IBAN</b>	Code		IBAN
<b>Reference_No</b>	Code		Reference_No
<b>Payment_Amount</b>	Decimal		Payment Amount
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Delete_Entry</b>	Boolean	True/False	

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/PangaLisamine](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/PangaLisamine)

JSON näidis:

```
{
    "Employee_No": "T0004",
    "Grade_of_Class": 10000,
    "Bank_No": "LHV",
    "Bank_Account": "",
    "Percentage": 0,
    "Amount": 0,
    "IBAN": "korrektnetIBANKood",
    "Reference_No": "",
    "Payment_Amount": 0,
    "Description": "Triinu Kuur",
}
```

```

    "From_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Entry_GUID": "0000000-0000-0000-0000-000000000007",
    "Delete_Entry": false
}

```

Näidis päringu vastus:

```

{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/PangaLisamine/$entity",
    "@odata.etag": "W/\\"JzQ003lp0FRNNDd0MUpidHZPWTBLZFRCMVFxaUQ1VTdsM1VoQ2RuVG85b1lVMWc9MTs
wMDsn\\",
    "SOAP_Entry_No": 2,
    "Entry_GUID": "0000000-0000-0000-0000-000000000007",
    "Employee_No": "T0004",
    "Grade_of_Class": 10000,
    "Bank_No": "LHV",
    "Bank_Account": "",
    "Percentage": 0,
    "Amount": 0,
    "Description": "Triinu Kuur",
    "IBAN": " korrektneIBANKood",
    "Reference_No": "",
    "Payment_Amount": 0,
    "From_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Delete_Entry": false
}

```

## 7.6. Töötaja parameetrite lisamine

Andmed kirjutatakse BC-sse tabelisse 24002021 (PLK Employee Parameters).  
Veebiteenuse lehe ID 24008303.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse 24002021 PLK Employee Parameters
<b>SOAP_Entry_No</b>			
<b>Entry_GUID</b>	Guid	Lisatakse päringu käigus automaatselt ja ei pea kaasa andma	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Parameter_No</b>	Code	Parameetri tähis	Parameter No
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Delete_Entry</b>	Boolean	True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ParameetriLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/ParameetriLisamine)

JSON näidis:

```
{
    "SOAP_Entry_No": 2,
    "Entry_GUID": "00000000-0000-0000-0000-000000000002",
    "Employee_No": "T0002",

    "Parameter_No": "PENSIONAR",
    "From_Date": "2056-04-01",
    "To_Date": "0001-01-01",
    "Description": "Pensionär alates 07.04.2056"

}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/ParameetriLisamine/$entity",
    "@odata.etag": "W/\\"JzQ0O3o4NytmU0ZaWmNRTG1CRzRoK0VFd0R4UmhxT3VkcmtZTFZnekpjw4zSms9MTswMDsn\\",
    "SOAP_Entry_No": 2,
    "Entry_GUID": "00000000-0000-0000-0000-000000000002",
    "Employee_No": "T0002",
    "Parameter_No": "PENSIONAR",
    "From_Date": "2056-04-01",
    "To_Date": "0001-01-01",
    "Description": "Pensionär alates 07.04.2056",
    "Delete_Entry": false
}
```

## 7.7. Puhkuseajakava lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Payroll Holiday Sch. Lines (24002050).  
Veebiteenuse lehe ID 24008491.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse 24002050 PLK Payroll Holiday Sch. Lines
<b>SOAP_Entry_No</b>	Integer		
<b>Journal_Batch_Name</b>	Code	Töölõhe nimetus, mis peab olema eelnevalt BC-sse loodud	Journal Batch Name
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Holiday_Code</b>	Code		Holiday Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Holiday_Payment</b>	Option	Payday/Holiday/Monthly	Holiday Payment

<b>Child_No</b>	Code		Child No.
<b>Notes</b>	Text		Notes
<b>Delete_Entry</b>	Boolean	True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/holidayScheduleInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/holidayScheduleInsert)

JSON näidis:

```
{
    "SOAP_Entry_No": 2,
    "Journal_Batch_Name": "2023",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000",
    "Employee_No": "T0002",
    "Holiday_Code": "P_PUHKUS",
    "From_Date": "2023-07-05",
    "To_Date": "2023-07-11",
    "Description": "Puhkus",
    "Holiday_Payment": "Payday",
    "Child_No": 0,
    "Notes": "Asendab Mari"
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/$metadata#Company('Tuuritaja%20AS')/holidayScheduleInsert/$entity",
    "@odata.etag": "W/\\"JzQ002owaG94ejJoR0ZlbEU5MC9kVlxSeWFrewZHqwlZWjdIVjQ1M0k3VWZG0W89MTswMDsn\\\"",
    "SOAP_Entry_No": 2,
    "Journal_Batch_Name": "2023",
    "Employee_No": "T0002",
    "Holiday_Code": "P_PUHKUS",
    "From_Date": "2023-07-05",
    "To_Date": "2023-07-11",
    "Description": "Puhkus",
    "Holiday_Payment": "Payday",
    "Child_No": 0,
    "Notes": "Asendab Mari",
    "Entry_GUID": "fb052813-1bdb-4dfb-add2-92996eff832e",
    "Delete_Entry": false
}
```

## 7.8. Puudumiste lisamine töötajale

Andmed kirjutatakse BC-sse esmalt tabelisse PLK Payroll Absence Jrn Line (24002027). Protsessi käigus registreeritakse puudumine automaatselt ning andmed jõuavad tabelisse PLK Payroll Registers (24002036). Täpsemad kirjad on näha tabelis PLK Payroll Abs. Ledger Entry (24002028).

Veebiteenuse lehe ID 24012901.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Abs. Ledger Entry 24002028
<b>Log_Entry_No</b>			
<b>Journal_Batch_Name</b>	Code		Journal Batch Name
<b>Employee_No</b>	Code		Employee No.
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Description</b>	Text		Description
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Holiday_Payment</b>	Option	Payday/Holiday/Montly	Holiday Payment
<b>Notes</b>	Text		Notes
<b>Sharepoint_Entry_No</b>	BigInteger		Sharepoint Entry No.
<b>Entry_GUID</b>	Code		Entry GUID
<b>Delete_Entry</b>	Boolean	True/False	
<b>Child_No</b>	Code		Child No.
<b>Child_Name</b>	Code		Child Name
<b>Child_Personal_ID</b>	Integer		Child Personal ID
<b>Child_Birth_Date</b>	Date		Child Birth Date
<b>No_Posting</b>	Boolean	True/False	
<b>Applied_Entry_GUID</b>	Guid	Seotud kande Guid	

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PuudLisamine](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/PuudLisamine)

JSON näidis:

```
{
    "Journal_Batch_Name": "VAIKIMISI",
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",
    "Employee_No": "T0004",
    "Cause_of_Absence_Code": "P_PUHKUS",
    "From_Date": "2022-10-14",
    "To_Date": "2022-10-17",
    "Description": "Puhkus",
    "Holiday_Payment": " ",
    "Notes": "",
    "Sharepoint_Entry_No": 0,
    "Delete_Entry": false,
    "Child_No": 0,
    "Child_Name": "",
    "Child_Personal_ID": "",
    "Child_Birth_Date": "0001-01-01",
```

```

    "No_Posting": false
}

Näidis päringu vastus:
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/PuudLisamine/$entity",
    "@odata.etag": "W/\\"JzQ003crTGEzZmpaQStYM3k3a0hRUGNzU1FQRTZKTjd0L2F2K1lWWFpTVWhoYTg9MTs
wMDsn\\\"",
    "Log_Entry_No": 3,
    "Journal_Batch_Name": "VAIKIMISI",
    "Employee_No": "T0004",
    "Cause_of_Absence_Code": "P_PUHKUS",
    "From_Date": "2022-10-14",
    "To_Date": "2022-10-17",
    "Description": "Puhkus",
    "Holiday_Payment": " ",
    "Notes": "",
    "Sharepoint_Entry_No": 0,
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",
    "Delete_Entry": false,
    "Child_No": 0,
    "Child_Name": "",
    "Child_Personal_ID": "",
    "Child_Birth_Date": "0001-01-01",
    "No_Posting": false,
    "Applied_Entry_GUID": "00000000-0000-0000-0000-000000000000"
}

```

## 7.9. Seisundi lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse PLK Employee Status (24002016).  
Veebiteenuse lehe ID 24008306.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee Status (24002016 )
<b>Employee_No</b>	Code		Employee No.
<b>Status</b>	Option	Active/Inactive/Prospect/Terminate d	Status
<b>From Date</b>	Date		From Date
<b>Description</b>	Text		Description
<b>Initial Date</b>	Date		Initial Date
<b>To Date</b>	Date		To Date

<b>Cause_of_Inactivity_Code</b>	Code		Cause of Inactivity Code
<b>Remark</b>	Text		Remark
<b>Cov_Working_Register_ID</b>	Code	Tööregistri ID	Cov. Working Register ID
<b>Amount</b>	Decimal		Amount
<b>Grounds_for_Term_Code</b>	Code		Grounds for Term. Code
<b>Cause_of_Term_Code</b>	Code		Cause of Term. Code
<b>Cause_of_Term_Description</b>	Text		Cause of Term. Description
<b>Entry_GUID</b>	Guid	Genereeritakse automaatselt	Entry GUID
<b>SOAP_Entry_No</b>	Integer		
<b>Delete_Entry</b>	Boolean	True/False	
<b>Previous_Contract</b>	Code		Previous Contract

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tunitaja%20AS'\)/SeisundiLisamine](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tunitaja%20AS')/SeisundiLisamine)

JSON näidis:

```
{
    "Employee_No": "T0003",
    "Status": "Active",
    "From_Date": "2022-03-01",
    "Description": "Leping",
    "Initial_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Cause_of_Inactivity_Code": "",
    "Remark": "",
    "Cov_Working_Register_ID": "1112",
    "Amount": 0,
    "Grounds_for_Term_Code": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Previous_Contract": "",
    "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867636"
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/SeisundiLisamine/$entity",
    "@odata.etag": "W/\\"JzQ0OzRDYzR6N2540ExRbkV2dnpYODUrMTdvUm9MV2RzVkJ6dzLQ3h0ekN4aVk9MTs
    wMDsn\\\"",
    "SOAP_Entry_No": 2,
    "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867636",
    "Employee_No": "T0003",
    "Status": "Active",
    "Description": "Leping",
    "Initial_Date": "0001-01-01",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Cause_of_Inactivity_Code": "",
    "Grounds_for_Term_Code": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Remark": "",
    "Cov_Working_Register_ID": "1112",
    "Amount": 0,
    "Previous_Contract": "",
    "Delete_Entry": false
}
```

## 7.10. Tasu lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse PLK Employee Salaries (24002020).  
Veebiteenuse lehe ID 24008305.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee Salaries (24002020)
<b>Employee_No</b>	Code		Employee No.
<b>Salary_No</b>	Code	Eelseadistatud palga tähis	Salary No.
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Amount</b>	Decimal		Amount
<b>Connected_Employee_No</b>	Code	Seotud töötaja	Connected Employee No.
<b>Payment_Code</b>	Code	Väljamakse liigi tähis	Payment Code
<b>Annual_Salary</b>	Decimal		Annual Salary
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>SOAP_Entry_No</b>	Integer		
<b>Delete_Entry</b>	Boolean	True/False	

Näidis päringu aadress:

http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/TasuLisamine

JSON näidis:

```
{  
    "Employee_No": "T0001",  
    "Salary_No": "TASU_KUUPALK",  
    "From_Date": "2022-04-01",  
    "To_Date": "0001-01-01",  
    "Description": "Kuupalk, päevapõhine arvestus",  
    "Amount": 1000,  
    "Connected_Employee_No": "",  
    "Payment_Code": "10",  
    "Annual_Salary": 0,  
    "Entry_GUID": "00000000-0000-0000-0000-000000000001"  
}
```

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
    /$metadata#Company('Tuuritaja%20AS')/TasuLisamine/$entity",  
    "@odata.etag": "W/\\"JzQ003VpN1RIR1JiaFRXV2ZVZm1yME50cVZaYUJ0ZUtrR310QnZqZmhmmOTN5eWs9MTs  
    wMDsn\\\"",  
    "SOAP_Entry_No": 1,  
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",  
    "Employee_No": "T0001",  
    "Salary_No": "TASU_KUUPALK",  
    "From_Date": "2022-04-01",  
    "To_Date": "0001-01-01",  
    "Description": "Kuupalk, päevapõhine arvestus",  
    "Amount": 1000,  
    "Connected_Employee_No": "",  
    "Payment_Code": "10",  
    "Annual_Salary": 0,  
    "Delete_Entry": false  
}
```

## 7.11. Tööajatabeli kannete lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Working Schedule Employee (24002100).  
Veebiteenuse lehe ID 24008489.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Working Schedule Employee (24002100)
<b>Working_Schedule_Group_No</b>	Code		Working Schedule Group No
<b>Employee_No</b>	Code		Employee No.
<b>Date</b>	Date		Date

<b>Working_Shift_Code</b>	Code		Working Shift Code
<b>Since</b>	Time		Since
<b>Till</b>	Time		Till
<b>Hours</b>	Decimal		Hours
<b>Break_Hours</b>	Decimal		Break Hours
<b>Day_Overtime_Hours</b>	Decimal		Day Overtime Hours
<b>Entry_Type</b>	Code		Entry Type
<b>Percentage</b>	Decimal		Percentage
<b>Quantity</b>	Decimal		Quantity
<b>Hour_Cost</b>	Decimal		Hour Cost
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Comment</b>	Text		Comment
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Absence_Hours</b>	Decimal		Absence Hours
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Retain_Time</b>	Boolean	Antakse vastusega kaasa	
<b>Log_Entry_No</b>	Integer	Antakse vastusega kaasa	
<b>Entry_GUID</b>	Guid	Antakse vastusega kaasa	
<b>Delete_Entry</b>	Boolean	Antakse vastusega kaasa	
<b>Delete_Employee</b>	Boolean	Antakse vastusega kaasa	
<b>Delete_Month</b>	Boolean	Antakse vastusega kaasa	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tunitaja%20AS'\)/WorkingSched\\_Insert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tunitaja%20AS')/WorkingSched_Insert)

JSON näidis:

```
{
    "Working_Schedule_Group_No": "VEDURIJUHT",
    "Employee_No": "T0003",
    "Date": "2022-10-01",
    "Working_Shift_Code": "UU",
    "Since": "15:50:00",
    "Till": "20:40:00",
    "Hours": 4.84,
```

```
        "Break_Hours": 0,
        "Day_Overtime_Hours": 0,
        "Entry_Type": "TÖÖAEG_2",
        "Percentage": 0,
        "Quantity": 0,
        "Amount": 0,
        "Description": "",
        "Comment": "2-päevase tuuri tööaeg",
        "Cause_of_Absence_Code": "",
        "Absence_Hours": 0,
        "Payroll_Dimension_1_Code": "",
        "Payroll_Dimension_2_Code": "",
        "Payroll_Dimension_3_Code": "",
        "Payroll_Dimension_4_Code": ""
    }
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/0DataV4
    /$metadata#Company('Tuunitaja%20AS')/WorkingSched_Insert/$entity",
    "@odata.etag": "W/\\"JzQ00ysyZjc4TUVuWXFyYk00Z05ZbFYzdldtakFVeU9NYjNiU3d0Ylo2cWtIQjA9MTs
    wMDsn\\\"",
    "Log_Entry_No": 1,
    "Working_Schedule_Group_No": "VEDURIJUHT",
    "Employee_No": "T0003",
    "Date": "2022-10-01",
    "Entry_Type": "TÖÖAEG_2",
    "Working_Shift_Code": "UU",
    "Retain_Time": false,
    "Since": "15:50:00",
    "Till": "20:40:00",
    "Hours": 4.84,
    "Break_Hours": 0,
    "Cause_of_Absence_Code": "",
    "Absence_Hours": 0,
    "Percentage": 0,
    "Day_Overtime_Hours": 0,
    "Quantity": 0,
    "Amount": 0,
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Description": "",
    "Comment": "2-päevase tuuri tööaeg",
    "Entry_GUID": "4ecae2f1-df06-4b2f-8cd5-4d5abc7beddb",
    "Delete_Entry": false,
    "Delete_Employee": false,
    "Delete_Month": false
}
```

## 7.12. Tööajatabeli projekti lisamine

Andmed kirjutatakse BC-sse tabelisse PER Working Schedule Job Task (24013066). Andmete edastamine eeldab, et projekt on eelnevalt loodud BC tabelisse PER Working Schedule Job (24013069). Teenus kirjeldab BC-s Palga tööajatabeli projektide ülesandeid. Veebiteenuse lehe ID 24008485.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PER Working Schedule Job Task (24013066).
<b>Job_No</b>	Code		PER Job No.
<b>Task_No</b>	Code		PER Task No.
<b>Description</b>	Text		Description
<b>Sorting_No</b>	Code	Sorteerimise järjekorra nr tabelis	Sorting No.
<b>Task_Type_Code</b>	Code		Task Type Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Connected_Job_No</b>	Code		Connected Job No.
<b>Connected_Task_No</b>	Code		Connected Task No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/Workingscheduletask](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/Workingscheduletask)

JSON näidis:

```
{
    "Job_No": "01",
    "Task_No": "1.1",
    "Description": "Kaare tn 7",
    "Sorting_No": "2",
    "Task_Type_Code": "",
    "From_Date": "2022-11-01",
    "To_Date": "2024-01-01",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Connected_Job_No": "",
    "Connected_Task_No": ""
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/0DataV4
/$metadata#Company('Tuuritaja%20AS')/Workingschedletask/$entity",
    "@odata.etag": "W/\\"JzQ003RENXJZVkpkZ0pLM2NWQkh0Y203Vwp20DVHR20zcGMzek4yMmFWcGIzckE9MTswMDsn\\\"",
    "Job_No": "01",
    "Task_No": "1.1",
    "Description": "Kaare tn 7",
    "Sorting_No": "2",
    "Task_Type_Code": "",
    "From_Date": "2022-11-01",
    "To_Date": "2024-01-01",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Connected_Job_No": "",
    "Connected_Task_No": ""
}
```

### 7.13. Töötajate lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Payroll Employee (24002014).  
Veebiteenuse lehe ID 24008300.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Employee (24002014)
No	Code		No
Personal_ID	Text		Personal ID
First_Name	Text		First Name
Last_Name	Text		Last Name
Birth_Date	Date		Birth Date
Sex	Option	Male/Female	Sex
E_Mail	Text		E-Mail
Company_E_Mail	Text		Company E-Mail
Default_E_mail_Type	Option	Company/Personal/None	Default E-mail type
Phone_No_1	Text		Phone No. 1
Phone_No_2	Text		Phone No. 2
Mobile_Phone_No_1	Text		Mobile Phone No. 1
Mobile_Phone_No_2	Text		Mobile Phone No. 2
Address	Text		Address

<b>Address_2</b>	Text		Address 2
<b>City</b>	Text		City
<b>Post_Code</b>	Code		Post Code
<b>Country_Code</b>	Code		Country Code
<b>Manager_No</b>	Code		Manager No
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Payroll_Dimension_5_Code</b>	Code		Payroll Dimension 5 Code
<b>Payroll_Dimension_6_Code</b>	Code		Payroll Dimension 6 Code
<b>Payroll_Dimension_7_Code</b>	Code		Payroll Dimension 7 Code
<b>Payroll_Dimension_8_Code</b>	Code		Payroll Dimension 8 Code
<b>Workstation_Code</b>	Code		Workstation Code
<b>Seniority_Date</b>	Date		Seniority Date
<b>Custom_Field_1</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga värtusi	Custom Field 1
<b>Custom_Text_Field_1</b>	Text		Custom Field Text Value
<b>Custom_Field_2</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga värtusi	Custom Field 2
<b>Custom_Text_Field_2</b>	Text		Custom Field Text Value 2
<b>Custom_Field_3</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga värtusi	Custom Field 3

<b>Custom_Text_Field_3</b>	Text		Custom Field Text Value 3
<b>Custom_Field_4</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga värtusi	Custom Field 4
<b>Custom_Text_Field_4</b>	Text		Custom Field Text Value 4
<b>Custom_Field_5</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga värtusi	Custom Field 5
<b>Custom_Text_Field_5</b>	Text		Custom Field Text Value 5
<b>Custom_Field_6</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga värtusi	Custom Field 6
<b>Custom_Text_Field_6</b>	Text		Custom Field Text Value 6
<b>Custom_Field_7</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga värtusi	Custom Field 7
<b>Custom_Text_Field_7</b>	Text		Custom Field Text Value 7
<b>Custom_Field_8</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga värtusi	Custom Field 8
<b>Custom_Text_Field_8</b>	Text		Custom Field Text Value 8
<b>Custom_Field_9</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga värtusi	Custom Field 9
<b>Custom_Text_Field_9</b>	Text		Custom Field Text Value 9
<b>Custom_Field_10</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga värtusi	Custom Field 10
<b>Custom_Text_Field_10</b>	Text		Custom Field Text Value 10
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Delete_Entry</b>	Boolean	True/False	
<b>SOAP_Entry_No</b>	Integer		

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7448/PALK20APPTEST/ODATAV4/Company\('Ülle%20AS'\)/EmployeeInse](http://palk.westeuropa.cloudapp.azure.com:7448/PALK20APPTEST/ODATAV4/Company('Ülle%20AS')/EmployeeInse)

rt

JSON näidis:

{

```
"No": "TRI-0259",
"Personal_ID": "",
"First_Name": "Kaari",
"Last_Name": "Savila",
"Birth_Date": "1991-01-01",
"Sex": "Female",
"E_Mail": "sille@rt.ee",
"Company_E_Mail": "",
"Default_E_mail_Type": "None",
"Phone_No_1": "",
"Phone_No_2": "",
"Mobile_Phone_No_1": "55446677",
"Mobile_Phone_No_2": "",
"Address": "Saate tee 12",
"Address_2": "",
"City": "Tallinn",
"Post_Code": "11223",
"County": "",
"Country_Code": "",
"Manager_No": "A001",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"Payroll_Dimension_5_Code": "",
"Payroll_Dimension_6_Code": "",
"Payroll_Dimension_7_Code": "",
"Payroll_Dimension_8_Code": "",
"Workstation_Code": "TLN",
"Seniority_Date": "0001-01-01",
"Custom_Field_1": "",
"Custom_Text_Field_1": "",
"Custom_Field_2": "",
"Custom_Text_Field_2": "",
"Custom_Field_3": "",
"Custom_Text_Field_3": "",
"Custom_Field_4": "",
"Custom_Text_Field_4": "",
"Custom_Field_5": "",
"Custom_Text_Field_5": "",
"Custom_Field_6": "",
"Custom_Text_Field_6": "",
"Custom_Field_7": "",
"Custom_Text_Field_7": "",
"Custom_Field_8": "",
"Custom_Text_Field_8": "",
"Custom_Field_9": ""
```

```
    "Custom_Text_Field_9": "",  
    "Custom_Field_10": "",  
    "Custom_Text_Field_10": ""
```

```
}
```

Näidis päringu vastus:

```
{  
    "@odata.context":  
    "http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/ODATAV4/$metadata#Com  
    pany('%C3%9Cll%20AS')/EmployeeInsert/$entity",  
    "@odata.etag": "W/\\"JzIwOzEwOTk2NjQ5NDQ1MzU2NDMwNzg3MTswMDsn\\\"",  
    "SOAP_Entry_No": 7,  
    "Entry_GUID": "00000000-0000-0000-0000-000000000000",  
    "No": "TRI-0259",  
    "Personal_ID": "",  
    "First_Name": "Kaari",  
    "Last_Name": "Savila",  
    "Birth_Date": "1991-01-01",  
    "Sex": "Female",  
    "E_Mail": "sille@rt.ee",  
    "Company_E_Mail": "",  
    "Default_E_mail_Type": "None",  
    "Phone_No_1": "",  
    "Phone_No_2": "",  
    "Mobile_Phone_No_1": "55446677",  
    "Mobile_Phone_No_2": "",  
    "Address": "Saate tee 12",  
    "Address_2": "",  
    "City": "Tallinn",  
    "Post_Code": "11223",  
    "County": "",  
    "Country_Code": "",  
    "Manager_No": "A001",  
    "Payroll_Dimension_1_Code": "",  
    "Payroll_Dimension_2_Code": "",  
    "Payroll_Dimension_3_Code": "",  
    "Payroll_Dimension_4_Code": "",  
    "Payroll_Dimension_5_Code": "",  
    "Payroll_Dimension_6_Code": "",  
    "Payroll_Dimension_7_Code": "",  
    "Payroll_Dimension_8_Code": "",  
    "Workstation_Code": "TLN",  
    "Seniority_Date": "0001-01-01",  
    "Custom_Field_1": "",  
    "Custom_Text_Field_1": "",  
    "Custom_Field_2": "",  
    "Custom_Text_Field_2": "",  
    "Custom_Field_3": "",  
    "Custom_Text_Field_3": "",  
    "Custom_Field_4": "",  
    "Custom_Text_Field_4": ""},
```

```

    "Custom_Field_5": "",
    "Custom_Text_Field_5": "",
    "Custom_Field_6": "",
    "Custom_Text_Field_6": "",
    "Custom_Field_7": "",
    "Custom_Text_Field_7": "",
    "Custom_Field_8": "",
    "Custom_Text_Field_8": "",
    "Custom_Field_9": "",
    "Custom_Text_Field_9": "",
    "Custom_Field_10": "",
    "Custom_Text_Field_10": "",
    "Delete_Entry": false
}

```

## 7.14. Väliste projektide lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee External Projects (24012901).  
Veebiteenuse lehe ID 24012965.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee External Projects (24012901)
<b>Entry_No</b>	Integer	Pannakse automaatselt päringu külge	
<b>Entry_GUID</b>	Guid	Pannakse automaatselt päringu külge	Entry GUID
<b>Country_Code</b>	Code		Country Code
<b>External_Project_No</b>	Code		External Project No.
<b>Employee_No</b>	Code		Employee No.
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Days</b>	Integer		Days
<b>Closed</b>	Boolean	True/False	Closed
<b>Delete</b>	Boolean	True/False	
<b>Status_Message</b>	Text	Veateate tagastuse sisestuseks	
<b>Status_Error</b>	Boolean	Kas oli error või ei ehk True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ExternalProjects](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/ExternalProjects)

JSON näidis:

{

```

    "Employee_No": "T0004",
    "Country_Code": "",
    "External_Project_No": "111",
    "From_Date": "2023-01-01",
    "To_Date": "2024-01-01",
    "Days": 0,
    "Closed": false,
    "Entry_GUID": "6ab2eb22-1a34-441e-b876-6e9282d67750"
}

```

Näidis päringu vastus:

```

{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/ExternalProjects/$entity",
    "@odata.etag": "W/\\"JzQ001JhNUx3QkY3WGJrZ2NMLzI5MTFuM1hVdWxRaWg1Y0YwTUdnRkx4MjRoQlU9MTs
wMDsn\\",
    "Entry_No": 3,
    "Entry_GUID": "6ab2eb22-1a34-441e-b876-6e9282d67750",
    "Country_Code": "",
    "External_Project_No": "111",
    "Employee_No": "T0004",
    "From_Date": "2023-01-01",
    "To_Date": "2024-01-01",
    "Days": 0,
    "Closed": false,
    "Delete": false,
    "Status_Message": "Entry inserted",
    "Status_Error": false
}

```

## 7.15. Tööajatabeli projekti ülesande lisamine

Andmed kirjutatakse BC-sse tabelisse PER Working Schedule Job (24013069).  
Veebiteenuse lehe ID 24008486.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PER Working Schedule Job (24013069)
<b>Job_No</b>	Code		PER Job No.
<b>Main_Job_No</b>	Code		Main Job No.
<b>Description</b>	Text		Description
<b>Sorting_No</b>	Code	Sorteerimise järjekorra nr tabelis	Sorting No.
<b>Task_Batch_No</b>	Code		Task Batch No
<b>Responsible_No</b>	Code		Responsible No.
<b>Split_Type</b>	Option	Percentage/Proportional	Split Type
<b>Split_Insert_Type</b>	Option	Keep/Zero/Remaining	Split Insert Type
<b>Percentage</b>	Decimal		Percentage

<b>Expected_Hour_Cost</b>	Decimal		Expected Hour Cost
<b>Substitute_No</b>	Code		Substitute No.
<b>Closed</b>	Boolean	True/False	Closed
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Connected_Job_No</b>	Code		Connected Job No.
<b>Connected_Task_No</b>	Code		Connected Task No.

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/T%C3%B6ajatabelProjekt](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/T%C3%B6ajatabelProjekt)

JSON näidis:

```
{
    "Job_No": "02",
    "Description": "Kuuri tn 2",
    "Task_Batch_No": "",
    "Responsible_No": "T0004",
    "Split_Type": "Percentage",
    "Split_Insert_Type": "Keep",
    "Percentage": 0,
    "Expected_Hour_Cost": 0,
    "Substitute_No": "T0010",
    "Closed": false,
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Connected_Job_No": "",
    "Connected_Task_No": ""
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/$metadata#Company('Tuuritaja%20AS')/T%C3%B6ajatabelProjekt/$entity",
    "@odata.etag": "W/\\"JzQ002ZZcVQwSjdQZmVXRm9UYjZwRlhYUjZKMzJpUytzbkdXMGpBU0FhTDY5LzQ9MTswMDsn\\",
    "Job_No": "02",
    "Main_Job_No": "",
    "Description": "Kuuri tn 2",
    "Task_Batch_No": "",
    "Responsible_No": "T0004",
    "Split_Type": "Percentage",
    "Split_Insert_Type": "Keep",
```

```

    "Percentage": 0,
    "Expected_Hour_Cost": 0,
    "Substitute_No": "T0010",
    "Closed": false,
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Connected_Job_No": "",
    "Connected_Task_No": ""
}

```

## 7.16. Asendamiste saatmine BC-sse

Andmed kirjutatakse BC tabelisse PLK Payroll Subst. Led. Entry (24002099).

Veebiteenuse lehe ID 24012979.

JSON-i loomisel tuleb andmed võtta tabelist 24002028, kellele soovitakse asendust BC-sse saata.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Subst. Led. Entry (24002099)
<b>Log_Entry_No</b>	Integer	Kande number tabelis	Abs. Entry No.
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Substituent_No</b>	Code		Substituent No.
<b>Description</b>	Text		Description
<b>Absence_Entry_GUID</b>	Guid	Entry GUID tabelist 24002028 puhkuse kandega kokku viimiseks	Entry GUID
<b>Response_Text</b>	Text	24002028 tabelisse sisestatud Entry No.välja väärus	Entry No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/Substitution](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/Substitution)

JSON näidis:

```
{
    "Log_Entry_No": "2",
    "From_Date": "2022-07-15",
    "To_Date": "2022-07-17",
    "Substituent_No": "T0004",
    "Description": "Asendab klienti AS Sisu",
    "Absence_Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
    "Response_Text": "Entry No. 1"
}
```

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
/$metadata#Company('Tuuritaja%20AS')/Substitution/$entity",  
    "@odata.etag": "W/\"JzQ00281Zi9ZUmSTHdmWWhwSTd1SHdXVDlzaWxOTTFYaHpyaVhVaU1wVEo4VTA9MTs  
wMDsn\"",  
    "Log_Entry_No": 2,  
    "From_Date": "2022-07-15",  
    "To_Date": "2022-07-17",  
    "Substituent_No": "T0004",  
    "Description": "Asendab klienti AS Sisu",  
    "Absence_Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",  
    "Response_Text": "Entry No. 1"  
}
```

## 8. Rest api päringud

### 8.1. Rest API päringu üld selgitused

Teenuste üldpäringu aadress:

GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/)

Vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS  
_Itera_Payroll365/Absences/v2.0/$metadata",  
    "value": [  
        {  
            "name": "entityDefinitions",  
            "kind": "EntitySet",  
            "url": "entityDefinitions"  
        },  
        {  
            "name": "companies",  
            "kind": "EntitySet",  
            "url": "companies"  
        },  
        {  
            "name": "subscriptions",  
            "kind": "EntitySet",  
            "url": "subscriptions"  
        },  
        {  
            "name": "holidayRequests",  
            "kind": "EntitySet",  
            "url": "holidayRequests"  
        },  
        {  
            "name": "holidayRequestsShort",  
            "kind": "EntitySet",  
            "url": "holidayRequestsShort"  
        }  
    ]  
}
```

```
        "kind": "EntitySet",
        "url": "holidayRequestsShort"
    }
]
}
```

Ettevõtte ID pärting (sellega saab ettevõtte ID-d, mida URL-is kasutada, et vajadusel teha pärtingud teise ettevõttesse, nt. testettevõttesse):

[http://palk.westeuropre.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies](http://palk.westeuropre.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies)

Vastus:

```
{
    "@odata.context": "http://palk.westeuropre.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies",
    "value": [
        {
            "id": "e5b4a36e-b3b3-eb11-b82e-000d3a2059de",
            "systemVersion": "18.0.23013.23795",
            "name": "2021 DEMO",
            "displayName": "",
            "businessProfileId": "",
            "systemCreatedAt": "2021-05-13T06:21:21.167Z",
            "systemCreatedBy": "00000000-0000-0000-0000-000000000001",
            "systemModifiedAt": "2021-05-13T06:21:21.167Z",
            "systemModifiedBy": "00000000-0000-0000-0000-000000000001"
        },
        {
            "id": "c28ad877-e1b3-eb11-b82e-000d3a2059de",
            "systemVersion": "18.0.23013.23795",
            "name": "2021 M_DEMO",
            "displayName": "",
            "businessProfileId": "",
            "systemCreatedAt": "2021-05-13T11:50:54.027Z",
            "systemCreatedBy": "00000000-0000-0000-0000-000000000001",
            "systemModifiedAt": "2021-05-13T11:50:54.027Z",
            "systemModifiedBy": "00000000-0000-0000-0000-000000000001"
        },
        {
            "id": "b706f204-4dc5-ec11-b83d-000d3a2059de",
            "systemVersion": "18.0.23013.23795",
            "name": "Tuuritaja AS",
            "displayName": "Tuuritaja AS",
            "businessProfileId": "",
            "systemCreatedAt": "2022-04-26T10:38:33.777Z",
            "systemCreatedBy": "ea67b200-0503-412b-8f4e-63c70aed8345",
            "systemModifiedAt": "2022-04-26T10:40:14.023Z",
            "systemModifiedBy": "ea67b200-0503-412b-8f4e-63c70aed8345"
        }
    ]
}
```

Õige ettevõtte pihta tehtava päringu jaoks tuleb ettevõtte ID panna anda päringuga kaasa nt

GET:

http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\_Itera\_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)

Vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies/$entity",  
    "id": "b706f204-4dc5-ec11-b83d-000d3a2059de",  
    "systemVersion": "18.0.23013.23795",  
    "name": "Tuuritaja AS",  
    "displayName": "Tuuritaja AS",  
    "businessProfileId": "",  
    "systemCreatedAt": "2022-04-26T10:38:33.777Z",  
    "systemCreatedBy": "ea67b200-0503-412b-8f4e-63c70aed8345",  
    "systemModifiedAt": "2022-04-26T10:40:14.023Z",  
    "systemModifiedBy": "ea67b200-0503-412b-8f4e-63c70aed8345"  
}
```

Filtrti kasutamise näidis:

GET:

http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\_Itera\_Payroll365/Absences/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/holidayRequestsShort?\$filter=StartingDate gt 2021-03-01

Vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/holidayRequestsShort",  
    "value": [  
        {  
            "@odata.etag": "W/\\"JzQ0OzFKUWs2MnA1VmxyUTl6bnpoR1FUSjZiVmFPN0RMbDNHVmxLR3paUmlWS2s9MTswMDsn\\\"",  
            "EmployeeNo": "T0003",  
            "StartingDate": "2021-04-01",  
            "EndingDate": "2021-04-10",  
            "EmployeeName": "Kati Karu",  
            "EmployeeEmail": "aile.pahkel@ettevote.ee",  
            "Substitutions": "Edit Kekk"  
        },  
        {  
            "@odata.etag": "W/\\"JzQ000EwZmpwbHd0Vn1KYThqNks3bU9kVkFTTm51V3lIT1ZkNTRBRVpaQ1JiTE09MTswMDsn\\\"",  
            "EmployeeNo": "T0043",  
            "StartingDate": "2021-03-08",  
            "EndingDate": "2021-03-28",  
            "EmployeeName": "Herta Lai",  
            "EmployeeEmail": "",  
            "Substitutions": ""  
        }  
    ]  
}
```

## 8.2. Puhkuse taotluste lühi pärting

Puhkuse taotlusi on võimalik pärida BC-st lehelt PER Payroll Request (24013072).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PER Payroll Request (24013072)
<b>EmployeeNo</b>	Code		Employee No.
<b>StartingDate</b>	Date		Starting Date
<b>EndingDate</b>	Date		Ending Date
<b>EmployeeName</b>	Text		Full Name
<b>EmployeeEmail</b>	Text		Employee E-mail
<b>Substitutions</b>	Text	Andmed tabelist PER Request Substitution (24013053)	Substitutions

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/holidayRequestsShort](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequestsShort)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequestsShort",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ00ytSRwl4cGJDRVJBR1ZsZXlHNi9XcwSyQkswMnR5U0xtb2hUNjZLREJV2c9MTswMDsn\\",
            "EmployeeNo": "T0003",
            "StartingDate": "2022-10-03",
            "EndingDate": "2022-10-09",
            "EmployeeName": "Teele Tuisk",
            "EmployeeEmail": "",
            "Substitutions": ""
        },
        {
            "@odata.etag": "W/\\"JzQ002Rjsk5GdTg3M1FYVFZreEduSEZKcnY0VWhwc1B4RFQyRm1sNHjtQVA3RXc9MTswMDsn\\",
            "EmployeeNo": "T0003",
            "StartingDate": "2023-05-08",
            "EndingDate": "2023-05-14",
            "EmployeeName": "Teele Tuisk",
            "EmployeeEmail": "",
            "Substitutions": ""
        }
    ]
}
```

### 8.3. Puhkuste taotluste päring

Andmeid päritakse BC lehelt PER Payroll Request (24013072).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PER Payroll Request (24013072)
<b>EmployeeNo</b>	Code		Employee No.
<b>StartingDate</b>	Date		Starting Date
<b>EndingDate</b>	Date		Ending Date
<b>HolidayTypeCode</b>	Code		Holiday Type
<b>ApprovalStatus</b>	Option	New/Rejected/Waiting Approval/Approved/Submitted /Completed/Canceled	Approval Status
<b>EmployeeName</b>	Text		Full Name
<b>Level1No</b>	Code		Level 1 No.
<b>Level2No</b>	Code		Level 2 No.
<b>Level3No</b>	Code		Level 3 No
<b>Level4No</b>	Code		Level 4 No.
<b>EmployeeEmail</b>	Text		Employee E-mail
<b>HolidayTypeDescription</b>	Text		Holiday Type Description
<b>Days</b>	Decimal		Days
<b>Substitutions</b>	Text	Andmed tabelist PER Request Substitution (24013053)	Substitutions
<b>RequestNo</b>	Code		Request No
<b>RequestInfo</b>	Text		Request Info
<b>RequestURL</b>			

Näidis püringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/holidayRequests](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequests)

Näidis püringu vastus:

```
{
  "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequests",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ000dqNU100U1DUE9UQzRtdGk3SH1zQmlFNGVReWZaeFZYS1lsQlpZYmR6N289MTswMDsn\\",
      "EmployeeNo": "T0003",
      "StartingDate": "2022-10-03",
      "EndingDate": "2022-10-09",
      "HolidayTypeCode": "P_PUHKUS",
      "ApprovalStatus": "Approved",
      "EmployeeName": "Teele Tuisk",
      "Level1No": "10",
      "Level2No": "100",
      "Level3No": "101",
      "Level4No": "1011",
      "EmployeeEmail": "",
      "HolidayTypeDescription": "Põhipuhkus",
    }
  ]
}
```

```

    "Days": 7,
    "Substitutions": "",
    "RequestNo": "PUH0001",
    "RequestInfo": "Põhipuhkus 03.10.22 - 09.10.22",
    "RequestURL": "http://palk.westeuropa.cloudapp.azure.com:8016/PALK18APPTEST/?co
mpany=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAAwADE%3d"
},
{
    "@odata.etag": "W/\\"JzQ003hzRkhBa2s4Y0hHTlIrcm9SVHRHL2FHTjFlcWl0S31KcWlKTjdiRkZ
rTk9MTswMDsn\\",
    "EmployeeNo": "T0003",
    "StartingDate": "2023-05-08",
    "EndingDate": "2023-05-14",
    "HolidayTypeCode": "P_PUHKUS",
    "ApprovalStatus": "Approved",
    "EmployeeName": "Teele Tuisk",
    "Level1No": "10",
    "Level2No": "100",
    "Level3No": "101",
    "Level4No": "1011",
    "EmployeeEmail": "",
    "HoldiayTypeDescription": "Põhipuhkus",
    "Days": 7,
    "Substitutions": "",
    "RequestNo": "PUH0002",
    "RequestInfo": "Põhipuhkus 08.05.23 - 14.05.23",
    "RequestURL": "http://palk.westeuropa.cloudapp.azure.com:8016/PALK18APPTEST/?co
mpany=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAAwADI%3d"
}
]
}
}

```

#### 8.4. Töötajate loend

Päring võimaldab pärida kõiki ettevõtte töötajaid. Andmed päratakse lehelt PLK Payroll Employee (24002014).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Employee (24002014)
No	Code		No
PersonalID	Text		Personal ID
FirstName	Text		First Name
LastName	Text		Last Name
FullName	Text		Full Name
PreviousName	Text		Previous Name
Status	Option	Active/ Inactive/Prospect /Terminated	Status
BirthDate	Date		BirthDate

<b>DenyBirthDatePublish</b>	Boolean	Yes/No	Deny Birth Date Publish
<b>Sex</b>	Option	Male/Female	Sex
<b>UserID</b>	Code		User ID
<b>NonResident</b>	Boolean	Yes/No	Non-Resident
<b>CitizenshipCode</b>	Code		Citizenship Code
<b>CitizenshipName</b>	Text		Citizenship Name
<b>NativeLanguageCode</b>	Code		Native Language Code
<b>NativeLanguageName</b>	Text		Native Language Name
<b>Address</b>	Text		Address
<b>Address2</b>	Text		Address2
<b>City</b>	Text		City
<b>PostCode</b>	Code		Post Code
<b>County</b>	Text		County
<b>CountryCode</b>	Code		Country Code
<b>PersonalPhoneNo</b>	Text		Phone No. 1
<b>CompanyPhoneNo</b>	Text		Phone No. 2
<b>PersonalMobilePhoneNo</b>	Text		Mobile Phone No. 1
<b>CompanyMobilePhoneNo</b>	Text		Mobile Phone No. 2
<b>EMail</b>	Text		E-Mail
<b>CompanyEMail</b>	Text		Company E-Mail
<b>Blocked</b>	Boolean	Yes/No	Blocked
<b>JobTitle</b>	Text		Job Title
<b>JobTitleEnglish</b>	Text		Job Title(English)
<b>WorkingRoomNo</b>	Text		Working Room No.
<b>MainContractNo</b>	Code		Main Contract No.
<b>Noviciate</b>	Boolean	Yes/No	Noviciate
<b>AdditionalWorkingFactor</b>	Decimal		Additional Working Factor
<b>WorkingFactor</b>	Decimal		Working Factor
<b>NoviciateEndingDate</b>	Date		Noviciate Ending Date
<b>SeniorityDate</b>	Date		Seniority Date
<b>EmploymentDate</b>	Date		Employment Date
<b>EmploymentContractCode</b>	Code		Emplymt. Contract Code
<b>TerminationDate</b>	Date		Termination Date
<b>WorkstationCode</b>	Code		Workstation Code
<b>WorkstationName</b>	Text		Workstation Name
<b>ManagerNo</b>	Code		Manager No
<b>ManagerName</b>	Text		Manager Name
<b>ManagerJob</b>	Text		Manager Job
<b>Level1No</b>	Code		Level 1 No.
<b>Level1Name</b>	Text		Level 1 Name
<b>Level2No</b>	Code		Level 2 No.

<b>Level2Name</b>	Text		Level 2 Name
<b>Level3No</b>	Code		Level 3 No.
<b>Level3Name</b>	Text		Level 3 Name
<b>Level4No</b>	Code		Level 4 No.
<b>Level4Name</b>	Text		Level 4 Name
<b>Statistics1Code</b>	Code		I Statistics Group Code
<b>Statistics2Code</b>	Code		II Statistics Group Code
<b>Dimension1Code</b>	Code		Dimension 1 Code
<b>Dimension2Code</b>	Code		Dimension 2 Code
<b>Dimension3Code</b>	Code		Dimension 3 Code
<b>Dimension4Code</b>	Code		Dimension 4 Code
<b>Dimension5Code</b>	Code		Dimension 5 Code
<b>Dimension6Code</b>	Code		Dimension 6 Code
<b>Dimension7Code</b>	Code		Dimension 7 Code
<b>Dimension8Code</b>	Code		Dimension 8 Code
<b>Dimension1Name</b>	Code		Dimension 1 Name
<b>Dimension2Name</b>	Code		Dimension 2 Name
<b>Dimension3Name</b>	Code		Dimension 3 Name
<b>Dimension4Name</b>	Code		Dimension 4 Name
<b>Dimension5Name</b>	Code		Dimension 5 Name
<b>Dimension6Name</b>	Code		Dimension 6 Name
<b>Dimension7Name</b>	Code		Dimension 7 Name
<b>Dimension8Name</b>	Code		Dimension 8 Name
<b>CustomField1</b>	Code		Custom Field 1
<b>CustomField2</b>	Code		Custom Field 2
<b>CustomField3</b>	Code		Custom Field 3
<b>CustomField4</b>	Code		Custom Field 4
<b>CustomField5</b>	Code		Custom Field 5
<b>CustomField6</b>	Code		Custom Field 6
<b>CustomField7</b>	Code		Custom Field 7
<b>CustomField8</b>	Code		Custom Field 8
<b>CustomField9</b>	Code		Custom Field 9
<b>CustomField10</b>	Code		Custom Field 10
<b>CustomTextField</b>	Text		Custom Text Field
<b>CustomTextField2</b>	Text		Custom Text Field 2
<b>CustomTextField3</b>	Text		Custom Text Field 3
<b>CustomTextField4</b>	Text		Custom Text Field 4
<b>CustomTextField5</b>	Text		Custom Text Field 5
<b>CustomTextField6</b>	Text		Custom Text Field 6
<b>CustomTextField7</b>	Text		Custom Text Field 7

<b>CustomTextField8</b>	Text		Custom Text Field 8
<b>CustomTextField9</b>	Text		Custom Text Field 9
<b>CustomTextField10</b>	Text		Custom Text Field 10
<b>PrevHealthCheck</b>	Date	Info tabelist PER Health Certificate (24008854)	Health Check Date
<b>NextHealtCheck</b>	Date	Info tabelist PER Health Certificate (24008854)	Next Health Check Date
<b>SystemCreatedAt</b>	DateTime		System Created At
<b>SystemId</b>	GUID		System Id
<b>SystemModifiedAt</b>	DateTime		System Modified At
<b>Timestamp</b>	BigInteger		SQL Timestamp
<b>EntryGUID</b>	GUID		Entry GUID

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollEmployees](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollEmployees)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollEmployees",
    "value": [
        {
            "@odata.etag": "W/\\"JzQO02Y2R0U5SXkySEFFdFkzRjRMWGxYaWZ4anhCZWRLcG0ycW0xaEh2QmFtMEU9MTswMDsn\\\"",
            "No": "T0002",
            "PersonalID": "39404250089",
            "FirstName": "Ilmar",
            "LastName": "Sepp",
            "FullName": "Ilmar Sepp",
            "PreviousName": "Saar",
            "Status": "Active",
            "BirthDate": "1994-04-25",
            "DenyBirthDatePublish": false,
            "Sex": "Male",
            "UserID": "",
            "NonResident": false,
            "CitizenshipCode": "",
            "CitizenshipName": "",
            "NativeLanguageCode": "",
            "NativeLanguageName": "",
            "Address": "Käbi 2",
            "Address2": "",
            "City": "Tallinn",
            "PostCode": "1254",
        }
    ]
}
```

```
"County": "Harju maakond",
"CountryCode": "EE",
"PersonalPhoneNo": "",
"CompanyPhoneNo": "",
"PersonalMobilePhoneNo": "5029816",
"CompanyMobilePhoneNo": "5029816",
"EMail": "",
"CompanyEMail": "ilmar@ilmar.ee",
"Blocked": false,
"JobTitle": "Vahetuse vanem",
"JobTitleEnglish": "head of shift",
"WorkingRoomNo": "2",
>MainContractNo": "",
"Noviciate": false,
"AdditionalWorkingFactor": 0,
"WorkingFactor": 1,
"NoviciateEndingDate": "0001-01-01",
"SeniorityDate": "2020-03-07",
"EmploymentDate": "2020-01-07",
"EmploymentContractCode": "10",
"TerminationDate": "0001-01-01",
"WorkstationCode": "ROCCA",
"WorkstationName": "Rocca",
"ManagerNo": "T0003",
"ManagerName": "Kati Karu",
"ManagerJob": "Objektivanem",
"Level1No": "1050",
"Level1Name": "Valvedivisjon",
"Level2No": "",
"Level2Name": "",
"Level3No": "",
"Level3Name": "",
"Level4No": "",
"Level4Name": "",
"Statistics1Code": "",
"Statistics2Code": "",
"Dimension1Code": "1050",
"Dimension2Code": "",
"Dimension3Code": "",
"Dimension4Code": "",
"Dimension5Code": "",
"Dimension6Code": "",
"Dimension7Code": "",
"Dimension8Code": "",
"Dimension1Name": "Ehitus",
"Dimension2Name": "",
"Dimension3Name": "",
"Dimension4Name": "",
"Dimension5Name": "",
"Dimension6Name": "",
"Dimension7Name": "",
```

```
"Dimension8Name": "",  
"CustomField1": "42",  
"CustomField2": "",  
"CustomField3": "",  
"CustomField4": "",  
"CustomField5": "",  
"CustomField6": "",  
"CustomField7": "",  
"CustomField8": "",  
"CustomField9": "",  
"CustomField10": "",  
"CustomTextField": "",  
"CustomTextField2": "",  
"CustomTextField3": "",  
"CustomTextField4": "",  
"CustomTextField5": "",  
"CustomTextField6": "",  
"CustomTextField7": "",  
"CustomTextField8": "",  
"CustomTextField9": "",  
"CustomTextField10": "",  
"PrevHealthCheck": "0001-01-01",  
"NextHealthCheck": "2022-12-31",  
"SystemCreatedAt": "0001-01-01T00:00:00Z",  
"SystemId": "03430ce0-e619-eb11-b823-000d3a2059de",  
"SystemModifiedAt": "2023-12-23T15:36:35.82Z",  
"Timestamp": 74588864,  
"EntryGUID": "ae3f20d4-8142-428f-9199-5dc63d72ce34"  
,  
...  
}
```

## 8.5. Tagasi lükatud maksed

Teenus võimaldab kirjutada BC tabelisse PLK Payroll Payment Register (24008816) ebaõnnestunud panga makseid. Lisaks genereeritakse makse ebaõnnestumise kohta Palgaregistri kanne tabelisse PLK Payroll Registers (24002036).

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Registers (24002036) ja PLK Payroll Payment Register (24008816)
<b>soapEntryNo</b>	Integer		
<b>Filename</b>	Text		
<b>fileInBase64</b>	Text		

Ebaõnnestunud makse faili näidis:

```
<Document>  
<CstmrPmtStsRpt>  
<GrpHdr>  
<MsgId>4013840</MsgId>
```

```
<CreDtTm>2022-07-26T11:21:59.864+03:00</CreDtTm>
<InitgPty>
<Id>
<OrgId>
<AnyBIC>EPBEEE2XXXX</AnyBIC>
</OrgId>
</Id>
</InitgPty>
</GrpHdr>
<OrgnlGrpInfAndSts>
<OrgnlMsgId>PALK365-FAIL1</OrgnlMsgId>
<OrgnlMsgNmId>pain.001.001.08</OrgnlMsgNmId>
<GrpSts>RJCT</GrpSts>
</OrgnlGrpInfAndSts>
<OrgnlPmtInfAndSts>
<OrgnlPmtInfId>PALK365-MAKSEJUHIS-0002</OrgnlPmtInfId>
<TxInfAndSts>
<OrgnlInstrId>PALKx573x1</OrgnlInstrId>
<OrgnlEndToEndId>PALKx573x1</OrgnlEndToEndId>
<TxSts>RJCT</TxSts>
<StsRsnInf>
<Orgtr>
<Id>
<OrgId>
<AnyBIC>EPBEEE2XXXX</AnyBIC>
</OrgId>
</Id>
</Orgtr>
<Rsn>
<Cd>AGNT</Cd>
</Rsn>
<AddtlInf>Agent in the payment workflow is incorrect</AddtlInf>
</StsRsnInf>
</TxInfAndSts>
</OrgnlPmtInfAndSts>
</CstmrPmtStsRpt>
</Document>
```

JSON näidis andmete kirjutamiseks:

```
{    "Filename": "Pangamakse_247.xml",
    "FileInBase64" : "PD94bWwgdmVyc2lvbj0iMS4wIiBlbmNvZGluZz0iVVRGLTgiIHN0YW5kYlxvbmU9Inllcy
I/Pg0KPERvY3VtZW50DQogICAgeG1sbmM9InVybjppc286c3RkOmlzbzoyMDAyMjp0ZWNoOnhzZDpwYwluLjAwMi4wM
DEuMTIiPg0KICAgIDxXc3Rtc1BtdFN0c1JwdD4NCiAgICAgICAgPEDycEhkjc4NCiAgICAgICAgICAgIDxNc2dJZD40
MDEzODQwPC9Nc2dJZD4NCiAgICAgICAgICAgIDxDcmVEdFRtPjIwMjItMDctMjZUMTE6MjE6NTkuODY0KzAzOjAwPC9
DcmVEdFRtPg0KICAgICAgICAgPEluaXRnUHR5Pg0KICAgICAgICAgICAgIDxJZD4NCiAgICAgICAgICAgIC
AgICAgICAgPE9yZ0lkPg0KICAgICAgICAgICAgICAgICAgICAgPEFueUJJQz5FUEJFRUUyWFhYWDwvQW55Qk1DP
g0KICAgICAgICAgICAgICAgICA8L09yZ0lkPg0KICAgICAgICAgIDwvSWQ+DQogICAgICAgICAgICA8
L0luaXRnUHR5Pg0KICAgICAgICA8L0dycehkjc4NCiAgICAgICAgPE9yZ25sR3JwSW5mQW5kU3RzPg0KICAgICAgICA
gICAgPE9yZ25sTXNnSWQ+UEFMSzM2NS1GQU1MMTwvT3JnbmxNc2dJZD4NCiAgICAgICAgICAgIDxPcmdubE1zZ05tSW
Q+cGFpb4wMDEuMDAxLjA4PC9PcmdubE1zZ05tSWQ+DQogICAgICAgICAgICA8R3JwU3RzPlJKQ1Q8L0dyceFN0cz4NC
iAgICAgICAgPC9PcmdubEdycEluZkFuZFN0cz4NCiAgICAgICAgPE9yZ25sUG10SW5mQW5kU3RzPg0KICAgICAgICAg
ICAgPE9yZ25sUG10SW5mSWQ+UEFMSzM2NS1NQUtTRUpVSE1TLTAwMDI8L09yZ25sUG10SW5mSWQ+DQogICAgICAgICA
gICA8VHhJbmZBbmRTdHM+DQogICAgICAgICAgPE9yZ25sSW5zdHJJZD5QQUxLeDU3M3gxPC9PcmdubEluc3
RySWQ+DQogICAgICAgICAgICAgPE9yZ25sRW5kVG9FbmRJZD5QQUxLeDU3M3gxPC9PcmdubEVuZFRvRW5kSWQ+D
```

## Näidis päringu aadress:

POST:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(f0c56148-6111-ec11-b830-000d3a2059de\)/rejectedPayments](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(f0c56148-6111-ec11-b830-000d3a2059de)/rejectedPayments)

## Näidis päringu vastus:

{

## 8.6. Palgaregistri pääring

Andmed päritakse lehelt PLK Payroll Registers (24002036).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Registers (24002036)
<b>no</b>	Integer		No.
<b>type</b>	Option	Registration/Calculation/Absence/Absences Cancellation/Bank Transfer/Tax Report/Pay Slip/Notification/G/L Posting/Export/Export Cancellation/Splitting/Import/E-mail/Report/Rejected Payment	Type
<b>description</b>	Text		Description
<b>creatingTime</b>	DateTime		Creating Time
<b>deleted</b>	Boolean	True/False	Deleted
<b>fileInBase64</b>	Text		

Näidis pääingu aadress GET:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/registers](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/registers)

Näidis pääingu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/registers",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ002l1NEdoOGRXdU9pdF1rVytBT0JYM011cj1QODhZNUs1VmVuMj1IMXBxMmc9MTswMDsn\\",
            "no": 1,
            "type": "Registration",
            "description": "Registreerimine",
            "creatingTime": "2022-04-27T06:56:06.513Z",
            "deleted": true,
            "fileInBase64": ""
        },
        {
            "@odata.etag": "W/\\"JzQ002wyTFNmidxZsdWxpT1RXVVNoMmd6dE4xN2ZLWTQ5anM1cTE5QkhPek5ncG89MTswMDsn\\",
            "no": 2,
            "type": "Registration",
            "description": "Tööaeg - 2 päevane tuur",
            "creatingTime": "2022-04-27T06:57:39.477Z",
            "deleted": true,
            "fileInBase64": ""
        }
    ]
}
```

```

"@odata.etag": "W/\\"JzQ000RZcUJoczY0cEdjazdKb3I5Vt4Uk1HTEFQdEtZU1BzU2p0TS9GaFZ
zQ1U9MTswMDsn\\",
  "no": 3,
  "type": "Registration",
  "description": "Registreerimine",
  "creatingTime": "2022-04-27T07:02:14.2Z",
  "deleted": true,
  "fileInBase64": ""

},
{
  "@odata.etag": "W/\\"JzQ002lrK2ErQTByQnVtZTU3NzBoVU5JSNdCQnJZNmpKaW10RwtEbjRVrlZ
ZamM9MTswMDsn\\",
  "no": 4,
  "type": "Registration",
  "description": "Registreerimine",
  "creatingTime": "2022-04-27T07:09:49.68Z",
  "deleted": true,
  "fileInBase64": ""

},
...

```

## 8.7. Töötajate sünnipäevade ja tööjuubelite päring

Päring võimaldab pärida töötajate sünnipäevi ja nende tööstaaži andmeid. Andmed päratakse lehelt PLK Payroll Employee (24002014).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Employee (24002014)
<b>employeeNo</b>	Code		No
<b>Status</b>	Option	Active/Inactive/Prospect/Terminated	Status
<b>employeeName</b>	Text		Full Name
<b>jobTitle</b>	Text		Job Title
<b>companyEmail</b>			Company E-mail
<b>employmentDate</b>	Date		Employment Date
<b>Seniority</b>	Date		Seniority
<b>workAnniversary</b>	Boolean	True, kui Seniority jagub 10-ga/ False- kõik muud juhud	Seniority
<b>birthDate</b>	Date		Birth Date
<b>Age</b>	Decimal		Age
<b>level1No</b>	Code		Level 1 No.
<b>level2No</b>	Code	Struktuuri taseme kood	Level 2 No.
<b>level3No</b>	Code	Struktuuri taseme kood	Level 3 No.
<b>level4No</b>	Code	Struktuuri taseme kood	Level 4 No.

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll1365/Employee/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/employeeBirthdays](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll1365/Employee/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/employeeBirthdays)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll
365/Employee/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-
000d3a2059de)/employeeBirthdays",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O3VqbWZvWUNkb2R1MGR3Y3BPRHJCUUdBelRHeLY0Qm1VdnJWdDZWbHp5eGs9MTswMDsn\\\"",
            "employeeNo": "T0002",
            "status": "Active",
            "employeeName": "Ilmar Sepp",
            "jobTitle": "Vahetuse vanem",
            "companyEMail": "",
            "employmentDate": "2020-01-07",
            "seniority": 3.0,
            "workAnniversary": false,
            "birthDate": "1994-04-25",
            "age": 29.0,
            "level1No": "1050",
            "level2No": "",
            "level3No": "",
            "level4No": ""
        },
        ...
    ]
}
```

## 8.8. Palgakontode päring

Päring võimaldab pärida palgakontodel olevaid andmeid. Andmed päritakse lehelt PLK Payroll Accounts (24002044).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Accounts (24002044)
<b>No</b>	Code		No
<b>Name</b>	Text		Name
<b>AccountType</b>	Option	Kinnitamine / Summeerimine/ Pealkiri / Väljamaks	Account Type
<b>Totaling</b>	Text		Totaling
<b>Blocked</b>	Boolean	True/False	Blocked
<b>PostingGroup</b>	Code		Posting Group
<b>PaymentType</b>	Code	Väljamakse liik	Default Payment Type
<b>Amount</b>	Decimal		Amount
<b>BalanceAmount</b>	Decimal		Balance Amount
<b>Description</b>	Text		Description
<b>Marked</b>	Boolean		Marked
<b>SystemCreatedAt</b>	DateTime		SystemCreatedAt
<b>SystemId</b>	GUID		\$systemid

SystemModifiedAt	DateTime		SystemModifiedAt
Timestamp	Binginteger		SQL Timestamp

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollAccounts](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollAccounts)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST
/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-
000d3a2059de)/payrollAccounts",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O0drN1ExTFdHTEVWM1Y5bXRFUWVRbW5TWncvaUZWOExoa3F
MTkNQVFdrTDA9MTswMDsn\\\"",
            "AccountNo": "1000",
            "Name": "ARVESTATUD TULUD",
            "AccountType": "Heading",
            "Totaling": "",
            "Blocked": false,
            "PostingGroup": "",
            "PaymentType": "",
            "Amount": 0,
            "BalanceAmount": 0,
            "Description": "",
            "Marked": false,
            "SystemCreatedAt": "0001-01-01T00:00:00Z",
            "SystemId": "45972b92-e519-eb11-b823-000d3a2059de",
            "SystemModifiedAt": "0001-01-01T00:00:00Z",
            "Timestamp": 21084176
        }
    ]
}
```

## 8.9. Palgakannete päring

Pärting võimaldab päruda palgakannete andmeid töötajate lõikes. Andmed pärítakse lehelt PLK Payroll Ledger Entries (24002049).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Ledger Entries (24002049)
<b>EntryNo</b>	Integr, PK		Entry No
<b>AccountNo</b>	Code		Account No
<b>EmployeeNo</b>	Code		Employee No
<b>PostingDate</b>	Date		Posting Date
<b>AccountingPeriod</b>	Code		Accounting Period
<b>PaymentPeriod</b>	Code		Payment Period
<b>CalculationPeriod</b>	Code		Calculation Period
<b>DocumentNo</b>	Code		Document No

<b>Amount</b>	Decimal		<b>Amount</b>
<b>Description</b>	Text		<b>Description</b>
<b>Type</b>	Option	Tavaline/Lisakanne	<b>Type</b>
<b>Remark</b>	Text	Märkus	<b>Remark</b>
<b>WorkingScheduleGroupNo</b>	Code		Working Schedule Group No
<b>CurrencyCode</b>	Code		Currency Code
<b>CurrencyFactor</b>	Decimal		Currency Factor
<b>CurrencyAmount</b>	Decimal		Currency Amount
<b>EmployeeName</b>	Text		Employee Name
<b>MainContractNo</b>	Code		Main Contract No
<b>VehicleRegistrationPlate</b>	Code		Vehicle Registration Plate
<b>BankNo</b>	Code		Bank No
<b>Dimension1</b>	Code		Payroll Dimension 1 Code
<b>Dimension2</b>	Code		Payroll Dimension 2 Code
<b>Dimension3</b>	Code		Payroll Dimension 3 Code
<b>Dimension4</b>	Code		Payroll Dimension 4 Code
<b>SystemCreatedAt</b>	DateTime		SystemCreatedAt
<b>SystemId</b>	GUID		\$systemid
<b>SystemModifiedAt</b>	DateTime		SystemModifiedAt
<b>Timestamp</b>	Biginteger		SQL Timestamp
<b>EntryGUID</b>	GUID		Entry GUID

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollEntries](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollEntries)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST
/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-
000d3a2059de)/payrollEntries",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O0RueXFZSk9aMFJSczFwR1JSRUYramNpWVA1ZTBHcWtKYkx
pL2N6OTlFems9MTswMDsn\\\"",
            "EntryNo": 1,
            "AccountNo": "5010",
            "EmployeeNo": "T0001",
            "PostingDate": "2020-09-30",
            "AccountingPeriod": "2020-09",
            "PaymentPeriod": "2020-10",
            "CalculationPeriod": "2020-09",
            "DocumentNo": "PALK 30.09.20",
            "Amount": 176,
            "CurrencyCode": "EUR",
            "CurrencyFactor": 1.0,
            "CurrencyAmount": 176.0
        }
    ]
}
```

```

    "Description": "Töötatud tavatunnid",
    "Type": "Normal",
    "Remark": "",
    "WorkingScheduleGroupNo": "",
    "CurrencyCode": "",
    "CurrencyFactor": 0,
    "CurrencyAmount": 0,
    "EmployeeName": "Kalle Tamm",
    "MainContractNo": "",
    "VehicleRegistrationPlate": "",
    "BankNo": "",
    "Dimension1": "1050",
    "Dimension2": "",
    "Dimension3": "",
    "Dimension4": "",
    "Dimension5": "",
    "Dimension6": "",
    "Dimension7": "",
    "Dimension8": "",
    "SystemCreatedAt": "0001-01-01T00:00:00Z",
    "SystemId": "fc606260-7a29-eb11-b824-000d3a2059de",
    "SystemModifiedAt": "0001-01-01T00:00:00Z",
    "Timestamp": 21152955,
    "EntryGUID": "c71f9a1f-fbe3-4c94-a53f-878aa2621fa6"
}
]
}
}

```

## 8.10. Värvalogide päring

Päring võimaldab lugeda, kirjutada, kustutada ja muuta värvalogi kandeid tööajatabelites. Andmeid päritakse lehelt PLK Employee Permit Log (24002129).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Permit Log (24002129)
<b>entryNo</b>	Integr, PK		Entry No
<b>gateNo</b>	Code		Gate No
<b>employeeNo</b>	Code		Employee No
<b>cardNo</b>	Integr		Card No
<b>enteringTime</b>	DateTime		Entering Time
<b>leavingTime</b>	DateTime		Leaving Time
<b>approved</b>	Boolean		Approved
<b>systemCreatedEntry</b>	Boolean		System Created Entry

Näidis päringu aadress GET:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/permitLogs](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/permitLogs)

Näidis päringu vastus:

{

```

"@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST
/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/$metadata#companies(e5b4a36e-b3b3-
eb11-b82e-000d3a2059de)/permitLogs",
"value": []
}

```

## 8.11. Arvestusperioodi kanded

Päring võimaldab pärida arvestusperioodi kohta kannete arvu ning kõige väiksema ja kõige suurema kande numbri. Andmeid päritakse lehelt PLK Payroll Periods (24002034).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Periods (24002034)
<b>No</b>	Code, PK		No
<b>beginningDate</b>	Date		Beginning Date
<b>endDate</b>	Date		Ending Date
<b>description</b>	Text		Description
<b>firstEntryNo</b>	Integr.		First Entry No.
<b>lastEntryNo</b>	Integr.		Last Entry No.
<b>payrollEntries</b>	Integr.		Payroll Entries
<b>closed</b>	Boolean		Closed

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollPeriods](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollPeriods)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST
/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-
000d3a2059de)/payrollPeriods",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ0OzhxaGNsZUhtR09RS1FZN2NKSFNXd0dPbnFOc1kzNnpFbnJ
QU2dqK0htb1U9MTswMDsn\\\"",
      "no": "2017-01",
      "beginningDate": "2017-01-01",
      "endDate": "2017-01-31",
      "description": "jaanuar 2017",
      "firstEntryNo": 0,
      "lastEntryNo": 0,
      "payrollEntries": 0,
      "closed": true
    }
  ]
}

```

## 8.12. Infoliikide kanded

Päring võimaldab lugeda infoliikidesse salvestatud kandeid. Andmeid päritakse lehelt PLK Payroll Info Entries (24002062).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Periods (24002034)
<b>EmployeeNo</b>	Code, PK		Employee No
<b>EmployeeName</b>	Text		Employee Name
<b>InfoNo</b>	Code, PK	Tuleneb infoliigi kaardilt	Info No
<b>InfoName</b>	Text	Tuleneb infoliigi kaardilt	Info Name
<b>LineNo</b>	Integr, PK		Line No
<b>Date1</b>	Date		Date1
<b>Date2</b>	Date		Date2
<b>Date3</b>	Date		Date3
<b>Code1</b>	Code		Code1
<b>Code2</b>	Code		Code2
<b>Code3</b>	Code		Code3
<b>Code4</b>	Code		Code4
<b>Decimal1</b>	Decimal		Decimal1
<b>Decimal2</b>	Decimal		Decimal2
<b>Text1</b>	Text		Text1
<b>Text2</b>	Text		Text2
<b>Text3</b>	Text		Text3
<b>Text4</b>	Text		Text4
<b>Text5</b>	Text		Text5
<b>Text6</b>	Text		Text6

Näidis püringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/employeeInfos](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/employeeInfos)

Näidis püringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST
    /api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(77f87ebb-df3c-ec11-
    b834-000d3a2059de)/employeeInfos",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O01LQnBsVTZhbGg1Z2NLUU8xVUJTbC9ISzFvd3ZFeFBpYX1
            yCHB3Q2E1bGc9MTswMDsn\\\"",
            "EmployeeNo": "T001",
            "InfoNo": "VESTLUSED",
            "LineNo": 10000,
            "EmployeeName": "Karmen Kaks",
            "InfoName": "Arenguvestlused",
            "Date1": "2020-04-09",
            "Date2": "2020-09-30",
            "Date3": "0001-01-01",
            "Code1": "",
            "Code2": "ERAKORRALINE VESTLUS",
            "Code3": "TESTI VESTLUS"
        }
    ]
}
```

```

        "Code3": "",  

        "Code4": "",  

        "Decimal1": 0,  

        "Decimal2": 0,  

        "Text1": "Siim Susi",  

        "Text2": "Erakorraline vestlus",  

        "Text3": "",  

        "Text4": "",  

        "Text5": "",  

        "Text6": ""  

    }  

]  

}

```

### 8.13. Puhkuste ajakava lugemise teenus

Päring võimaldab lugeda infot puhkuste ajakavast. Andmeid päritakse lehelt PLK Payroll Holiday Schedule (24002078).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Periods (24002034)
<b>journalBatchName</b>	Code		Journal Batch Name
<b>entryNo</b>	Integr.		Entry No
<b>entryGUID</b>	GUID		Entry GUID
<b>employeeNo</b>	Code		Employee No
<b>employeeName</b>	Text		Employee Name
<b>employeeStatus</b>	Option		Employee Status
<b>holidayCode</b>	Code		Holiday Code
<b>fromDate</b>	Date		From Date
<b>toDate</b>	Date		To Date
<b>Description</b>	Text		Description
<b>quantityDays</b>	Decimal		Quantity
<b>holidayPayment</b>	Option		Holiday Payment
<b>notes</b>	Text		Notes
<b>professionNo</b>	Code		Profession No
<b>professionDesc</b>	Text		Profession Desc.
<b>departmentNo</b>	Code		Department No.
<b>departmentDesc</b>	Text		Department Desc.
<b>level2No</b>	Code		Level 2 No.
<b>Level2Name</b>	Text		Level 2 Name
<b>level3No</b>	Code		Level 3 No.
<b>Level3Name</b>	Text		Level 3 Name
<b>level4No</b>	Code		Level 4 No.
<b>Level4Name</b>	Text		Level 4 Name

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/holidayScheduleLines](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST
/api/BCS_Itera_Payroll1365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-
b834-000d3a2059de)/holidayScheduleLines",
    "value": [
        {
            "@odata.etag": "W/\"JzIwOzE1NTE2NTQwODczMjE0ODk5NzY4MTswMDsn\"",
            "entryNo": 1,
            "journalBatchName": "2019",
            "entryGUID": "00000000-0000-0000-0000-000000000000",
            "employeeNo": "T001",
            "employeeName": "Karmen Kaks",
            "employeeStatus": "Inactive",
            "holidayCode": "P_PUHKUS",
            "fromDate": "2019-08-05",
            "toDate": "2019-08-08",
            "description": "Puhkus",
            "quantityDays": 4,
            "holidayPayment": "Payday",
            "notes": "",
            "professionNo": "1020-02",
            "professionDesc": "Vanemraamatupidaja",
            "departmentNo": "10",
            "departmentDesc": "Finantsosakond",
            "level2No": "1020",
            "Level2Name": "Raamatupidamine",
            "level3No": "",
            "Level3Name": "",
            "level4No": "",
            "Level4Name": ""
        }
    ]
}
}
```

## 8.14. Puudumiste žurnaali lugemine

Päring võimaldab lugeda infot Puudumiste žurnaalist. Andmed loetakse lehelt PLK Payroll Absence Jrn Line (24002027).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Periods (24002034)
<b>journalBatchName</b>	Code		Journal Batch Name
<b>entryNo</b>	Integr.		Entry No
<b>entryGUID</b>	GUID		Entry GUID
<b>employeeNo</b>	Code		Employee No
<b>employeeName</b>	Text		Employee Name
<b>holidayCode</b>	Code		Holiday Code
<b>fromDate</b>	Date		From Date
<b>toDate</b>	Date		To Date
<b>Description</b>	Text		Description
<b>quantityDays</b>	Decimal		Quantity

<b>holidayPayment</b>	Option		Holiday Payment
<b>notes</b>	Text		Notes
<b>professionNo</b>	Code		Profession No
<b>professionDesc</b>	Text		Profession Desc.
<b>departmentNo</b>	Code		Department No.
<b>departmentDesc</b>	Text		Department Desc.
<b>level2No</b>	Code		Level 2 No.
<b>Level2Name</b>	Text		Level 2 Name
<b>level3No</b>	Code		Level 3 No.
<b>Level3Name</b>	Text		Level 3 Name
<b>level4No</b>	Code		Level 4 No.
<b>Level4Name</b>	Text		Level 4 Name

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/holidayScheduleLines](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST
/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-
b834-000d3a2059de)/holidayScheduleLines",
    "value": [
        {
            "@odata.etag": "W/\\"JzIwOzE1NTE2NTQwODczMjE0ODk5NzY4MTswMDsn\\\"",
            "entryNo": 1,
            "journalBatchName": "2019",
            "entryGUID": "00000000-0000-0000-0000-000000000000",
            "employeeNo": "T001",
            "employeeName": "Karmen Kaks",
            "employeeStatus": "Inactive",
            "holidayCode": "P_PUHKUS",
            "fromDate": "2019-08-05",
            "toDate": "2019-08-08",
            "description": "Puhkus",
            "quantityDays": 4,
            "holidayPayment": "Payday",
            "notes": "",
            "professionNo": "1020-02",
            "professionDesc": "Vanemraamatupidaja",
            "departmentNo": "10",
            "departmentDesc": "Finantsosakond",
            "level2No": "1020",
            "Level2Name": "Raamatupidamine",
            "level3No": "",
            "Level3Name": "",
            "level4No": "",
            "Level4Name": ""
        }
    ]
}
```

}

## 8.15. Puudmiste asendajate lugemise teenus

Päring võimaldab lugeda andmeid puudumiste asendajate kohta. Andmed loetakse lehelt PLK Payroll Subst. Jnl. Entry (24002158).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Periods (24002034)
<b>journalType</b>	Option		Journal Type
<b>journalBatchName</b>	Code		Journal Batch Name
<b>jnlEntryNo</b>	Integr.		Jnl. Entry No
<b>substituentNo</b>	Code		Substituent No
<b>substitutentName</b>	Text		Substituent Name
<b>fromDate</b>	Date		From Date
<b>toDate</b>	Date		To Date
<b>Description</b>	Text		Description

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/substitutionsJournal](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/substitutionsJournal)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST
/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-
b834-000d3a2059de)/substitutionsJournal",
    "value": [
        {
            "@odata.etag": "W/\\"JzIwOzE0MzIwMjcyMDEwNTczOTcxNTQzMswMDsn\\\"",
            "journalType": "Absence",
            "journalBatchName": "PUHKUSED",
            "jnlEntryNo": 10000,
            "entryNo": 10000,
            "substituentNo": "A002",
            "substitutentName": "Kuldar Petersell",
            "fromDate": "2023-02-27",
            "toDate": "2023-02-28",
            "description": ""
        }
    ]
}
```

## 8.16. Ettevõtte kõigi töötajad päring

Päring võimaldab päruda kõiki ettevõtte töötajaid, sh lahkunud töötajaid. Andmed päratakse lehelt PLK Payroll Employee (24002014).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Employee (24002014)
No	Code		No
PersonalID	Text		Personal ID
FirstName	Text		First Name
LastName	Text		Last Name
FullName	Text		Full Name
PreviousName	Text		Previous Name
Status	Option	Active/ Inactive/Prospect /Terminated	Status
BirthDate	Date		BirthDate
DenyBirthDatePublish	Boolean	Yes/No	Deny Birth Date Publish
Sex	Option	Male/Female	Sex
UserID	Code		User ID
NonResident	Boolean	Yes/No	Non-Resident
CitizenshipCode	Code		Citizenship Code
CitizenshipName	Text		Citizenship Name
NativeLanguageCode	Code		Native Language Code
NativeLanguageName	Text		Native Language Name
Address	Text		Address
Address2	Text		Address2
City	Text		City
PostCode	Code		Post Code
County	Text		County
CountryCode	Code		Country Code
PersonalPhoneNo	Text		Phone No. 1
CompanyPhoneNo	Text		Phone No. 2
PersonalMobilePhoneNo	Text		Mobile Phone No. 1
CompanyMobilePhoneNo	Text		Mobile Phone No. 2
EMail	Text		E-Mail
CompanyEMail	Text		Company E-Mail
Blocked	Boolean	Yes/No	Blocked
JobTitle	Text		Job Title
JobTitleEnglish	Text		Job Title(English)
WorkingRoomNo	Text		Working Room No.
MainContractNo	Code		Main Contract No.
Noviciate	Boolean	Yes/No	Noviciate
AdditionalWorkingFactor	Decimal		Additional Working Factor
WorkingFactor	Decimal		Working Factor
NoviciateEndingDate	Date		Noviciate Ending Date

<b>SeniorityDate</b>	Date		Seniority Date
<b>EmploymentDate</b>	Date		Employment Date
<b>EmploymentContractCode</b>	Code		Emplymt. Contract Code
<b>TerminationDate</b>	Date		Termination Date
<b>WorkstationCode</b>	Code		Workstation Code
<b>WorkstationName</b>	Text		Workstation Name
<b>ManagerNo</b>	Code		Manager No
<b>ManagerName</b>	Text		Manager Name
<b>ManagerJob</b>	Text		Manager Job
<b>Level1No</b>	Code		Level 1 No.
<b>Level1Name</b>	Text		Level 1 Name
<b>Level2No</b>	Code		Level 2 No.
<b>Level2Name</b>	Text		Level 2 Name
<b>Level3No</b>	Code		Level 3 No.
<b>Level3Name</b>	Text		Level 3 Name
<b>Level4No</b>	Code		Level 4 No.
<b>Level4Name</b>	Text		Level 4 Name
<b>Statistics1Code</b>	Code		I Statistics Group Code
<b>Statistics2Code</b>	Code		II Statistics Group Code
<b>Dimension1Code</b>	Code		Dimension 1 Code
<b>Dimension2Code</b>	Code		Dimension 2 Code
<b>Dimension3Code</b>	Code		Dimension 3 Code
<b>Dimension4Code</b>	Code		Dimension 4 Code
<b>Dimension5Code</b>	Code		Dimension 5 Code
<b>Dimension6Code</b>	Code		Dimension 6 Code
<b>Dimension7Code</b>	Code		Dimension 7 Code
<b>Dimension8Code</b>	Code		Dimension 8 Code
<b>Dimension1Name</b>	Code		Dimension 1 Name
<b>Dimension2Name</b>	Code		Dimension 2 Name
<b>Dimension3Name</b>	Code		Dimension 3 Name
<b>Dimension4Name</b>	Code		Dimension 4 Name
<b>Dimension5Name</b>	Code		Dimension 5 Name
<b>Dimension6Name</b>	Code		Dimension 6 Name
<b>Dimension7Name</b>	Code		Dimension 7 Name
<b>Dimension8Name</b>	Code		Dimension 8 Name
<b>CustomField1</b>	Code		Custom Field 1
<b>CustomField2</b>	Code		Custom Field 2
<b>CustomField3</b>	Code		Custom Field 3
<b>CustomField4</b>	Code		Custom Field 4
<b>CustomField5</b>	Code		Custom Field 5
<b>CustomField6</b>	Code		Custom Field 6
<b>CustomField7</b>	Code		Custom Field 7
<b>CustomField8</b>	Code		Custom Field 8
<b>CustomField9</b>	Code		Custom Field 9
<b>CustomField10</b>	Code		Custom Field 10
<b>CustomTextField</b>	Text		Custom Text Field

<b>CustomTextField2</b>	Text		Custom Text Field 2
<b>CustomTextField3</b>	Text		Custom Text Field 3
<b>CustomTextField4</b>	Text		Custom Text Field 4
<b>CustomTextField5</b>	Text		Custom Text Field 5
<b>CustomTextField6</b>	Text		Custom Text Field 6
<b>CustomTextField7</b>	Text		Custom Text Field 7
<b>CustomTextField8</b>	Text		Custom Text Field 8
<b>CustomTextField9</b>	Text		Custom Text Field 9
<b>CustomTextField10</b>	Text		Custom Text Field 10
<b>PrevHealthCheck</b>	Date	Info tabelist PER Health Certificate (24008854)	Health Check Date
<b>NextHealtCheck</b>	Date	Info tabelist PER Health Certificate (24008854)	Next Health Check Date
<b>SystemCreatedAt</b>	DateTime		System Created At
<b>SystemId</b>	GUID		System Id
<b>SystemModifiedAt</b>	DateTime		System Modified At
<b>Timestamp</b>	BigInteger		SQL Timestamp
<b>EntryGUID</b>	GUID		Entry GUID
<b>PostingGroup</b>	Code		Posting Group

Näisid püringu aadress:

[https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)//payrollEmployeesAll](https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS_Itera_Payroll365/Employee/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)//payrollEmployeesAll)

Näidis püringu vastus:

```
{
    "@odata.etag": "W\\\"JzE50zE30TgzMTA5NzUzMzM0NjAwMzgx0zAw0yc=\"",
    "no": "11",
    "personalID": "3445678900981",
    "firstName": "Hannes",
    "lastName": "Kool",
    "fullName": "Hannes Kool",
    "previousName": "",
    "status": "Active",
    "birthDate": "1988-12-11",
    "denyBirthDatePublish": false,
    "sex": "Male",
    "UserID": "",
    "nonResident": false,
    "citizenshipCode": "EE",
```

```
"citizenshipName": "Eesti",
"nativeLanguageCode": "ETI",
"nativeLanguageName": "Eesti",
"address": "Kase tee 12",
"address2": "",
"city": "Tallinn",
"postCode": "1244",
"county": "Harju maakond",
"countryCode": "EE",
"personalPhoneNo": "",
"companyPhoneNo": "",
"personalMobilePhoneNo": "",
"companyMobilePhoneNo": "554422331",
"eMail": "Hannes@hannes.ee",
"companyEMail": "",
"blocked": false,
"jobTitle": "",
"jobTitleEnglish": "",
"WorkingRoomNo": "1",
"mainContractNo": "",
"noviciate": true,
"additionalWorkingFactor": 0,
"WorkingFactor": 1,
"noviciateEndingDate": "2024-08-07",
"seniorityDate": "0001-01-01",
"employmentDate": "2024-04-08",
"employmentContractCode": "10",
"terminationDate": "0001-01-01",
"WorkstationCode": "TLN",
"WorkstationName": "Tallinn",
"managerNo": "T0001",
"managerName": "Kalle Kuusk",
"managerJob": "Turvajuht",
"level1No": "1060",
"level1Name": "Teenindus- ja juhtimiskeskus",
"level2No": "1061",
"level2Name": "Teeninduskeskus",
"level3No": "",
"level3Name": "",
"level4No": "",
"level4Name": "",
"statistics1Code": "",
"statistics2Code": "",
"dimension1Code": "1060",
"dimension2Code": "",
"dimension3Code": "",
"dimension4Code": "",
"dimension5Code": "",
"dimension6Code": "",
"dimension7Code": "",
"dimension8Code": "",
```

```

"dimension1Name": "Teenindus- ja juhtimiskeskus",
"dimension2Name": "",
"dimension3Name": "",
"dimension4Name": "",
"dimension5Name": "",
"dimension6Name": "",
"dimension7Name": "",
"dimension8Name": "",
"customField1": "M",
"customField2": "",
"customField3": "",
"customField4": "",
"customField5": "",
"customField6": "",
"customField7": "",
"customField8": "",
"customField9": "",
"customField10": "",
"customTextField": "",
"customTextField2": "",
"customTextField3": "",
"customTextField4": "",
"customTextField5": "",
"customTextField6": "",
"customTextField7": "",
"customTextField8": "",
"customTextField9": "",
"customTextField10": "",
"systemId": "29c06b34-f0f7-ee11-b858-000d3a2059de",
"timestamp": 44770756,
"entryGUID": "8631d5f3-49eb-4137-8891-4b43a60686f8",
"PrevHealthCheck": "2024-04-15",
"NextHealtCheck": "2026-04-11",
"systemCreatedAt": "2024-04-11T10:42:34.98Z",
"systemModifiedAt": "2024-04-15T10:25:58.197Z",
"PostingGroup": "KAUDNE"
},
...

```

### 8.17. Ettevõtte puudumiste päring iseteenindusest

Andmeid päritakse lehelt PER EP Absence (24008840). Päringuga on võimalik kätte saada iseteenindusportaali ettevõtte töötajate puudumiste info.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PER EP Absence (24008840)
<b>EntryNo</b>	Integer		Entry No
<b>indentation</b>	Integer		Indentation
<b>employeeNo</b>	Code		Employee No
<b>employeeName</b>	Text		Employee Name

<b>fromDate</b>	Date		From Date
<b>toDate</b>	Date		To Date
<b>Description</b>	Text		Description
<b>days</b>	Integer		Days
<b>hours</b>	Decimal		Hours
<b>status</b>	Option		Status
<b>requestNo</b>	Code		Request No
<b>substituentNames</b>	Text	Kuvatakse asendajaid 1,2,3,4	Substituent Name

Näidis päringu aadress:

[https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/allAbsences](https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS_Itera_Payroll365/Absences/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/allAbsences)

Näidis päringu vastus:

```
{
  "@odata.context": "https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/allAbsences",
  "value": [
    {
      "@odata.etag": "W/\\"JzIwOzEwODM0OTcwMDIwODYzNDE2MTE0MTswMDsn\\",
      "entryNo": 3000000,
      "indentation": 0,
      "employeeNo": "T0009",
      "employeeName": "-",
      "fromDate": "2020-01-01",
      "toDate": "0001-01-01",
      "description": "Lapsehoolduspuhkus",
      "days": 0,
      "hours": 0,
      "status": "Inactive",
      "requestNo": "",
      "substituentNames": ""
    },
    {
      "@odata.etag": "W/\\"JzIwOzEz0Tk20DU2Nzk40Tk50TQ3MjU4MTswMDsn\\",
      "entryNo": 3000006,
      "indentation": 0,
      "employeeNo": "T0040",
      "employeeName": "-",
      "fromDate": "2020-09-01",
      "toDate": "0001-01-01",
      "description": "Absence",
      "days": 0,
      "hours": 0,
      "status": "Inactive",
      "requestNo": "",
      "substituentNames": ""
    },
    ...
  ]
}
```

[http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/allAbsences](http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/allAbsences)

<https://bcsitera.atlassian.net/browse/EFP-51>

## 8.18. Tööajatabeli kanded

Andmeid päritakse tabelist PLK Working Schedule Entries (24002101). Päringuga on võimalik kätte saada kõigi tööajatabelite kanded töötaja kohta kande rea kaupa.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Working Schedule Entries (24002101)
<b>workingScheduleGroupNo</b>	Code		Working Schedule Group No
<b>employeeNo</b>	Code		Employee No.
<b>date</b>	Date		Date
<b>entryNo</b>	Integer		Entry No
<b>lineNo</b>	Integer		Line No
<b>employeeName</b>	Text		Employee Name
<b>employeeJobTitle</b>	Text		Employee Job Title
<b>weekday</b>	Option	E/T/K/N/R/L/P	Weekday
<b>entryType</b>	Code		Entry Type
<b>workingShiftCode</b>	Code		Working Shift Code
<b>since</b>	Time		Since
<b>till</b>	Time		Till
<b>hours</b>	Decimal		Hours
<b>normalHours</b>	Decimal		Normal Hours
<b>eveningHours</b>	Decimal		Evening Hours
<b>nightHours</b>	Decimal		Night Hours
<b>holidayHours</b>	Decimal		Holiday Hours
<b>holidayNormalHours</b>	Decimal		Holiday Normal Hours
<b>holidayEveningHours</b>	Decimal		Holiday Evening Hours
<b>holidayNightHours</b>	Decimal		Holiday Night Hours
<b>breakSince</b>	Time		Break Since
<b>breakTill</b>	Time		Break Till
<b>breakHours</b>	Decimal		Break Hours
<b>breakNormalHours</b>	Decimal		Break Normal Hours
<b>breakEveningHours</b>	Decimal		Break Evening Hours

<b>breakNightHours</b>	Decimal		Break Night Hours
<b>breakHolidayNormalHours</b>	Decimal		Break Holiday Normal Hours
<b>breakHolidayEveningHours</b>	Decimal		Break Holiday Evening Hours
<b>breakHolidayNightHours</b>	Decimal		Break Holiday Night Hours
<b>dayOvertimeHours</b>	Decimal		Day Overtime Hours
<b>shortenedNominalHours</b>	Decimal		Shortened Normal Hours
<b>quantity</b>	Decimal		Quantity
<b>hourCost</b>	Decimal		Hour Cost
<b>amount</b>	Decimal		Amount
<b>valueType</b>	Option	Tund/Kogus/Summa/Paus	Value Type
<b>percentage</b>	Decimal		Percentage
<b>causeOfAbsenceCode</b>	Code		Cause of Absence Code
<b>description</b>	Text		Description
<b>perJobNo</b>	Code		PER Job No.
<b>perJobDescription</b>	Text		PER Job Description
<b>perTaskNo</b>	Code		PER Task No.
<b>perTaskDescription</b>	Text		PER Task Description
<b>routeCode</b>	Code		Route Code
<b>routeVersionCode</b>	Code		Route Version Code
<b>routeDayCode</b>	Date		Route Day Code
<b>payrollDimension1Code</b>	Code		Payroll Dimension Code 1
<b>payrollDimension2Code</b>	Code		Payroll Dimension Code 2
<b>payrollDimension3Code</b>	Code		Payroll Dimension Code 3
<b>payrollDimension4Code</b>	Code		Payroll Dimension Code 4
<b>payrollDimension5Code</b>	Code		Payroll Dimension Code 5
<b>payrollDimension6Code</b>	Code		Payroll Dimension Code 6
<b>payrollDimension7Code</b>	Code		Payroll Dimension Code 7
<b>payrollDimension8Code</b>	Code		Payroll Dimension Code 8
<b>planAccepted</b>	Boolean	Yes/No	Plan Accepted
<b>submitted</b>	Boolean	Yes/No	Submitted
<b>accepted</b>	Boolean	Yes/No	Accepted

<b>acceptedTime</b>	DateTime		Accepted Time
<b>registered</b>	Boolean	Yes/No	Registered
<b>comment</b>	Text		Comment
<b>entryGUID</b>	GUID		Entry GUID
<b>SystemCreatedAt</b>	DateTime		System Created At
<b>SystemModifiedAt</b>	DateTime		System Modified At

Näidis päring:

[https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/workingScheduleEntries](https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/workingScheduleEntries)

Näidis päringu vastus:

{

```

"@odata.etag": "W/"JzE50zQ4NDA2NjczMjk5MzcwNTQyMTYx0zAw0yc="",
"workingScheduleGroupNo": "002",
"employeeNo": "T0006",
"date": "2024-04-01",
"entryNo": 1,
"lineNo": 0,
"employeeName": "Tatjana Müür",
"employeeJobTitle": "Vahetuse vanem",
"weekday": "Mo",
"entryType": "RIKE_\",
"workingShiftCode": "",
"since": "12:00:00",
"till": "14:00:00",
"hours": 0,
"normalHours": 0,
"eveningHours": 0,
"nightHours": 0,
"holidayHours": 0,
"holidayNormalHours": 0,
"holidayEveningHours": 0,
"holidayNightHours": 0,
"breakSince": "14:00:00",
"breakTill": "16:00:00",
"breakHours": 2,
"breakNormalHours": 2,
"breakEveningHours": 0,
"breakNightHours": 0,
"breakHolidayNormalHours": 0,
"breakHolidayEveningHours": 0,
"breakHolidayNightHours": 0,
"dayOvertimeHours": 0,
"shortenedNominalHours": 0,
"quantity": 0,
"hourCost": 0,
"amount": 0,
"valueType": "Hour",
"percentage": 0,
```

```
"causeOfAbsenceCode": "",  
"description": "",  
"perJobNo": "",  
"perJobDescription": "",  
"perTaskNo": "",  
"perTaskDescription": "",  
"routeCode": "ELEKTER",  
"routeVersionCode": "E-R",  
"routeDayCode": "2024-04-01",  
"payrollDimension1Code": "1050",  
"payrollDimension2Code": "",  
"payrollDimension3Code": "",  
"payrollDimension4Code": "",  
"payrollDimension5Code": "",  
"payrollDimension6Code": "",  
"payrollDimension7Code": "",  
"payrollDimension8Code": "",  
"planAccepted": false,  
"submitted": false,  
"accepted": false,  
"acceptedTime": "0001-01-01T00:00:00Z",  
"registered": false,  
"comment": "Rikketasu 2h",  
"entryGUID": "ea343a52-5090-44d1-91e3-6a1b97cd6ec6",  
"SystemCreatedAt": "2024-04-16T07:05:33.097Z",  
"SystemModifiedAt": "2024-04-16T07:05:39.397Z"  
},  
{  
    "@odata.etag": "W/\\"JzIwOzEyNzEyMTQ10DcxNDk4NzgwNjQ3MTswMDsn\\\"",  
    "workingScheduleGroupNo": "002",  
    "employeeNo": "T0006",  
    "date": "2024-04-02",  
    "entryNo": 1,  
    "lineNo": 0,  
    "employeeName": "Tatjana Müür",  
    "employeeJobTitle": "Vahetuse vanem",  
    "weekday": "Tu",  
    "entryType": "LISATASU",  
    "workingShiftCode": "",  
    "since": "00:00:00",  
    "till": "00:00:00",  
    "hours": 0,  
    "normalHours": 0,  
    "eveningHours": 0,  
    "nightHours": 0,  
    "holidayHours": 0,  
    "holidayNormalHours": 0,  
    "holidayEveningHours": 0,  
    "holidayNightHours": 0,  
    "breakSince": "00:00:00",  
    "breakTill": "00:00:00",
```

```
"breakHours": 0,  
"breakNormalHours": 0,  
"breakEveningHours": 0,  
"breakNightHours": 0,  
"breakHolidayNormalHours": 0,  
"breakHolidayEveningHours": 0,  
"breakHolidayNightHours": 0,  
"dayOvertimeHours": 0,  
"shortenedNominalHours": 0,  
"quantity": 1,  
"hourCost": 0,  
"amount": 200,  
"valueType": "Amount",  
"percentage": 0,  
"cause0fAbsenceCode": "",  
"description": "",  
"perJobNo": "",  
"perJobDescription": "",  
"perTaskNo": "",  
"perTaskDescription": "",  
"routeCode": "",  
"routeVersionCode": "",  
"routeDayCode": "0001-01-01",  
"payrollDimension1Code": "1050",  
"payrollDimension2Code": "",  
"payrollDimension3Code": "",  
"payrollDimension4Code": "",  
"payrollDimension5Code": "",  
"payrollDimension6Code": "",  
"payrollDimension7Code": "",  
"payrollDimension8Code": "",  
"planAccepted": false,  
"submitted": false,  
"accepted": false,  
"acceptedTime": "0001-01-01T00:00:00Z",  
"registered": false,  
"comment": "Lisatasu tööajatabelist",  
"entryGUID": "44fb760c-1c71-4510-b723-a953c4870f08",  
"SystemCreatedAt": "2024-04-16T07:06:12.28Z",  
"SystemModifiedAt": "2024-04-16T07:06:34.017Z"  
},  
...  
}
```

## 8.19. Andmeedastuse staatuse muutmine

Andmeedastuse staatuse uuenduste saatmine BC tabelisse PER API Register Import History(42008338).

Välja nimetus	Tüüp	Märkus	Andmed kirjutatakse tabelisse PER API Register Import Hist. (24008338)
<b>SoapEntryNo</b>	BigInteger		SOAP Entry No.
<b>no</b>	Integer	<p>Veateated:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Kui No on täitmata: <b>'No. must be filled'</b></li> <li><input type="checkbox"/> Kui registri no-d ei ole võimalik BC-st leida <b>Register No. %1 does not exist</b></li> </ul>	No.
<b>dataSengingStatus</b>	Option	Not Sent,Sent,Failure on Send,Send in Progress,On Hold,Canceled	Data Sending Status

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/updateRegisterDataSendingStatus](http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/updateRegisterDataSendingStatus)

Näidis päringu JSON:

```
{
  "no": 276,
  "dataSendingStatus": "Sent"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/updateRegisterDataSendingStatus/$entity",
  "@odata.etag": "W\"JzIwOzExMjQ2MDY1ODIwODkwMzMxNDM3MTswMDsn\"",
  "soapEntryNo": 1,
  "no": 276,
  "dataSendingStatus": "Sent"
}
```