

# HRM4Baltic veebiteenuste dokumentatsioon

# Sisukord

|  |           |
|--|-----------|
| <b><i>Sisukord .....</i></b>   | <b>2</b>  |
| <b>1. <i>Liidese ulatus .....</i></b>  | <b>5</b>  |
| <b>2. <i>Dokumendis kasutatud lühendite selgitused .....</i></b>             | <b>6</b>  |
| <b>3. <i>Selgitused veebiliidese ühenduse ja tehnoloogia kohta .....</i></b> | <b>6</b>  |
| <b>4. <i>HRM4Baltics GET teenused .....</i></b>                              | <b>6</b>  |
| <b>4.1. <i>Puudumiste žurnaal.....</i></b>                                   | <b>6</b>  |
| <b>4.2. <i>Koolituste loend .....</i></b>                                    | <b>8</b>  |
| <b>4.3. <i>Koolitusel osalejad .....</i></b>                                 | <b>10</b> |
| <b>4.4. <i>Lahkumise alused .....</i></b>                                    | <b>12</b> |
| <b>4.5. <i>Töötajate lapsed .....</i></b>                                    | <b>13</b> |
| <b>4.6. <i>Lepingute loend .....</i></b>                                     | <b>15</b> |
| <b>4.7. <i>Töötajate palgad.....</i></b>                                     | <b>17</b> |
| <b>4.8. <i>Palgakontode loend .....</i></b>                                  | <b>18</b> |
| <b>4.9. <i>Töötaja pangakontode loend .....</i></b>                          | <b>20</b> |
| <b>4.10. <i>Parameetrid.....</i></b>   | <b>22</b> |
| <b>4.11. <i>Palgažurnaali read.....</i></b>                                  | <b>23</b> |
| <b>4.12. <i>Puhkusetaotlused .....</i></b>                                   | <b>25</b> |
| <b>4.13. <i>Puhkuste saldo ajalugu.....</i></b>                              | <b>26</b> |
| <b>4.14. <i>Puudumiste asendajad .....</i></b>                               | <b>29</b> |
| <b>4.15. <i>Puudumiste loend .....</i></b>                                   | <b>30</b> |
| <b>4.16. <i>Töötajate seisund .....</i></b>                                  | <b>32</b> |
| <b>4.17. <i>Struktuuri tase 1 .....</i></b>                                  | <b>34</b> |
| <b>4.18. <i>Struktuuri tase 2 .....</i></b>                                  | <b>35</b> |
| <b>4.19. <i>Struktuuri tase 3 .....</i></b>                                  | <b>36</b> |
| <b>4.20. <i>Struktuuri tase 4 .....</i></b>                                  | <b>38</b> |

|       |   |    |
|-------|---|----|
| 4.21. | Lepingu liigid .....                                  | 40 |
| 4.22. | Töötaja dokumendid .....                              | 40 |
| 4.23. | Töötaja passiivsused.....                             | 43 |
| 4.24. | Aktiivsed töötajad.....                               | 43 |
| 4.25. | Töötajate loend.....                                  | 45 |
| 4.26. | Töötajate oskuste loend .....                         | 49 |
| 4.27. | Puhkuste ajakava žurnaal .....                        | 52 |
| 4.28. | Töötaja tööajatabeli kannete pärimine .....           | 53 |
| 4.29. | Töötajate palgalipikud .....                          | 58 |
| 4.30  | Veebiteenuse palgakannete lugemiseks.....             | 59 |
| 5.    | <i>HRM4Baltics GET ja POST teenused</i> .....         | 61 |
| 5.1.  | Palga ametikohad .....                                | 61 |
| 5.2.  | Passiivsuse põhjused .....                            | 63 |
| 6.    | <i>HRM4Baltics POST teenused</i> .....                | 64 |
| 6.1.  | Palga kannete lisamine .....                          | 64 |
| 6.2.  | Töötaja lapse lisamine .....                          | 66 |
| 6.3.  | Lepingute lisamine .....                              | 67 |
| 6.4.  | Palgažurnaali lisa kande kirjutamine.....             | 69 |
| 6.5.  | Panga lisamine töötajale.....                         | 71 |
| 6.6.  | Töötaja parameetrite lisamine .....                   | 72 |
| 6.7.  | Puhkuseajakava lisamine .....                         | 73 |
| 6.8.  | Puudumiste lisamine töötajale .....                   | 75 |
| 6.9.  | Seisundi lisamine töötajale .....                     | 77 |
| 6.10. | Tasu lisamine töötajale.....                          | 78 |
| 6.11. | Tööajatabeli kannete lisamine .....                   | 80 |
| 6.12. | Tööajatabeli projekti lisamine.....                   | 82 |
| 6.13. | Töötajate lisamine ja töötaja andmete uuendamine..... | 83 |

|       |   |     |
|-------|---|-----|
| 6.14. | Väliste projektide lisamine .....                   | 89  |
| 6.15. | Tööajatabeli projekti ülesande lisamine .....       | 90  |
| 6.16. | Asendamiste saatmine BC-sse .....                   | 92  |
| 7.    | <i>Rest api päringud</i> .....                      | 93  |
| 7.1.  | Rest API päringu üld selgitused .....               | 93  |
| 7.2.  | Puhkuse taotluste lühi päring .....                 | 95  |
| 7.3.  | Puhkuste taotluste päring .....                     | 96  |
| 7.4.  | Töötajate loend .....                               | 98  |
| 7.5.  | Tagasi lükatud maksed .....                         | 103 |
| 7.6.  | Palgaregistri päring .....                          | 106 |
| 7.7.  | Töötajate sünnipäevade ja tööjuubelite päring ..... | 107 |
| 7.8.  | Palgakontode päring .....                           | 108 |
| 7.9.  | Palgakannete päring .....                           | 109 |
| 7.10. | Värvavalogide päring .....                          | 111 |
| 7.11. | Arvestusperioodi kanded .....                       | 114 |
| 7.12. | Infoliikide kanded .....                            | 114 |
| 7.13. | Puhkuste ajakava lugemise teenus .....              | 116 |
| 7.14. | Puudumiste žurnaali lugemine .....                  | 117 |
| 7.15. | Puudumiste asendajate lugemise teenus .....         | 119 |
| 7.16. | Ettevõtte kõigi töötajad päring .....               | 120 |
| 7.17. | Ettevõtte puudumiste päring iseteenindusest .....   | 124 |
| 7.18. | Tööajatabeli kanded .....                           | 126 |
| 7.19. | Andmeedastuse staatuse muutmine .....               | 130 |
| 7.20. | Teavituse kanded .....                              | 131 |

## 1. Liidese ulatus

Odata päringu kaudu jagatakse ja kirjutatakse ERP'i järgnevad andmed:

Puudumiste žurnaal  
Koolitused ja seal osalejad  
Lahkumise alused  
Töötajate lapsed  
Töötajate lepingud  
Töötajate palgad  
Palgakontod  
Töötajate palgalipikud  
Töötajate pangad  
Töötajate parameetrid  
Palgažurnaali read  
Puhkusetaotlused  
Puhkuste saldo ajalugu  
Puudumiste asendajad  
Puudumiste lugemine  
Töötaja seisund  
Struktuuri tasemed 1,2,3,4.  
Lepingu liigid  
Töötajate dokumendid  
Töötajate passiivsused  
Töötajate töösuhe  
Töötajate loend  
Töötajate oskused  
Töötajate puhkuste ajakava  
Ametikohad  
Palgalipikud  
Töötajate passiivsuse põhjused  
Palga kannete lisamine ja registreerimine  
Laste lisamine  
Lepingute lisamine  
Palgažurnaali andmete lisamine  
Töötaja panga lisamine  
Parameetrite lisamine  
Puhkuste ajakava lisamine  
Puudumiste lisamine  
Töötasu lisamine  
Tööajatabeli kannete lisamine  
Töötajate lisamine  
Väliste projektide lisamine tööajatabelisse  
Tööajatabeli projekti ülesande lisamine  
Tagasi lükatud maksete kirjutamine

Palgaregistri päring  
Teavituse kanded

## 2. Dokumendis kasutatud lühendite selgitused

|             |  |
|-------------|--|
| Odata       | Veebiteenuses kasutatav veebiprotokoll |
| BC          | Microsoft Business Central 365         |
| Basic Auth. | Autentimise viis                       |
| OAuth 2.0   | Autentimise viis                       |
| JSON        | Veebiteenuse andme formaat             |

## 3. Selgitused veebiliidese ühenduse ja tehnoloogia kohta

Veebiteenused on loodud OData, SoaP ja API veebiprotokollidele. Kasutatakse HTTP päringut ja kirjutamise/lugemise vastus kuvatakse JSON formaadis.

Veebiteenuse näidis päringud on tehtud Postman lahenduses, kus on kasutatud Basic Autentimist. Kasutajanimi ja parool võetakse BC-st kasutaja kaardilt väljadelt Kasutajanimi ja Parool. Basic autentimist on võimalik kasutada ainult Business Centrali on-prem versioonis.

OAuth 2.0 autentimise kasutamiseks on vaja seadistada AAD's vajalik rakendus ning siduda see Microsoft Business Central 365 keskkonnas.

## 4. HRM4Baltics GET teenused

Andmete lugemiseks BC-st kasutatakse GET päringut.

### 4.1. Puudumiste žurnaal

Andmed loetakse BC-st tabelist 24002027 (PLK Payroll Absence Jrn Line).

Veebiteenuse lehe ID 24008416.

|                       |         |        |  |
|-----------------------|---------|--------|--|
| Välja nimetus         | Tüüp    | Märkus | Andmed tabelist<br>PLK Payroll<br>Absence Jrn Line<br>24002027 |
| Journal_Batch_Name    | Code    |        | Journal Batch Name   |
| Entry_No              | Integer |        | Entry No.  |
| Entry_GUID            | Code    |        | Entry GUID   |
| Employee_No           | Code    |        | Employee No.   |
| Employee_Name         | Text    |        | Employee Name  |
| Cause_of_Absence_Code | Code    |        | Cause of Absence Code  |

|                                 |            |                        |                          |
|---------------------------------|------------|------------------------|--------------------------|
| <b>Description</b>              | Text       |                        | <b>Description</b>       |
| <b>From_Date</b>                | Date       |                        | From Date                |
| <b>To_Date</b>                  | Date       |                        | To Date                  |
| <b>Days</b>                     | Decimal    |                        | Days                     |
| <b>Quantity_Days</b>            | Days       |                        | Quantity                 |
| <b>Quantity_Working_Days</b>    | Decimal    |                        | Quantity Working Days    |
| <b>Child_No</b>                 | Integer    |                        | Child No.                |
| <b>Child_Name</b>               | Text       |                        | Child Name               |
| <b>Holidays</b>                 | Decimal    |                        | Holidays                 |
| <b>Hours</b>                    | Decimal    |                        | Hours                    |
| <b>Holiday_Payment</b>          | Option     | Payday/Holiday/Monthly | Holiday Payment          |
| <b>Notes</b>                    | Text       |                        | Notes                    |
| <b>Sharepoint_Entry_No</b>      | BigInteger |                        | Sharepoint Entry No.     |
| <b>Main_Contract_No</b>         | Code       |                        | Main Contract No         |
| <b>Payroll_Dimension_1_Code</b> | Code       | Palgadimensioon        | Payroll Dimension 1 Code |
| <b>Payroll_Dimension_2_Code</b> | Code       | Palgadimensioon        | Payroll Dimension 2 Code |
| <b>Payroll_Dimension_3_Code</b> | Code       | Palgadimensioon        | Payroll Dimension 3 Code |
| <b>Payroll_Dimension_4_Code</b> | Code       | Palgadimensioon        | Payroll Dimension 4 Code |
| <b>Department_No</b>            | Code       |                        | Department No.           |
| <b>Department_Desc</b>          | Text       |                        | Department Desc.         |
| <b>Level_2_No</b>               | Code       | Struktuuriüksus        | Level 2 No.              |
| <b>Level_2_Name</b>             | Text       |                        | Level 2 Name             |
| <b>Level_3_No</b>               | Code       | Struktuuriüksus        | Level 3 No.              |
| <b>Level_3_Name</b>             | Text       |                        | Level 3 Name             |
| <b>Level_4_No</b>               | Code       | Struktuuriüksus        | Level 4 No.              |
| <b>Level_4_Name</b>             | Text       |                        | Level 4 Name             |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/AbsenceJournalRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/AbsenceJournalRead)

Näidis vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/AbsenceJournalRead",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ001JWZnpSSUNHdmFmMn14UUdNM2ZX0W53UjMvbHRReEdsZ2o5QkgzYVV
TSms9MTswMDsn\\\"",
            "Journal_Batch_Name": "VAIKIMISI",
            "Entry_No": 1000,
            "Entry_GUID": "00000000-0000-0000-0000-000000000000",
        }
    ]
}
```

```

        "Employee_No": "T0003",
        "Employee_Name": "Teele Tuisk",
        "Cause_of_Absence_Code": "P_PUHKUS",
        "Description": "Puhkus",
        "From_Date": "2022-09-14",
        "To_Date": "2022-09-17",
        "Days": 4,
        "Quantity_Days": 4,
        "Quantity_Working_Days": 3,
        "Child_No": 0,
        "Child_Name": "",
        "Holidays": 0,
        "Hours": 32,
        "Holiday_Payment": " ",
        "Notes": "",
        "Sharepoint_Entry_No": 0,
        "Main_Contract_No": "",
        "Payroll_Dimension_1_Code": "",
        "Payroll_Dimension_2_Code": "",
        "Payroll_Dimension_3_Code": "",
        "Payroll_Dimension_4_Code": "",
        "Department_No": "",
        "Department_Desc": "",
        "Level_2_No": "",
        "Level_2_Name": "",
        "Level_3_No": "",
        "Level_3_Name": "",
        "Level_4_No": "",
        "Level_4_Name": ""
    }
]
}

```

## 4.2. Koolituste loend

Andmed loetakse BC-st tabelist 24008830 (PER Payroll Training). Antud leht annab välja BC-sse sisestatud koolituste loendi.

Veebiteenuse lehe ID 24008364.

| Välja nimetus | Tüüp | Märkus   | Andmed tabelist PER Payroll Training 24008830 |
|---------------|------|--|---|
| No            | Code |  | No.   |
| Name          | Text |  | Name  |
| Area_Code     | Code | Koolituse valdkonna tähis                          | Area Code                                     |
| Area_Name     | Text | Koolituse valdkonna nimi                           | Area Name                                     |
| Subtype_Code  | Code | Alamliigi tähis, näiteks ettevõtte sisene koolitus | Subtype Code                                  |

| Subtype_Name          | Name    |                                 | Subtype Name          |
|-----------------------|---------|---------------------------------|-----------------------|
| Training_Plan_Type    | Option  | Planned/Unplanned/Extraordinary | Training Plan Type    |
| Training_Company_Name | Text    |                                 | Training Company Name |
| Educators             | Text    |                                 | Educators             |
| Internal              | Boolean | True/False                      | Internal              |
| Multi_Companies       | Boolean | True/False                      | Multi Companies       |
| Status                | Option  | Open/Closed/Cancelled           | Status                |
| From_Date             | Date    |                                 | From Date             |
| To_Date               | Date    |                                 | To Date               |
| Academic_Hours        | Integer |                                 | Academic Hours        |
| Training_Amount       | Decimal |                                 | Training Amount       |
| Count_of_Participants | Integer |                                 | Count of Participants |
| Related_No            | Code    | Seotud koolituse number         | Related No            |
| Skill_Type_Code       | Code    | Oskuse liigi tähis              | Skill Type Code       |
| Skill_Code            | Code    | Oskuse tähis                    | Skill Code            |
| Skill_Level_Code      | Code    | Oskuse taseme tähis             | Skill Level Code      |
| Feedback              | Text    |                                 | Feedback              |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Koolitused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Koolitused)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Koolitused",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ00zk3M\wvdzdZSktoVXZSMDFBTk5BZ2RndFhFT1lZNhd0QzV20URSRk1
TdGs9MTswMDsn\\",
      "No": "K000003",
      "Name": "Raamatupidamise ABC",
      "Area_Code": "FINANTS",
      "Area_Name": "Finantsalased teadmised",
      "Type_Code": "KOOLITUS",
      "Type_Name": "Koolitus",
      "Subtype_Code": "",
      "Subtype_Name": "",
      "Training_Plan_Type": "Unplanned",
      "Training_Company_No": "V00010",
      "Educators": "Koolitus ABC"
    }
  ]
}
```

```

    "Training_Company_Name": "Koolitaja AS",
    "Educators": "Tiina Tiir",
    "Internal": true,
    "Multi_Companies": true,
    "Status": "Open",
    "From_Date": "2022-09-19",
    "To_Date": "2022-09-30",
    "Academic_Hours": 16,
    "Training_Amount": 0,
    "Count_of_Participants": 1,
    "Related_No": "",
    "Skill_Type_Code": "TÖÖALASED",
    "Skill_Code": "RMT",
    "Skill_Level_Code": "SPETSIALIST",
    "Feedback": ""
}
]
}

```

### 4.3. Koolitusel osalejad

Andmed loetakse BC-st tabelist 24008439 (PER Training Participants) ja 24008830(PER Payroll Training). Antud teenusega on võimalik käte saada kõigil koolitustel osalenud töötajate nimekiri.

Veebiteenuse lehe ID 24008365.

|                              |         |   |   |
|------------------------------|---------|---|---|
| Välja nimetus                | Tüüp    | Märkus                                  | Andmed tabelitest 24008439 PER Training Participants ja 24008830 PER Payroll Training |
| <b>Training_No</b>           | Code    |   | Training No   |
| <b>Line_Code</b>             | Code    |   | Line Code   |
| <b>Line_No</b>               | Integer | Töötaja rea number osalejate nimekirjas | Line No   |
| <b>Training_Name</b>         | Text    | Koolituse nimetus                       | Name  |
| <b>Training_Area_Code</b>    | Code    |   | Training Area Code  |
| <b>Training_Area_Name</b>    | Text    |   | Training Area Name  |
| <b>Training_Type_Code</b>    | Code    |   | Training Type Code  |
| <b>Training_Type_Name</b>    | Text    |   | Training Type Name  |
| <b>Training_Subtype_Code</b> | Code    |   | Training Subtype Code   |

|                              |         |                                 |                       |
|------------------------------|---------|---------------------------------|-----------------------|
| <b>Training_Subtype_Name</b> | Text    |                                 | Training Subtype Text |
| <b>Participated</b>          | Boolean | True/False                      | Participated          |
| <b>From_Date</b>             | Date    |                                 | From Date             |
| <b>To_Date</b>               | Date    |                                 | To Date               |
| <b>Employee_No.</b>          | Code    |                                 | Employee No.          |
| <b>Employee_Name</b>         | Text    |                                 | Employee Name         |
| <b>Feedback</b>              | Text    |                                 | Feedback              |
| <b>Department_No</b>         | Code    |                                 | Department No.        |
| <b>Department_Desc</b>       | Text    |                                 | Department Desc.      |
| <b>Level_2_No</b>            | Code    | Struktuuri taseme kood          | Level 2 No.           |
| <b>Level_2_Name</b>          | Text    |                                 | Level 2 Name          |
| <b>Level_3_No</b>            | Code    | Struktuuri taseme kood          | Level 3 No.           |
| <b>Level_3_Name</b>          | Text    |                                 | Level 3 Name          |
| <b>Level_4_No</b>            | Code    | Struktuuri taseme kood          | Level 4 No.           |
| <b>Level_4_Name</b>          | Text    |                                 | Level 4 Name          |
| <b>Profession_No</b>         | Code    |                                 | Profession No.        |
| <b>Profession_Desc</b>       | Text    |                                 | Profession Desc.      |
| <b>Training_Plan_Type</b>    | Option  | Planned/Unplanned/Extraordinary | Training Plan Type    |
| <b>Skill_Type_Code</b>       | Code    | Oskuse liigi tähis              | Skill Type Code       |
| <b>Skill_Code</b>            | Code    | Oskuse tähis                    | Skill Code            |
| <b>Skill_Level_Code</b>      | Code    | Oskuse taseme tähis             | Skill Level Code      |
| <b>Academic_Hours</b>        | Integer |                                 | Academic Hours        |
| <b>Credit_Points</b>         | Decimal | Ainepunktid                     | Credit Points         |
| <b>Valid_From</b>            | Date    | Dokumendi kehtivusaeg           | Valid From            |
| <b>Valid_To</b>              | Date    | Dokumendi kehtivusaeg           | Valid To              |
| <b>Document_No</b>           | Code    |                                 | Document No.          |

Näidis püringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Koolituselosalejad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Koolituselosalejad)

Näidis püringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Koolituselosalejad",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O3FiT1FZN3B2aFc4Z1p6Ly9HUIrQWZyT1BGTElsMU5TbkdjVnA40HJrZUk9MTswMDsn\\\"",
            "Training_No": "K000003",
            "Line_Code": ""
        }
    ]
}
```

```

    "Line_No": 1,
    "Training_Name": "Raamatupidamise ABC",
    "Training_Area_Code": "FINANTS",
    "Training_Area_Name": "Finantsalased teadmised",
    "Training_Type_Code": "KOOLITUS",
    "Training_Type_Name": "Koolitus",
    "Training_Subtype_Code": "",
    "Training_Subtype_Name": "",
    "Participated": true,
    "From_Date": "2022-09-19",
    "To_Date": "2022-09-30",
    "Employee_No": "T0003",
    "Employee_Name": "Teele Tuisk",
    "Feedback": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": "",
    "Profession_No": "",
    "Profession_Desc": "",
    "Training_Plan_Type": "Unplanned",
    "Skill_Type_Code": "TÖÖALASED",
    "Skill_Code": "RMT",
    "Skill_Level_Code": "SPETSIALIST",
    "Academic_Hours": 16,
    "Credit_Points": 3,
    "Valid_From": "0001-01-01",
    "Valid_To": "0001-01-01",
    "Document_No": ""
}
]
}
}

```

#### 4.4. Lahkumise alused

Andmed loetakse BC-st tabelist 24002004 (PLK Payroll Grounds for Termi.). Antud teenuses on kirjeldatud kõik seadusest tulenevad lahkumise alused töötaja töölepingu lõpetamisel. Veebiteenuse lehe ID 24008313.

| Välja nimetus       | Tüüp    | Märkus     | Andmed tabelist<br>24002004 PLK Payroll<br>Grounds for Termi. |
|---------------------|---------|------------|---|
| No                  | Code    |            | No.   |
| Description         | Text    |            | Description   |
| Employee_Initiative | Boolean | True/False | Employee Initiative   |
| Employer_Initiative | Boolean | True/False | Employer Initiative   |
| Law_Section         | Text    |            | Law Section   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/LahkumiseAlused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/LahkumiseAlused)

Näidis päringu vastus:

```
{
    "@odata.etag": "W/\\"JzQ000U5TFY2Kzd5cWRrY2xneTF0U1Y5dVN3ZhpGYStEdTNFUnpNT3hkVVsTm89MTswMDsn\\",
    "No": "TA_79",
    "Description": "§ 79 poolte kokkuleppel",
    "Employee_Initiative": false,
    "Employer_Initiative": true,
    "Law_Section": "§ 79"
},
{
    "@odata.etag": "W/\\"JzQ003JrNULKeGZhUGHSN015Yjk1ZDU3MjAwQTVCalRPTVRkd01KQkJQV0E4NzQ9MTswMDsn\\",
    "No": "TA_80LG1",
    "Description": "§ 80 lg 1 tähtaja möödumine",
    "Employee_Initiative": false,
    "Employer_Initiative": true,
    "Law_Section": "§ 80lg1"
},
{
    "@odata.etag": "W/\\"JzQ000FpSzh1cGtiMUD3Z3d4Ump2amh6NEhWK1hPWG1XVWJCenlhaDdWak1ZQ1U9MTswMDsn\\",
    "No": "TA_86LG1",
    "Description": "§ 86 lg 1 ülesütlamine katseajal",
    "Employee_Initiative": false,
    "Employer_Initiative": true,
    "Law_Section": "§ 86lg1"
},
...
}
```

#### 4.5. Töötajate lapsed

Andmed loetakse BC-st tabelist 24002130 (PLK Employee Children). Antud tabelis kuvatakse kõiki BC-sse sisestatud töötajate lapsi.

Veebiteenuse lehe ID 24012904.

| Välja nimetus      | Tüüp    | Märkus | Andmed tabelist<br>24002130 PLK<br>Employee Children |
|--------------------|---------|--------|--|
| <b>Employee_No</b> | Code    |        | Employee No.   |
| <b>Line_No</b>     | Integer |        | Line No.   |
| <b>Name</b>        | Text    |        | Name   |
| <b>Personal_ID</b> | Code    |        | Personal ID  |
| <b>Birth_Date</b>  | Date    |        | Birth Date   |

| Sex           | Option     | Female/Male | Sex           |
|---------------|------------|-------------|---------------|
| Invalid       | Boolean    | True/False  | Invalid       |
| Comment       | Text       |             | Comment       |
| Locked        | Boolean    | True/False  | Locked        |
| SQL_Timestamp | BigInteger | *           | SQL Timestamp |
| Entry_GUID    | Guid       | *           | Entry GUID    |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ChildrenRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/ChildrenRead)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/ChildrenRead",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0009nSWJxTmFjYlBsd21BQ05PQVBXR1QycTM5VUNsRjdaVUJoK3pvUlF
4YVU9MTswMDsn\\",
            "Employee_No": "T0002",
            "Line_No": 1,
            "Name": "Hannes Kask",
            "Personal_ID": "63212434433",
            "Birth_Date": "2020-09-05",
            "Sex": "Male",
            "Invalid": false,
            "Comment": "",
            "Locked": false,
            "SQL_Timestamp": 54511248,
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"
        },
        {
            "@odata.etag": "W/\\"JzQ00095bEJUaGFBcko2WUpTcj1MMkVVcVN0c1N4aEt6R0ptbmVqdDYxZ1p
PbFk9MTswMDsn\\",
            "Employee_No": "T0003",
            "Line_No": 1,
            "Name": "Uku Tuisk",
            "Personal_ID": "62344400122",
            "Birth_Date": "2018-05-01",
            "Sex": " ",
            "Invalid": false,
            "Comment": "",
            "Locked": false,
            "SQL_Timestamp": 54511284,
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"
        }
    ]
}
```

#### 4.6. Lepingute loend

Andmed loetakse BC-st tabelist 24002019 (PLK Employee Contracts). Kuvatakse ettevõte kõigi töötajate lepingute loendit.

Veebiteenuse lehe ID 24008312.

| Välja nimetus                    | Tüüp       | Märkus   | Andmed tabelist<br>24002019 PLK<br>Employee Contracts |
|----------------------------------|------------|--|---|
| <b>Employee_No</b>               | Code       |  | Employee No.  |
| <b>Line_No</b>                   | Integer    | Lapse rea number<br>töötaja kohta                      | Line No   |
| <b>Entry_Type</b>                | Option     | Leping/Lepingu lisa                                    | Entry_Type  |
| <b>Contract_No</b>               | Code       |  | Contract No   |
| <b>Contract_Code</b>             | Code       | Lepingu liigi tähis,<br>seadusest<br>tulenevad tähisid | Contract Code   |
| <b>From_Date</b>                 | Date       |  | From Date   |
| <b>To_Date</b>                   | Date       |  | To Date   |
| <b>Description</b>               | Text       |  | Description   |
| <b>Profession_No</b>             | Code       |  | Profession No.  |
| <b>Profession_Category_No</b>    | Code       |  | Profession Category<br>No.                            |
| <b>Job_Title</b>                 | Text       |  | Job Title   |
| <b>Working_Factor</b>            | Decimal    |  | Working Factor  |
| <b>Additional_Working_Factor</b> | Decimal    |  | Additional Working<br>Factor                          |
| <b>Grounds_for_Term_Code</b>     | Code       | Lahkumise aluse<br>tähis, seadusest<br>tulenev         | Grounds for Term.<br>Code                             |
| <b>Cov_Working_Register_ID</b>   | Code       | Tööregistri ID   | Cov. Working<br>Register ID                           |
| <b>Department_No</b>             | Code       |  | Department No.  |
| <b>Department_Desc</b>           | Text       |  | Department Desc.                                      |
| <b>Level_2_No</b>                | Code       | Struktuuri taseme<br>kood                              | Level 2 No.   |
| <b>Level_2_Name</b>              | Text       |  | Level 2 Name  |
| <b>Level_3_No</b>                | Code       | Struktuuri taseme<br>kood                              | Level 3 No.   |
| <b>Level_3_Name</b>              | Text       |  | Level 3 Name  |
| <b>Level_4_No</b>                | Code       | Struktuuri taseme<br>kood                              | Level 4 No.   |
| <b>Level_4_Name</b>              | Text       |  | Level 4 Name  |
| <b>Get_Novice_Date</b>           | Date       |  | Novice Ending Date                                    |
| <b>SQL_Timestamp</b>             | BigInteger | *  | SQL Timestamp   |
| <b>Entry_GUID</b>                | Guid       | *  | Entry GUID  |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Lepingud](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Lepingud)

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
    /$metadata#Company('Tuuritaja%20AS')/Lepingud",  
    "value": [  
        {  
            "@odata.etag": "W/\\"JzQ001c0eT1KZE16UXM5YkZxNUozcCtKwkpunWc5MzcxZmlwaGIwQ1VWdXd  
            QQTg9MTswMDsn\\\"",  
            "Employee_No": "T0001",  
            "Line_No": 10000,  
            "Entry_Type": "Contract",  
            "Contract_No": "L000001",  
            "Contract_Date": "0001-01-01",  
            "Contract_Code": "11",  
            "From_Date": "2022-04-01",  
            "To_Date": "0001-01-01",  
            "Description": "Määramata ajaks, osalise tööajaga",  
            "Profession_No": "001",  
            "Profession_Category_No": "",  
            "Job_Title": "Tuuritaja",  
            "Working_Factor": 1,  
            "Additional_Working_Factor": 0,  
            "Grounds_for_Term_Code": "",  
            "Cov_Working_Register_ID": "",  
            "Department_No": "",  
            "Department_Desc": "",  
            "Level_2_No": "",  
            "Level_2_Name": "",  
            "Level_3_No": "",  
            "Level_3_Name": "",  
            "Level_4_No": "",  
            "Level_4_Name": "",  
            "Get_Novice_Date": "2022-08-02",  
            "SQL_Timestamp": 52851820,  
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"  
        },  
        {  
            "@odata.etag": "W/\\"JzQ001Rrc3Z00GR6SmJhdWp5b0p1VUdLYUQwdnhxQWVuK2pjQmhIdGhLRkv  
            TdGs9MTswMDsn\\\"",  
            "Employee_No": "T0002",  
            "Line_No": 10000,  
            "Entry_Type": "Contract",  
            "Contract_No": "L000002",  
            "Contract_Date": "0001-01-01",  
            "Contract_Code": "10",  
            "From_Date": "2022-03-01",  
            "To_Date": "0001-01-01",  
            "Description": "Määramata ajaks, osalise tööajaga",  
            "Profession_No": "001",  
            "Profession_Category_No": "",  
            "Job_Title": "Tuuritaja",  
            "Working_Factor": 1,  
            "Additional_Working_Factor": 0,  
            "Grounds_for_Term_Code": "",  
            "Cov_Working_Register_ID": "",  
            "Department_No": "",  
            "Department_Desc": "",  
            "Level_2_No": "",  
            "Level_2_Name": "",  
            "Level_3_No": "",  
            "Level_3_Name": "",  
            "Level_4_No": "",  
            "Level_4_Name": "",  
            "Get_Novice_Date": "2022-08-02",  
            "SQL_Timestamp": 52851820,  
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"  
        }  
    ]  
}
```

```

    "Description": "Määramata ajaks",
    "Profession_No": "",
    "Profession_Category_No": "",
    "Job_Title": "",
    "Working_Factor": 1,
    "Additional_Working_Factor": 0,
    "Grounds_for_Term_Code": "",
    "Cov_Working_Register_ID": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": "",
    "Get_Novice_Date": "2022-07-02",
    "SQL_Timestamp": 52851821,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
},

```

#### 4.7. Töötajate palgad

Andmed loetakse BC-st tabelist 24002020 (PLK Employee Salaries). Antud tabelist saab kätte kõigile töötajatele seadistatud töötasud.

Veebiteenuse lehe ID 24008310.

| Välja nimetus                | Tüüp    | Märkus  | Andmed tabelist<br>24002020 PLK<br>Employee Salaries |
|------------------------------|---------|---|--|
| <b>Employee_No</b>           | Code    |   | Employee No.   |
| <b>Line_No</b>               | Integer | Tasude rea number<br>töötaja töötasu<br>kohta | Line No.   |
| <b>Salary_No</b>             | Code    | Eelseadistatud<br>palga tähis                 | Salary No.   |
| <b>From_Date</b>             | Date    |   | From Date  |
| <b>To_Date</b>               | Date    |   | To Date  |
| <b>Description</b>           | Text    |   | Description  |
| <b>Amount</b>                | Decimal |   | Amount   |
| <b>Connected_Employee_No</b> | Code    | Seotud töötaja                                | Connected Employee<br>No.                            |
| <b>Payment_Code</b>          | Code    | Väljamakse liigi<br>tähis                     | Payment Code   |
| <b>Annual_Salary</b>         | Decimal |   | Annual Salary  |
| <b>Entry_GUID</b>            | Guid    | *   | Entry GUID   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/Palgad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/Palgad)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/0DataV4
/$metadata#Company('Tuuritaja%20AS')/Palgad",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O205TEt0SmdHcjlnREcwNkc3Yk5FcnduWlpaemVhTHRuZGVBMytwNTZ
UZEk9MTswMDsn\\",
            "Employee_No": "T0001",
            "Line_No": 1000,
            "Salary_No": "TASU_KUUPALK",
            "From_Date": "2022-03-01",
            "To_Date": "0001-01-01",
            "Description": "Kuupalk, päevapõhine arvestus",
            "Amount": 2000,
            "Connected_Employee_No": "",
            "Payment_Code": "10",
            "Annual_Salary": 0,
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"
        },
        {
            "@odata.etag": "W/\\"JzQ0OzF1WW50TVd00WhDM09PdGsyMm96MUN6cnZ4Skk2WXZvQ3pVRCTvbGR
ma2s9MTswMDsn\\",
            "Employee_No": "T0002",
            "Line_No": 1000,
            "Salary_No": "TASU_KUUPALK",
            "From_Date": "2022-03-01",
            "To_Date": "0001-01-01",
            "Description": "Kuupalk, päevapõhine arvestus",
            "Amount": 2000,
            "Connected_Employee_No": "",
            "Payment_Code": "10",
            "Annual_Salary": 0,
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"
        },
        ...
    ]
}
```

#### 4.8. Palgakontode loend

Andmed loetakse BC-st tabelist 24002030 (PLK Payroll Accounts). Antud päringuga saab kätte palgakontode loendi ning võimaldab seadistada teatud parameetritele filtreid. Veebiteenuse lehe ID 24008378.

| Välja nimetus | Tüüp    | Märkus | Andmed tabelist 24002030 PLK Payroll Accounts |
|---------------|---------|--------|---|
| No            | Code    |        | No.   |
| Name          | Text    |        | Name  |
| Amount        | Decimal |        | Amount  |

|                                   |         |                                   |                            |
|-----------------------------------|---------|-----------------------------------|----------------------------|
| <b>Employee_Filter</b>            | Code    |                                   | Employee Filter            |
| <b>Accounting_Filter</b>          | Code    |                                   | Accounting Filter          |
| <b>Payment_Filter</b>             | Code    |                                   | Payment Filter             |
| <b>Date_Filter</b>                | Date    |                                   | Date Filter                |
| <b>Type_Filter</b>                | Option  | Registering/Total/Heading/Payment | Type Filter                |
| <b>Payroll_Dimension_1_Filter</b> | Code    |                                   | Payroll Dimension 1 Filter |
| <b>Payroll_Dimension_2_Filter</b> | Code    |                                   | Payroll Dimension 2 Filter |
| <b>Payroll_Dimension_3_Filter</b> | Code    |                                   | Payroll Dimension 3 Filter |
| <b>Payroll_Dimension_4_Filter</b> | Code    |                                   | Payroll Dimension 4 Filter |
| <b>Bank_Register_Filter</b>       | Integer |                                   | Bank Register Filter       |
| <b>Payment_Code_Filter</b>        | Code    |                                   | Payment Code Filter        |
| <b>Main_Contract_Filter</b>       | Code    |                                   | Main Contract Filter       |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/Palgakontod](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/Palgakontod)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
/$metadata#Company('Tuuritaja%20AS')/Palgakontod",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzRaNvVFdHBFRytEcWhxK3VjbTRvemJYMIpBOHlBTFptb0J0QmI1bHI
2MFE9MTswMDsn\\\"",
            "No": "1000",
            "Name": "ARVESTATUD TULUD",
            "Amount": 0,
            "Employee_Filter": "",
            "Accounting_Filter": "",
            "Payment_Filter": "",
            "Calculation_Filter": "",
            "Date_Filter": "",
            "Type_Filter": "",
            "Payroll_Dimension_1_Filter": ""
        }
    ]
}
```

```

    "Payroll_Dimension_2_Filter": "",
    "Payroll_Dimension_3_Filter": "",
    "Payroll_Dimension_4_Filter": "",
    "Bank_Register_Filter": "",
    "Payment_Code_Filter": "",
    "Main_Contract_Filter": ""

},
{
    "@odata.etag": "W/\\"JzQ0O2dvL0FHWWRtQkIvd2lud243bkg5RVozMUxLR1YyY1grUGttMlFCdGN
NdmM9MTswMDsn\\",
    "No": "1010",
    "Name": "-- Puhkuse ja keskm.palga alus",
    "Amount": 0,
    "Employee_Filter": "",
    "Accounting_Filter": "",
    "Payment_Filter": "",
    "Calculation_Filter": "",
    "Date_Filter": "",
    "Type_Filter": "",
    "Payroll_Dimension_1_Filter": "",
    "Payroll_Dimension_2_Filter": "",
    "Payroll_Dimension_3_Filter": "",
    "Payroll_Dimension_4_Filter": "",
    "Bank_Register_Filter": "",
    "Payment_Code_Filter": "",
    "Main_Contract_Filter": ""

},
...

```

#### 4.9. Töötaja pangakontode loend

Andmed loetakse BC-st tabelist 24002017 (PLK Employee Banks). Teenusega saadetakse töötajatele seadistatud pangakontod.

Veebiteenuse lehe ID 24008311.

| Välja nimetus         | Tüüp    | Märkus  | Andmed tabelist<br>24002017 PLK<br>Employee Banks |
|-----------------------|---------|---|---|
| <b>Employee_No</b>    | Code    |   | Employee No.                                      |
| <b>Grade_of_Class</b> | Integer | Konto<br>tähtsusjärjestus                         | Grade of Class                                    |
| <b>Bank_No</b>        | Code    | Eelseadistatud<br>pangakontod                     | Bank No   |
| <b>Bank_Account</b>   | Code    |   | Bank Account                                      |
| <b>Percentage</b>     | Decimal | Defineerib, mitu %<br>kantakse kuhu<br>kontole    | Percentage  |
| <b>Amount</b>         | Decimal | Defineerib, mis<br>summa kantakse<br>kuhu kontole | Amount  |

|                       |         |                  |                |
|-----------------------|---------|------------------|----------------|
| <b>IBAN</b>           | Code    |                  | IBAN           |
| <b>Reference_No</b>   | Code    | Viitenumber      | Reference_No   |
| <b>Payment_Amount</b> | Decimal |                  | Payment Amount |
| <b>Description</b>    | Text    | Makse saaja nimi | Description    |
| <b>From_Date</b>      | Date    |                  | From Date      |
| <b>To_Date</b>        | Date    |                  | To Date        |
| <b>Entry_GUID</b>     | Guid    | *                | Entry GUID     |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Bank](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Bank)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Bank",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ001lsVXIXbk8xc0JsakVjRVhUZHB1SSs5emNxclBKNTNLcmtrOEQ5T11
ITjQ9MTswMDsn\\",
            "Employee_No": "T0001",
            "Grade_of_Class": 10000,
            "Bank_No": "LHV",
            "Bank_Account": "",
            "Percentage": 0,
            "Amount": 0,
            "IBAN": "454343533335",
            "Reference_No": "",
            "Payment_Amount": 0,
            "Description": "Triinu Kuur",
            "From_Date": "0001-01-01",
            "To_Date": "0001-01-01",
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"
        },
        {
            "@odata.etag": "W/\\"JzQ00zBHcXRPQndSQXdzT2R1YU5PRVRwaS9MdTRtZk4rU1BGWHN2TU1xV0R
jd009MTswMDsn\\",
            "Employee_No": "T0002",
            "Grade_of_Class": 10000,
            "Bank_No": "SEB",
            "Bank_Account": "",
            "Percentage": 0,
            "Amount": 0,
            "IBAN": "44332224555522",
            "Reference_No": "",
            "Payment_Amount": 0,
            "Description": "Kalle Malle",
            "From_Date": "0001-01-01",
            "To_Date": "0001-01-01",
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"
        }
    ]
}
```

```
{
    "@odata.etag": "W/\\"JzQ003c1Mn1mQUdySnh1NU02SGtFaEFZS0dFdnNBSGptOHV1bG9INWtzY1R
rWUE9MTswMDsn\\",
    "Employee_No": "T0003",
    "Grade_of_Class": 10000,
    "Bank_No": "LHV",
    "Bank_Account": "",
    "Percentage": 0,
    "Amount": 0,
    "IBAN": "224446643333",
    "Reference_No": "",
    "Payment_Amount": 0,
    "Description": "Teele Tuisk",
    "From_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
}
]
}
...
}
```

#### 4.10. Parameetrid

Andmed loetakse BC-st tabelist 24002021 (PLK Employee Parameters). Antud teenusega edastatakse kõigi töötajate kohta seadistatud parameetrid.

Veebiteenuse lehe ID 24012905.

| Välja nimetus        | Tüüp       | Märkus                                    | Andmed tabelist<br>24002021 PLK<br>Employee<br>Parameters |
|----------------------|------------|---|---|
| <b>Employee_No</b>   | Code       |   | Employee No.  |
| <b>Line_No</b>       | Integer    | Parameetri rea<br>number töötaja<br>kohta | Line No   |
| <b>Parameter_No</b>  | Code       | Parameetri tähis                          | Parameter No  |
| <b>From_Date</b>     | Date       |   | From Date   |
| <b>To_Date</b>       | Date       |   | To Date   |
| <b>Description</b>   | Text       |   | Description   |
| <b>SQL_Timestamp</b> | BigInteger | *   | SQL Timestamp   |
| <b>Entry_GUID</b>    | Guid       | *   | Entry GUID  |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/SOAPParameters](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/SOAPParameters)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
/$metadata#Company('Tuuritaja%20AS')/SOAPParameters",
    "value": [
        {
            "Employee_No": "T0003",
            "Grade_of_Class": 10000,
            "Bank_No": "LHV",
            "Bank_Account": "",
            "Percentage": 0,
            "Amount": 0,
            "IBAN": "224446643333",
            "Reference_No": "",
            "Payment_Amount": 0,
            "Description": "Teele Tuisk",
            "From_Date": "0001-01-01",
            "To_Date": "0001-01-01",
            "Entry_GUID": "00000000-0000-0000-0000-000000000000"
        }
    ]
}
```

```
{
    "@odata.etag": "W/\\"JzQ0OzVFT1JswG1uUjZHUnJ6Sm1VTW1kcXViIdEgzZnhLaVBybEIvQnh2aWV
TN1U9MTswMDsn\\",
    "Employee_No": "T0001",
    "Line_No": 10000,
    "Parameter_No": "PENSIONAR",
    "From_Date": "2056-04-01",
    "To_Date": "0001-01-01",
    "Description": "Pensionär alates 07.04.2056",
    "SQL_Timestamp": 45211834,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
},
{
    "@odata.etag": "W/\\"JzQ0029NNz1FVz1MZVdEMzJLcG1Bb3Z0WYyN0dCSEcxUxveE9mYXhyakx
0S1U9MTswMDsn\\",
    "Employee_No": "T0001",
    "Line_No": 20000,
    "Parameter_No": "LISA7",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "7 päeva eriiseloomuga töö eest diisel-
elektri - ja instruktorvedurijuhiile",
    "SQL_Timestamp": 45211913,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
},
{
    "@odata.etag": "W/\\"JzQ001ZMeGFTZncxZ2tEM0huYmZURnN4NENHa0c1aHMvc1dqTjRRWmJkc1
TVGs9MTswMDsn\\",
    "Employee_No": "T0001",
    "Line_No": 30000,
    "Parameter_No": "RESERV28",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "Puhkusereserv 28 päeva",
    "SQL_Timestamp": 45211926,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
},
...
}
```

#### 4.11. Palgažurnaali read

Andmed loetakse BC-st tabelist 24002033 (PLK Payroll Journal Line). Antud teenusega on võimalik pärida sisestatud registreerimata Palgažurnaali ridu.  
Veebiteenuse lehe ID 24008415.

| Välja nimetus          | Tüüp    | Märkus              | Andmed tabelist<br>24002033 PLK Payroll<br>Journal Line |
|------------------------|---------|---------------------|---|
| Journal_Batch_Na<br>me | Code    | Töölõhe nimetus     | Journal Batch Name                                      |
| Line_No                | Integer | Žurnaali rea number | Line No   |

|                                      |         |                                     |                               |
|--------------------------------------|---------|-------------------------------------|-------------------------------|
| <b>Entry_GUID</b>                    | Guid    | *                                   | Entry GUID                    |
| <b>Type</b>                          | Option  | Normal/Additional                   | Type                          |
| <b>Employee_No</b>                   | Code    |                                     | Employee No.                  |
| <b>Employee_Name</b>                 | Text    |                                     | Employee Name                 |
| <b>Employee_Status</b>               | Option  | Prospect/Active/Inactive/Terminated | Employee Status               |
| <b>Account_NO</b>                    | Code    |                                     | Account No                    |
| <b>Document_No</b>                   | Code    | Žurnaali töölehe dokumendi number   | Document No                   |
| <b>Accounting_Period</b>             | Code    |                                     | Accounting Period             |
| <b>Payment_Period</b>                | Code    |                                     | Payment Period                |
| <b>Calculation_Period</b>            | Code    |                                     | Calculation Period            |
| <b>Amount</b>                        | Decimal |                                     | Amount                        |
| <b>Description</b>                   | Text    |                                     | Description                   |
| <b>Remark</b>                        | Text    | Märkus                              | Remark                        |
| <b>Show_Remark_In_Payroll_Report</b> | Boolean | True/False                          | Show Remark In Payroll Report |
| <b>Payment_Code</b>                  | Code    |                                     | Payment Code                  |
| <b>Currency_Code</b>                 | Code    |                                     | Currency Code                 |
| <b>Currency_Factor</b>               | Decimal |                                     | Currency Factor               |
| <b>Currency_Factor_Date</b>          | Date    |                                     | Currency Factor Date          |
| <b>Manual_Currency</b>               | Boolean | True/False                          | Manual Currency               |
| <b>Currency_Amount</b>               | Decimal |                                     | Currency Amount               |
| <b>Main_Contract_No</b>              | Code    |                                     | Main Contract No              |
| <b>Payroll_Dimension_1_Code</b>      | Code    |                                     | Payroll Dimension 1 Code      |
| <b>Payroll_Dimension_2_Code</b>      | Code    |                                     | Payroll Dimension 2 Code      |
| <b>Payroll_Dimension_3_Code</b>      | Code    |                                     | Payroll Dimension 3 Code      |
| <b>Payroll_Dimension_4_Code</b>      | Code    |                                     | Payroll Dimension 4 Code      |
| <b>PER_Job_No</b>                    | Code    |                                     | PER Job No                    |
| <b>PER_Job_Description</b>           | Text    |                                     | PER Job Description           |
| <b>PER_Task_No</b>                   | Code    |                                     | PER Task No                   |
| <b>PER_Task_Description</b>          | Text    |                                     | PER Task Description          |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/PayrollJournalRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/PayrollJournalRead)

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/0DataV4  
    /$metadata#Company('Tuuritaja%20AS')/PayrollJournalRead",  
    "value": [  
        {  
            "@odata.etag": "W/\\"JzQ001J3MDdwZ0hDWHVDRVJERzVle1kwWmFWeG1HK3JkNFJrVkxGemtKWjZ  
            nVHM9MTswMDsn\\\"",  
            "Journal_Batch_Name": "VAIKIMISI",  
            "Line_No": 10000,  
            "Entry_GUID": "00000000-0000-0000-0000-000000000000",  
            "Type": "Normal",  
            "Employee_No": "T0003",  
            "Employee_Name": "Teele Tuisk",  
            "Employee_Status": "Active",  
            "Account_No": "",  
            "Document_No": "PALK 23.09.22",  
            "Posting_Date": "2022-09-23",  
            "Accounting_Period": "2022-09",  
            "Payment_Period": "2022-09",  
            "Calculation_Period": "2022-09",  
            "Amount": 15,  
            "Description": "",  
            "Remark": "",  
            "Show_Remark_In_Payroll_Report": false,  
            "Payment_Code": "10",  
            "Currency_Code": "",  
            "Currency_Factor": 0,  
            "Currency_Factor_Date": "0001-01-01",  
            "Manual_Currency": false,  
            "Currency_Amount": 0,  
            "Main_Contract_No": "",  
            "Payroll_Dimension_1_Code": "",  
            "Payroll_Dimension_2_Code": "",  
            "Payroll_Dimension_3_Code": "",  
            "Payroll_Dimension_4_Code": "",  
            "PER_Job_No": "",  
            "PER_Job_Description": "",  
            "PER_Task_No": "",  
            "PER_Task_Description": ""  
        }  
    ]  
}
```

## 4.12. Puhkusetaotlused

Andmed loetakse BC-st tabelist 24013072 (PER Payroll Request). Antud pärguga on võimalik kätte saada kõik BC-s töötajate poolt esitatud puhkusetaotlused.

Veebiteenuse lehe ID 2408487.

|                    |      |                        |   |
|--------------------|------|------------------------|---|
| Välja nimetus      | Tüüp | Märkus                 | Andmed tabelist<br>24013072 PER Payroll Request |
| <b>Request_No</b>  | Code |                        | Request No                                      |
| <b>Employee_No</b> | Code |                        | Employee No.                                    |
| <b>Full_Name</b>   | Text |                        | Full Name                                       |
| <b>Level_1_No</b>  | Code | Struktuuri taseme kood | Level 1 No.                                     |
| <b>Level_2_No</b>  | Code | Struktuuri taseme kood | Level 2 No.                                     |
| <b>Level_3_No</b>  | Code | Struktuuri taseme kood | Level 3 No.                                     |
| <b>Level_4_No</b>  | Code | Struktuuri taseme kood | Level 4 No.                                     |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/HolidayRequests](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/HolidayRequests)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
/$metadata#Company('Tuuritaja%20AS')/HolidayRequests",
    "value": [
        {
            "@odata.etag": "W/\"JzQ0025TY1BHd0Z1bWZqZHJ0eVBIOW9iWHhIamp1NwxEsemxud1RBTVNoSUc
2bkE9MTswMDsn\",
            "Request_No": "PUH0001",
            "Employee_No": "T0003",
            "Full_Name": "Teele Tuisk",
            "Level_1_No": "",
            "Level_2_No": "",
            "Level_3_No": "",
            "Level_4_No": "",
            "Holiday_Type": "P_PUHKUS",
            "Holdiay_Type_Description": "Põhipuhkus",
            "Starting_Date": "2022-10-03",
            "Ending_Date": "2022-10-09",
            "Days": 7,
            "Substitution": "",
            "Request_Info": "Põhipuhkus 03.10.22 - 09.10.22",
            "Request_URL": "http://palk.westeurope.cloudapp.azure.com:8016/PALK18APPTEST/?c
ompany=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAAwADE%3d",
            "Approval_Status": "Approved"
        }
    ]
}
```

#### 4.13. Puhkuste saldo ajalugu

Andmed loetakse BC-st tabelist PLK Holiday Balance History (24012923).

Veebiteenuse lehe ID 24012992.

Uuenenud kanded tekivad tööjärjekorra 24002043 käivitamisel. Tööjärjekorda on võimalik käivitada nii päeva, kuu, kui ka aasta lõikes.

| Välja nimetus             | Tüüp    | Märkus         | Andmed tabelist PLK Holiday Balance History (24012923) |
|---------------------------|---------|----------------|--|
| <b>Entry_No</b>           | Integer |                | Entry No   |
| <b>Employee_No</b>        | Code    |                | Employee No  |
| <b>Balance_Date</b>       | Date    |                | Balance Date   |
| <b>Balance_Type</b>       | Code    | Day/Month/Year | Balance Type   |
| <b>Last_Date_Modified</b> | Date    |                | Date Added   |
| <b>Balance_Amount_1</b>   | Decimal |                | Balance Amount_1                                       |
| <b>Balance_Amount_2</b>   | Decimal |                | Balance Amount_2                                       |
| <b>Balance_Amount_3</b>   | Decimal |                | Balance Amount_3                                       |
| <b>Balance_Amount_4</b>   | Decimal |                | Balance Amount_4                                       |
| <b>Balance_Amount_5</b>   | Decimal |                | Balance Amount_5                                       |
| <b>Balance_Amount_6</b>   | Decimal |                | Balance Amount_6                                       |
| <b>Balance_Amount_7</b>   | Decimal |                | Balance Amount_7                                       |
| <b>Balance_Amount_8</b>   | Decimal |                | Balance Amount_8                                       |
| <b>Balance_Amount_9</b>   | Decimal |                | Balance Amount_9                                       |
| <b>Balance_Amount_10</b>  | Decimal |                | Balance Amount_10                                      |
| <b>Balance_Amount_11</b>  | Decimal |                | Balance Amount_11                                      |
| <b>Balance_Amount_12</b>  | Decimal |                | Balance Amount_12                                      |
| <b>Balance_Amount_13</b>  | Decimal |                | Balance Amount_13                                      |
| <b>Balance_Amount_14</b>  | Decimal |                | Balance Amount_14                                      |
| <b>Balance_Amount_15</b>  | Decimal |                | Balance Amount_15                                      |
| <b>Balance_Amount_16</b>  | Decimal |                | Balance Amount_16                                      |
| <b>Balance_Amount_17</b>  | Decimal |                | Balance Amount_17                                      |
| <b>Balance_Amount_18</b>  | Decimal |                | Balance Amount_18                                      |
| <b>Balance_Amount_19</b>  | Decimal |                | Balance Amount_19                                      |
| <b>Balance_Amount_20</b>  | Decimal |                | Balance Amount_20                                      |
| <b>Balance_Amount_21</b>  | Decimal |                | Balance Amount_21                                      |
| <b>Balance_Amount_22</b>  | Decimal |                | Balance Amount_22                                      |
| <b>Balance_Amount_23</b>  | Decimal |                | Balance_Amount_23                                      |
| <b>Balance_Amount_24</b>  | Decimal |                | Balance Amount_24                                      |
| <b>Balance_Amount_25</b>  | Decimal |                | Balance Amount_25                                      |
| <b>Balance_Amount_26</b>  | Decimal |                | Balance Amount_26                                      |
| <b>Balance_Amount_27</b>  | Decimal |                | Balance Amount_27                                      |
| <b>Balance_Amount_28</b>  | Decimal |                | Balance Amount_28                                      |
| <b>Balance_Amount_29</b>  | Decimal |                | Balance Amount_29                                      |
| <b>Balance_Amount_30</b>  | Decimal |                | Balance Amount_30                                      |
| <b>Balance_Amount_31</b>  | Decimal |                | Balance Amount_31                                      |
| <b>Balance_Amount_32</b>  | Decimal |                | Balance Amount_32                                      |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PuhAjalugu](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/PuhAjalugu)

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
    /$metadata#Company('Tuuritaja%20AS')/PuhAjalugu",  
    "value": [  
        {  
            "@odata.etag": "W/\"JzQ002pmc3FMZExCcU1VYzVQdnhxYUhDMzdXcFFVVHYxRDNUYWI5VXN3ZXF  
            2a0k9MTswMDsn\"",  
            "Entry_No": 1,  
            "Employee_No": "T0001",  
            "Balance_Date": "2022-10-17",  
            "Balance_Type": "DAY",  
            "Last_Date_Modified": "2022-10-17",  
            "Balance_Amount_1": -16.7386301369863014,  
            "Balance_Amount_2": 0,  
            "Balance_Amount_3": 0,  
            "Balance_Amount_4": 0,  
            "Balance_Amount_5": 0,  
            "Balance_Amount_6": 0,  
            "Balance_Amount_7": 0,  
            "Balance_Amount_8": 0,  
            "Balance_Amount_9": 0,  
            "Balance_Amount_10": 0,  
            "Balance_Amount_11": 0,  
            "Balance_Amount_12": 0,  
            "Balance_Amount_13": 0,  
            "Balance_Amount_14": 0,  
            "Balance_Amount_15": 0,  
            "Balance_Amount_16": 0,  
            "Balance_Amount_17": 0,  
            "Balance_Amount_18": 0,  
            "Balance_Amount_19": 0,  
            "Balance_Amount_20": 0,  
            "Balance_Amount_21": 0,  
            "Balance_Amount_22": 0,  
            "Balance_Amount_23": 0,  
            "Balance_Amount_24": 0,  
            "Balance_Amount_25": 0,  
            "Balance_Amount_26": 0,  
            "Balance_Amount_27": 0,  
            "Balance_Amount_28": 0,  
            "Balance_Amount_29": 0,  
            "Balance_Amount_30": 0,  
            "Balance_Amount_31": 0,  
            "Balance_Amount_32": 0  
        },  
        ...  
    ]  
}
```

#### 4.14. Puudumiste asendajad

Andmed loetakse BC-st tabelist 24002099 (PLK Payroll Subst. Led. Entry). Kuvatakse puudumise asendajat puudumise kande kohta.  
Veebiteenuse lehe ID 24008379.

| Välja nimetus                | Tüüp | Märkus                                | Andmed tabelist<br>24002099 PLK Payroll<br>Subst. Led. Entry |
|------------------------------|------|---------------------------------------|--|
| <b>Abs_Entry_No</b>          | Code | Puudumise kande number                | Abs Entry No   |
| <b>Entry_No</b>              | Code | Asenduse kande number puudumise kohta | Entry No   |
| <b>Employee_No</b>           | Code |                                       | Employee No.   |
| <b>Substituent_No</b>        | Code |                                       | Substituent_No   |
| <b>Substituent_Name</b>      | Text |                                       | Substituent_Name   |
| <b>From_Date</b>             | Date |                                       | From Date  |
| <b>To_Date</b>               | Date |                                       | To Date  |
| <b>Cause_of_Absence_Code</b> | Code |                                       | Cause of Absence Code  |
| <b>Description</b>           | Text |                                       | Description  |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/Asendajad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/Asendajad)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
/$metadata#Company('Tuuritaja%20AS')/Asendajad",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ000IyaU8zaEVpdHc4R2pZaVzzVGtMOE9FQTRNWERvTHRhcW05S041dGZ
uZUk9MTswMDsn\\\"",
            "Abs_Entry_No": 1,
            "Entry_No": 10000,
            "Employee_No": "T0001",
            "Substituent_No": "T0004",
            "Substituent_Name": "Stig Segasaar",
            "From_Date": "2022-07-15",
            "To_Date": "2022-07-17",
            "Cause_of_Absence_Code": "P_PUHKUS",
            "Description": "Asendab klienti AS Sisu"
        },
        {
            "@odata.etag": "W/\\"JzQ0005rYXhqb3psY2J6YmYzQWN5cGQ5MmZza3BSUjdicnc1NFhxcWpoQ2J
FVWM9MTswMDsn\\\",

```

```

    "Abs_Entry_No": 6,
    "Entry_No": 10000,
    "Employee_No": "T0002",
    "Substituent_No": "T0003",
    "Substituent_Name": "Teele Tuisk",
    "From_Date": "2022-08-22",
    "To_Date": "2022-09-11",
    "Cause_of_Absence_Code": "P_PUHKUS",
    "Description": ""

},
{
    "@odata.etag": "W/\\"JzQ0001QUWkxTTZKcWt2Ymc1VDBLcUZCQuDCT09k0Xlwan1zWitJWkZnbTh
YZ1U9MTswMDsn\\",
    "Abs_Entry_No": 8,
    "Entry_No": 10000,
    "Employee_No": "T0003",
    "Substituent_No": "T0004",
    "Substituent_Name": "Stig Segasaar",
    "From_Date": "2022-09-14",
    "To_Date": "2022-09-17",
    "Cause_of_Absence_Code": "P_PUHKUS",
    "Description": "Asendus puhkuseks"
}
]
}

```

#### 4.15. Puudumiste loend

Andmed loetakse BC-st tabelist 24002028 (PLK Payroll Abs. Ledger Entry). Antud teenuse kaudu on võimalik kätte saada kogu ettevõttes registreeritud puudumiste nimekiri koos asendajate infoga.

Veebiteenuse lehe ID 24012902.

| Välja nimetus                | Tüüp       | Märkus | Andmed tabelist<br>24002028 PLK Payroll Abs.<br>Ledger Entry ja 24002099<br>PLK Payroll Subst. Led.<br>Entry |
|------------------------------|------------|--------|--|
| <b>Entry_No</b>              | Integer    |        | Entry No.  |
| <b>Employee_No</b>           | Code       |        | Employee No.   |
| <b>Employee_Name</b>         | Text       |        | Employee Name  |
| <b>Cause_of_Absence_Code</b> | Code       |        | Cause of Absence Code  |
| <b>From_Date</b>             | Date       |        | From Date  |
| <b>To_Date</b>               | Date       |        | To Date  |
| <b>Description</b>           | Text       |        | Description  |
| <b>Quantity_Days</b>         | Integer    |        | Quantity(Days)   |
| <b>Quantity_Working_Days</b> | Integer    |        | Quantity(Working Days)   |
| <b>Sharepoint_Entry_No</b>   | BigInteger |        | Sharepoint Entry No.   |

| Holiday_Payment                  | Option     | Payday/Holiday/<br>Monthly  | Holiday Payment            |
|----------------------------------|------------|---|----------------------------|
| <b>Notes</b>                     | Text       |   | Notes                      |
| <b>Child_No</b>                  | Integer    |   | Child No.                  |
| <b>Child_Name</b>                | Text       |   | Child Name                 |
| <b>SQL_Timestamp</b>             | BigInteger | *   | SQL Timestamp              |
| <b>Entry_GUID</b>                | Guid       | *   | Entry GUID                 |
| <b>Applied_Abs_Ledg_Entry_No</b> | Integer    | Seotud puudumise kande number jätkuhaiguslehe sidumiseks.   | Applied Abs.Ledg.Entry No. |
| <b>SubstitutionTextSimple</b>    |            | Andmed võetakse Palga asendamise andmikust.<br>Väärtus : Substituent No.                                  |                            |
| <b>SubstitutionTextFull</b>      |            | Andmed võetakse Palga asendamise andmikust.<br>Väärtus : Substituent No., Substituent Name, Form-to Date. |                            |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/AbsRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/AbsRead)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/AbsRead",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O2NGWmoyK0xsVkhZZnhkc0liTWJnOC9YVG4eEdGV3VMVG40QVptsU9
UeTg9MTswMDsn\\\"",
            "Entry_No": 1,
            "Employee_No": "T0001",
            "Employee_Name": "Triinu Tuur",
            "Cause_of_Absence_Code": "P_PUHKUS",
            "From_Date": "2022-07-15",
            "To_Date": "2022-07-17",
            "Description": "Puhkus",
            "Quantity_Days": 3,
            "Quantity_Working_Days": 1,
            "Sharepoint_Entry_No": 0,
            "Holiday_Payment": " ",
            "Notes": ""
        }
    ]
}
```

```

        "Child_No": 0,
        "Child_Name": "",
        "SQL_Timestamp": 48267006,
        "Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
        "Applied_Abs_Ledg_Entry_No": 0,
        "SubstitutionTextSimple": "T0004",
        "SubstitutionTextFull": "T0004 Stig Segasaar (07/15/22-07/17/22)"
    },
    {
        "@odata.etag": "W/\\"JzQ0001GUldDdE5hQmpOaktwQWFJQkRWS2VXV1pKR1M3dTNOd1E3SVE5MHR
3V289MTswMDsn\\",
        "Entry_No": 2,
        "Employee_No": "T0002",
        "Employee_Name": "Kalle Malle",
        "Cause_of_Absence_Code": "V_TPTASU",
        "From_Date": "2022-03-06",
        "To_Date": "2022-03-07",
        "Description": "Tasustatud tervisepäev",
        "Quantity_Days": 2,
        "Quantity_Working_Days": 1,
        "Sharepoint_Entry_No": 0,
        "Holiday_Payment": " ",
        "Notes": "",
        "Child_No": 0,
        "Child_Name": "",
        "SQL_Timestamp": 50339357,
        "Entry_GUID": "3ccdbd0a-24c1-4bab-b583-f4689e0313b2",
        "Applied_Abs_Ledg_Entry_No": 0,
        "SubstitutionTextSimple": "",
        "SubstitutionTextFull": ""
    },
}

```

#### 4.16. Töötajate seisund

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Antud teenusega on võimalik pärida kõigi töötajate seisundit.

Veebiteenuse lehe ID 24008309.

| Välja nimetus                   | Tüüp   | Märkus                                  | Andmed tabelist<br>24002016 PLK<br>Employee Status |
|---------------------------------|--------|---|--|
| <b>Employee_No</b>              | Code   |   | Employee No.                                       |
| <b>Status</b>                   | Option | Active/Inactive/Prospect<br>/Terminated | Status   |
| <b>From_Date</b>                | Date   |   | From Date  |
| <b>Description</b>              | Text   |   | Description  |
| <b>Initial_Date</b>             | Date   |   | Initial Date                                       |
| <b>To_Date</b>                  | Date   |   | To Date  |
| <b>Cause_of_Inactivity_Code</b> | Code   |   | Cause of Inactivity<br>Code                        |
| <b>Remark</b>                   | Text   |   | Remark   |

|                              |         |                |                                |
|------------------------------|---------|----------------|--------------------------------|
| Cov_Working_Register_ID      | Code    | Tööregistri ID | Cov. Working Register ID       |
| Amount                       | Decimal |                | Amount                         |
| Main_Contract_No             | Code    |                | Main Contract No.              |
| Grounds_for_Term_Code        | Code    |                | Grounds for Term. Code         |
| Termination_Description      | Text    |                | Termination Description        |
| Cause_of_Term_Code           | Code    |                | Cause of Term. Code            |
| Cause_of_Term_Description    | Text    |                | Cause of Term. Description     |
| Department_No_internal_use   | Code    |                | Department No. (internal use)  |
| Job_Title_internal_use       | Text    |                | Job Title (internal use)       |
| Department_Name_internal_use | Text    |                | Department Name (internal use) |
| Entry_GUID                   | Guid    | *              | Entry GUID                     |

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Seisund](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Seisund)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Seisund",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzVHMWJqSFdMbFVKS0h3WkJ5dEhaVkJURU9XOGV1RkdZL2RyM1VCdHV
yVHc9MTswMDsn\\",
            "Employee_No": "T0001",
            "Status": "Active",
            "From_Date": "2022-03-01",
            "Description": "Leping",
            "Initial_Date": "0001-01-01",
            "To_Date": "0001-01-01",
            "Cause_of_Inactivity_Code": "",
            "Remark": "",
            "Cov_Working_Register_ID": "",
            "Amount": 0,
            "Main_Contract_No": "",
            "Grounds_for_Term_Code": "",
            "Termination_Description": "",
            "Cause_of_Term_Code": "",
            "Cause_of_Term_Description": "",
            "Department_No_internal_use": "",
            "Job_Title_internal_use": "",
            "Department_Name_internal_use": "",
            "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867633"
        }
    ]
}
```

```

},
{
    "@odata.etag": "W/\\"JzQ000drU29Iekw0SG9EdHB6MTRpZnhCVG1HSH1HTjIxEdnRHBrb1UxeHhnR1E9MTswMDsn\\",
    "Employee_No": "T0002",
    "Status": "Active",
    "From_Date": "2022-03-01",
    "Description": "Leping",
    "Initial_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Cause_of_Inactivity_Code": "",
    "Remark": "",
    "Cov_Working_Register_ID": "",
    "Amount": 0,
    "Main_Contract_No": "",
    "Grounds_for_Term_Code": "",
    "Termination_Description": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Department_No_internal_use": "",
    "Job_Title_internal_use": "",
    "Department_Name_internal_use": "",
    "Entry_GUID": "e6183e37-e183-4a99-8bee-183d74ac01bd"
},
...

```

#### 4.17. Struktuuri tase 1

Andmed loetakse BC-st tabelist 24002010 (PLK Payroll Department). Teenus annab infot ettevõtte 1 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008499.

|                 |         |            |   |
|-----------------|---------|------------|---|
| Välja nimetus   | Tüüp    | Märkus     | Andmed tabelist<br>24002010<br>PLK Payroll Department |
| No              | Code    |            | No.   |
| Name            | Text    |            | Name  |
| Name_English    | Text    |            | Name English  |
| Manager_No      | Code    |            | Manager No  |
| Closed          | Boolean | True/False | Closed  |
| Dimension_Value | Code    |            | Dimension Value                                       |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase1](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Tase1)

Näidis päringu vastus:

```

{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/Tase1",
    "value": [
        {

```

```

"@odata.etag": "W/\\"JzQ002xqR3M1V3hWMExUeEVqZTNUcytvMXoxWFhSTUVTdGNGUjBKVFJURkc
3b0k9MTswMDsn\\",
    "No": "10",
    "Name": "Nõukogu",
    "Name_English": "",
    "Manager_No": "",
    "Closed": false,
    "Dimension_Value": ""
}
]
}

```

#### 4.18. Struktuuri tase 2

Andmed loetakse BC-st tabelist 24002092 (PLK Payroll Level 2). Teenus annab infot ettevõtte 2 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008498.

| Välja nimetus          | Tüüp    | Märkus     | Andmed tabelist<br>24002092 PLK Payroll<br>Level 2 |
|------------------------|---------|------------|--|
| <b>Level_1_No</b>      | Code    |            | Level 1 No   |
| <b>No</b>              | Code    |            | No   |
| <b>Level_1_Name</b>    | Name    |            | Level 1 Name                                       |
| <b>Name</b>            | Text    |            | Name   |
| <b>Name_English</b>    | Text    |            | Name English                                       |
| <b>Manager_No</b>      | Code    |            | Manager No   |
| <b>Closed</b>          | Boolean | True/False | Closed   |
| <b>Dimension_Value</b> | Code    |            | Dimension Value                                    |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase2](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Tase2)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Tase2",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ002tyNnZTUnNOZk1YSXBCNjhmcHE1SHdmU1pBcXp6WGE2TD1xFVVDVjJ
PbUU9MTswMDsn\\",
            "Level_1_No": "10",
            "No": "100",
            "Level_1_Name": "Nõukogu",
            "Name": "Juhatus",
            "Name_English": "",
            "Manager_No": "",
            "Closed": false,
            "Dimension_Value": ""
        }
    ]
}
```

```

        }
    ]
}
}
```

#### 4.19. Struktuuri tase 3

Andmed loetakse BC-st tabelist 24002096 (PLK Payroll Level 3). Teenus annab infot ettevõtte 3 struktuuri taseme kohta.  
Veebiteenuse lehe ID 24008497.

| Välja nimetus          | Tüüp    | Märkus     | Andmed tabelist<br>24002096 PLK Payroll<br>Level 3 |
|------------------------|---------|------------|--|
| <b>Level_1_No</b>      | Code    |            | Level 1 No   |
| <b>Level_2_No</b>      | Code    |            | Level 2 No   |
| <b>No</b>              | Code    |            | No   |
| <b>Level_1_Name</b>    | Name    |            | Level 1 Name                                       |
| <b>Level_2_Name</b>    | Name    |            | Level 2 Name                                       |
| <b>Name</b>            | Text    |            | Name   |
| <b>Name_English</b>    | Text    |            | Name English                                       |
| <b>Manager_No</b>      | Code    |            | Manager No   |
| <b>Closed</b>          | Boolean | True/False | Closed   |
| <b>Dimension_Value</b> | Code    |            | Dimension Value                                    |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase3](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Tase3)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Tase3",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ002FpN3Jra3F1eTNuNH1GVFh6UU8xY1h1cW1xL0dpQkVDZU42NjcvZW5
mMGs9MTswMDsn\\",
            "Level_1_No": "10",
            "Level_2_No": "100",
            "No": "101",
            "Level_1_Name": "Nõukogu",
            "Level_2_Name": "Juhatus",
            "Name": "Raamatupidamine",
            "Name_English": "",
            "Manager_No": "",
            "Closed": false,
            "Dimension_Value": ""
        },
        {
            "@odata.etag": "W/\\"JzQ003JxVmNPZ2FBeWxTT0h5d2pEdVN4akI1USTjRzVUTHVCeUZkR3cvWFV
aU1E9MTswMDsn\\",
            ...
        }
    ]
}
```

```
        "Level_1_No": "10",
        "Level_2_No": "100",
        "No": "102",
        "Level_1_Name": "Nõukogu",
        "Level_2_Name": "Juhatus",
        "Name": "Ostuosaakond",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
        "Dimension_Value": ""
    },
{
    "@odata.etag": "W/\\"JzQ001NITDROMWtGRU9oSUDkNzNCZTNscXU1cnBodi92SzN0TlJlWlBxdWZnYTA9MTswMDsn\\",
        "Level_1_No": "10",
        "Level_2_No": "100",
        "No": "103",
        "Level_1_Name": "Nõukogu",
        "Level_2_Name": "Juhatus",
        "Name": "Müügiosaakond",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
        "Dimension_Value": ""
},
{
    "@odata.etag": "W/\\"JzQ003JFNWd50V1YRuk3YmdIUnE1dEE5U1ZKTVFmNWg4Q1U4bnY2N0pVZHBnZm89MTswMDsn\\",
        "Level_1_No": "10",
        "Level_2_No": "100",
        "No": "104",
        "Level_1_Name": "Nõukogu",
        "Level_2_Name": "Juhatus",
        "Name": "Turundus",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
        "Dimension_Value": ""
},
{
    "@odata.etag": "W/\\"JzQ003kyYWZtNk9YcFduVFJSZ09RSEQ5TwxDL01Uds9zeUh1TUJvU3VVdnFpYXM9MTswMDsn\\",
        "Level_1_No": "10",
        "Level_2_No": "100",
        "No": "105",
        "Level_1_Name": "Nõukogu",
        "Level_2_Name": "Juhatus",
        "Name": "Tugiüksus",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
```

```

        "Dimension_Value": ""
    }
]
}

```

#### 4.20. Struktuuri tase 4

Andmed loetakse BC-st tabelist 24002097 (PLK Payroll Level 4). Teenus annab infot ettevõtte 4 struktuuri taseme kohta.

Veebiteenuse lehe ID 2408496.

| Välja nimetus          | Tüüp    | Märkus     | Andmed tabelist<br>24002097<br>PLK Payroll Level 4 |
|------------------------|---------|------------|--|
| <b>Level_1_No</b>      | Code    |            | Level 1 No   |
| <b>Level_2_No</b>      | Code    |            | Level 2 No   |
| <b>Level_3_No</b>      | Code    |            | Level 3 No   |
| <b>No</b>              | Code    |            | No   |
| <b>Level_1_Name</b>    | Name    |            | Level 1 Name                                       |
| <b>Level_2_Name</b>    | Name    |            | Level 2 Name                                       |
| <b>Level_3_Name</b>    | Name    |            | Level 3 Name                                       |
| <b>Name</b>            | Text    |            | Name   |
| <b>Name_English</b>    | Text    |            | Name English                                       |
| <b>Manager_No</b>      | Code    |            | Manager No   |
| <b>Closed</b>          | Boolean | True/False | Closed   |
| <b>Dimension_Value</b> | Code    |            | Dimension Value                                    |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/Tase4](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/Tase4)

Näidis päringu vastus:

```

{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
/$metadata#Company('Tuuritaja%20AS')/Tase4",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzdranJQR1VTUD1BUEwdExGZGt1VmUvdnpUOTQ0bWhZbUZ4S1kwTnN
XZ009MTswMDsn\\",
            "Level_1_No": "10",
            "Level_2_No": "100",
            "Level_3_No": "101",
            "No": "1011",
            "Level_1_Name": "Nõukogu",
            "Level_2_Name": "Juhatus",
            "Level_3_Name": "Raamatupidamine",
            "Name": "Pearaamatupidamine",
            "Name_English": "",
            "Manager_No": "",
            "Closed": false,

```

```
        "Dimension_Value": ""  
    },  
    {  
        "@odata.etag": "W/\\"JzQ0009wb2sza1RaUkZJbXFUK1pBRUJzTWxLa3hVQ3pEZHdBTNGM1h4Y0p  
jk1k9MTswMDsn\\",  
        "Level_1_No": "10",  
        "Level_2_No": "100",  
        "Level_3_No": "102",  
        "No": "1022",  
        "Level_1_Name": "Nõukogu",  
        "Level_2_Name": "Juhatus",  
        "Level_3_Name": "Ostuosaakond",  
        "Name": "EU",  
        "Name_English": "",  
        "Manager_No": "",  
        "Closed": false,  
        "Dimension_Value": ""  
    },  
    {  
        "@odata.etag": "W/\\"JzQ001BhwF1KdFE3OGluNHFMMEZQbDFjQUZXcVNiQUg0TTBiZWtsVmFmR1I  
vM0U9MTswMDsn\\",  
        "Level_1_No": "10",  
        "Level_2_No": "100",  
        "Level_3_No": "102",  
        "No": "1023",  
        "Level_1_Name": "Nõukogu",  
        "Level_2_Name": "Juhatus",  
        "Level_3_Name": "Ostuosaakond",  
        "Name": "EE",  
        "Name_English": "",  
        "Manager_No": "",  
        "Closed": false,  
        "Dimension_Value": ""  
    },  
    {  
        "@odata.etag": "W/\\"JzQ003c4VGRNODY5ZURHTm5IN3NZanMwZm96bHdBVzFoWnd5dGt2TGFBRET  
0Um89MTswMDsn\\",  
        "Level_1_No": "10",  
        "Level_2_No": "100",  
        "Level_3_No": "103",  
        "No": "1033",  
        "Level_1_Name": "Nõukogu",  
        "Level_2_Name": "Juhatus",  
        "Level_3_Name": "Müügiosaakond",  
        "Name": "EU",  
        "Name_English": "",  
        "Manager_No": "",  
        "Closed": false,  
        "Dimension_Value": ""  
    },  
    ...  
}
```

#### 4.21. Lepingu liigid

Andmed loetakse BC-st tabelist 24002011 (PLK Payroll Empl. Contract). Antud teenuse abil on võimalik pärida BC-sse seadistatud töölepingu liike.

Veebiteenuse lehe ID 24008315.

| Välja nimetus | Tüüp   | Märkus   | Andmed tabelist<br>24002011 PLK Payroll Empl. Contract |
|---------------|--------|--|--|
| No            | Code   |  | No.  |
| Description   | Text   |  | Description  |
| Type          | Option | Employment Contract/Contract/Board/Councillor/Contract Agreement/Alimony Recipient/Other | Type   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6%C3%B6lepinguLiigid](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6%C3%B6lepinguLiigid)

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
    /$metadata#Company('Tuuritaja%20AS')/T%C3%B6%C3%B6lepinguLiigid",  
    "value": [  
        {  
            "@odata.etag": "W/\\"JzQ0001rV0pTUG9VdEpveTQ3UnFyZS8vdFlsdW50Q09GWUw3cy84bTV2eDI  
2U2c9MTswMDsn\\\"",  
            "No": "10",  
            "Description": "Määramata ajaks",  
            "Type": "Employement Contract"  
        },  
        {  
            "@odata.etag": "W/\\"JzQ003pSSGxRb25McGQ5M3JzbDlxazhFLzBMdWg1d1k5NzQxM1lVaDNVN3V  
IaTA9MTswMDsn\\\"",  
            "No": "11",  
            "Description": "Määramata ajaks, osalise tööajaga",  
            "Type": "Employement Contract"  
        },  
        ...  
    ]}
```

#### 4.22. Töötaja dokumendid

Andmed loetakse BC-st tabelist 24002119 (PLK Employee Documents). Teenusega on võimalik pärida kõigile töötajatele seadistatud dokumente ning nende kehtivust.

Veebiteenuse lehe ID 24008363.

|                                  |         |   |   |
|----------------------------------|---------|---|---|
| Välja nimetus                    | Tüüp    | Märkus                                  | Andmed tabelist<br>24002119 PLK<br>Employee Documents |
| <b>Employee_No</b>               | Code    |   | Employee No.  |
| <b>Line_No</b>                   | Integer | Mitmes dokument<br>töötaja kohta        | Line No   |
| <b>Employee_Name</b>             | Text    |   | Employee Name   |
| <b>PLK_Employee_Status</b>       | Option  | Active/Inactive/Prospect<br>/Terminated | PLK Employee Status                                   |
| <b>Citizenship_Code</b>          | Code    |   | Citizenship Code                                      |
| <b>Document_No</b>               | Code    |   | Document No   |
| <b>Document_Type</b>             | Code    |   | Document Type   |
| <b>Document_Type_Description</b> | Text    |   | Document Type<br>Description                          |
| <b>Document_Publisher</b>        | Code    |   | Document Publisher                                    |
| <b>Document_Publisher_Name</b>   | Text    |   | Document Publisher<br>Name                            |
| <b>Document_Valid_From</b>       | Date    |   | Document Valid From                                   |
| <b>Document_Valid_To</b>         | Date    |   | Document Valid To                                     |
| <b>Comment</b>                   | Text    |   | Comment   |
| <b>Locked</b>                    | Boolean | True/False                              | Locked  |
| <b>Department_No</b>             | Code    |   | Department No.  |
| <b>Department_Desc</b>           | Text    |   | Department Desc.                                      |
| <b>Level_2_No</b>                | Code    | Struktuuri taseme kood                  | Level 2 No.   |
| <b>Level_2_Name</b>              | Text    |   | Level 2 Name  |
| <b>Level_3_No</b>                | Code    | Struktuuri taseme kood                  | Level 3 No.   |
| <b>Level_3_Name</b>              | Text    |   | Level 3 Name  |
| <b>Level_4_No</b>                | Code    | Struktuuri taseme kood                  | Level 4 No.   |
| <b>Level_4_Name</b>              | Text    |   | Level 4 Name  |
| <b>Picture</b>                   | Blob    |   | Attachment  |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Documents](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Documents)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/Documents",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ000w4dGZhOTJCQXNLZGtBd2hHWjJicDNKRWowUjFYRDB5M2YxNnYxNW9
GOUk9MTswMDsn\\",
      "Employee_No": "T0002",
      "Line_No": 1,
      "Employee_Name": "Kalle Malle",
    }
  ]
}
```

```
        "PLK_Employee_Status": "Active",
        "Citizenship_Code": "",
        "Document_No": "A1233",
        "Document_Type": "D02",
        "Document_Type_Description": "ID-kaart",
        "Document_Publisher": "",
        "Document_Publisher_Name": "",
        "Document_Valid_From": "2022-09-26",
        "Document_Valid_To": "2028-09-26",
        "Comment": "",
        "Locked": false,
        "Department_No": "10",
        "Department_Desc": "Nõukogu",
        "Level_2_No": "100",
        "Level_2_Name": "Juhatus",
        "Level_3_No": "103",
        "Level_3_Name": "Müögiosakond",
        "Level_4_No": "1034",
        "Level_4_Name": "EE",
        "Picture": ""

    },
    {
        "@odata.etag": "W/\\"JzQ0024vUWVEZFRWTVTa2VUM2hSKzVtODVpQ2RqaGZuT2J4N1hpQUZYM2Z
rb0E9MTswMDsn\\",
        "Employee_No": "T0003",
        "Line_No": 1,
        "Employee_Name": "Teele Tuisk",
        "PLK_Employee_Status": "Active",
        "Citizenship_Code": "",
        "Document_No": "A11445",
        "Document_Type": "D01",
        "Document_Type_Description": "Pass",
        "Document_Publisher": "",
        "Document_Publisher_Name": "",
        "Document_Valid_From": "2020-09-05",
        "Document_Valid_To": "2026-08-14",
        "Comment": "",
        "Locked": false,
        "Department_No": "",
        "Department_Desc": "",
        "Level_2_No": "",
        "Level_2_Name": "",
        "Level_3_No": "",
        "Level_3_Name": "",
        "Level_4_No": "",
        "Level_4_Name": "",
        "Picture": ""

    }
]
}
```

#### 4.23. Töötaja passiivsused

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Antud loendis kuvatakse kõiki passiivseid töötajaid.

Veebiteenuse lehe ID 24008494.

| Välja nimetus                   | Tüüp   | Märkus   | Andmed tabelist<br>24002016 PLK<br>Employee Status |
|---------------------------------|--------|----------|--|
| <b>Employee_No</b>              | Code   |          | Employee No.                                       |
| <b>Status</b>                   | Option | Inactive | Status   |
| <b>From_Date</b>                | Date   |          | From Date  |
| <b>Description</b>              | Text   |          | Description  |
| <b>To_Date</b>                  | Date   |          | To Date  |
| <b>Cause_of_Inactivity_Code</b> | Code   |          | Cause of Inactivity<br>Code                        |
| <b>Main_Contract_No</b>         | Code   |          | Main Contract No                                   |
| <b>Entry_GUID</b>               | Guid   | *        | Entry GUID   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6tajaPassiivsused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6tajaPassiivsused)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/T%C3%B6tajaPassiivsused",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ002xpSStMZTZyRGtvWFVCekpWV1plWEZ2SwdKMHUzdGw5SF1sUEQ0YVV
            HUKk9MTswMDsn\\",
            "Employee_No": "T0010",
            "Status": "Inactive",
            "From_Date": "2022-09-26",
            "Description": "Vanemapuhkus (kuni lapse 3.a saamiseni)",
            "To_Date": "0001-01-01",
            "Cause_of_Inactivity_Code": "LHOOLD",
            "Main_Contract_No": "",
            "Entry_GUID": "7cf25fa9-d7e0-453e-b8b1-82e18feb16cf"
        }
    ]
}
```

#### 4.24. Aktiivsed töötajad

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Päringus kuvatakse ainult aktiivseid töötajaid.

Veebiteenuse lehe ID 24008495.

|                                  |        |        |  |
|----------------------------------|--------|--------|--|
| Välja nimetus                    | Tüüp   | Märkus | Andmed tabelist<br>24002016 PLK<br>Employee Status |
| <b>Employee_No</b>               | Code   |        | Employee No.                                       |
| <b>Status</b>                    | Option | Active | Status   |
| <b>From_Date</b>                 | Date   |        | From Date  |
| <b>Description</b>               | Text   |        | Description  |
| <b>To_Date</b>                   | Date   |        | To Date  |
| <b>Initial_Date</b>              | Date   |        | Initial Date                                       |
| <b>Seniority_Date</b>            | Date   |        | Seniority Date                                     |
| <b>Grounds_for_Term_Code</b>     | Code   |        | Grounds for<br>Term_Code                           |
| <b>Termination_Description</b>   | Text   |        | Termination<br>Description                         |
| <b>Cause_of_Term_Code</b>        | Code   |        | Cause of Term_Code                                 |
| <b>Cause_of_Term_Description</b> | Text   |        | Cause of Term<br>Description                       |
| <b>Remark</b>                    | Text   |        | Remark   |
| <b>Entry_GUID</b>                | Guid   | *      | Entry GUID   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/EmployeeStatus](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/EmployeeStatus)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
/$metadata#Company('Tuuritaja%20AS')/EmployeeStatus",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ001o2Q295UwZ0Rks4RXRpY1FhdjZnOHRYUDDCc19uOHU0Q0xUwlkxOU1
LWVk9MTswMDsn\\",
            "Employee_No": "T0001",
            "Status": "Active",
            "From_Date": "2022-03-01",
            "Description": "Leping",
            "To_Date": "2022-10-15",
            "Initial_Date": "0001-01-01",
            "Seniority_Date": "0001-01-01",
            "Grounds_for_Term_Code": "TA_80LG1",
            "Termination_Description": "§ 80 lg 1 tähtaja möödumine",
            "Cause_of_Term_Code": "",
            "Cause_of_Term_Description": "",
            "Remark": "",
            "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867633"
        },
        {
            "@odata.etag": "W/\\"JzQ003pERXJoeVZYSHBwT3AxME5IOWHVDBjU3Axbi9LQU40a2ROSvhs0J
PNDg9MTswMDsn\\",
            "Employee_No": "T0001",

```

```

    "Status": "Active",
    "From_Date": "2022-10-01",
    "Description": "Leping",
    "To_Date": "0001-01-01",
    "Initial_Date": "0001-01-01",
    "Seniority_Date": "0001-01-01",
    "Grounds_for_Term_Code": "",
    "Termination_Description": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Remark": "",
    "Entry_GUID": "67914410-2b81-4b0b-8855-e4b38cef0b97"
},
...

```

#### 4.25. Töötajate loend

Andmed loetakse BC-st tabelist 24002014. Võimaldab pärida kõigi töötajate üldandmeid töötajate loendist.

Veebiteenuse lehe ID 24012900.

| Välja nimetus                | Tüüp    | Märkus      | Andmed tabelist<br>24002014  |
|------------------------------|---------|-------------|------------------------------|
| No                           | Code    |             | No                           |
| Personal_ID                  | Text    |             | Personal ID                  |
| First_Name                   | Text    |             | First Name                   |
| Last_Name                    | Text    |             | Last Name                    |
| Birth_Date                   | Date    |             | Birth Date                   |
| Deny_Birth_Date_Publish      | Boolean | True/False  | Deny Birth Date Publish      |
| Sex                          | Option  | Male/Female | Sex                          |
| Status                       | Boolean | True/False  | Status                       |
| Employment_Date              | Date    |             | Employment Date              |
| Termination_Date             | Date    |             | Termination Date             |
| Inactive_Date                | Date    |             | Inactive Date                |
| Job_Title                    | Text    |             | Job Title                    |
| Job_Title_English            | Text    |             | Job Title English            |
| Profession_Category_No       | Code    |             | Profession Category No       |
| Profession_Category_Decs     | Text    |             | Profession Category Decs     |
| Profession_Group_Code        | Code    |             | Profession Group Code        |
| Profession_Group_Description | Text    |             | Profession Group Description |
| Working_Factor               | Decimal |             | Working Factor               |
| Noviciate                    | Boolean | True/False  | Noviciate                    |
| E_Mail                       | Text    |             | E-Mail                       |
| Company_E_Mail               | Text    |             | Company E-Mail               |
| Phone_No_1                   | Text    |             | Phone No. 1                  |
| Phone_No_2                   | Text    |             | Phone No. 2                  |
| Mobile_Phone_No_1            | Text    |             | Mobile Phone No. 1           |
| Mobile_Phone_No_2            | Text    |             | Mobile Phone No. 2           |

|                                 |      |   |                          |
|---------------------------------|------|---|--------------------------|
| <b>Address</b>                  | Text |   | Address                  |
| <b>Address_2</b>                | Text |   | Address 2                |
| <b>City</b>                     | Text |   | City                     |
| <b>Post_Code</b>                | Code |   | Post Code                |
| <b>Country_Code</b>             | Code |   | Country Code             |
| <b>Seniority_Date</b>           | Date |   | Seniority Date           |
| <b>Level_1_No</b>               | Code |   | Level 1 No.              |
| <b>Level_1_Name</b>             | Text |   | Level 1 Name             |
| <b>Level_1_Name_English</b>     | Text |   | Level 1 Name English     |
| <b>Level_2_No</b>               | Code | Struktuuri taseme kood  | Level 2 No.              |
| <b>Level_2_Name</b>             | Text |   | Level 2 Name             |
| <b>Level_2_Name_English</b>     | Text |   | Level 2 Name English     |
| <b>Level_3_No</b>               | Code | Struktuuri taseme kood  | Level 3 No.              |
| <b>Level_3_Name</b>             | Text |   | Level 3 Name             |
| <b>Level_3_Name_English</b>     | Text |   | Level 3 Name English     |
| <b>Level_4_No</b>               | Code | Struktuuri taseme kood  | Level 4 No.              |
| <b>Level_4_Name</b>             | Text |   | Level 4 Name             |
| <b>Level_4_Name_English</b>     | Text |   | Level 4 Name English     |
| <b>Manager_No</b>               | Code |   | Manager No.              |
| <b>Manager_Name</b>             | Text |   | Manager Name             |
| <b>Payroll_Dimension_1_Code</b> | Code |   | Payroll Dimension 1 Code |
| <b>Payroll_Dimension_2_Code</b> | Code |   | Payroll Dimension 2 Code |
| <b>Payroll_Dimension_3_Code</b> | Code |   | Payroll Dimension 3 Code |
| <b>Payroll_Dimension_4_Code</b> | Code |   | Payroll Dimension 4 Code |
| <b>Custom_Field_1</b>           | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 1           |
| <b>Custom_Field_2</b>           | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 2           |
| <b>Custom_Field_3</b>           | Code | Võimaldab seadistada kliendi poolt eel defineeritud   | Custom Field 3           |

|                                |      |   |                         |
|--------------------------------|------|---|-------------------------|
|                                |      | väärtustega või sisestatava tekstiga väärtusi   |                         |
| <b>Custom_Field_4</b>          | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi | Custom Field 4          |
| <b>Custom_Field_5</b>          | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi | Custom Field 5          |
| <b>Custom_Field_6</b>          | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi | Custom Field 6          |
| <b>Custom_Field_7</b>          | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi | Custom Field 7          |
| <b>Custom_Field_8</b>          | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi | Custom Field 8          |
| <b>Custom_Field_9</b>          | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi | Custom Field 9          |
| <b>I_Statistics_Group_Code</b> | Code |   | I Statistics Group Code |

| II_Statistics_Group_Code   | Code       |              | II Statistics Group Code |
|----------------------------|------------|--------------|--------------------------|
| <b>Picture</b>             | Bloob      | Töötaja pilt | Picture                  |
| <b>SQL_Timestamp</b>       | BigInteger | *            | SQL Timestamp            |
| <b>Entry_GUID</b>          | Guid       | *            | Entry GUID               |
| <b>Blocked</b>             | Boolean    | True/False   | Blocked                  |
| <b>Sch_From_Filter</b>     | Date       |              | Sch. From Filter         |
| <b>Sch_To_Filter</b>       | Date       |              | Sch. To Filter           |
| <b>Workstation code</b>    | Code       |              | Workstation code         |
| <b>Workstation Address</b> | Text       |              |                          |
| <b>Workstation Name</b>    | Text       |              | Workstation Name         |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmpRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/EmpRead)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/EmpRead",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ003hLWUZhdnVTSDA3ckt3UkJZQTJEOfpjZ2ZFdwYvNUE1U1RIWDNCNVU
0dG89MTswMDsn\\",
            "No": "T0002",
            "Personal_ID": "36706225719",
            "First_Name": "Kalle",
            "Last_Name": "Malle",
            "Birth_Date": "1967-06-22",
            "Deny_Birth_Date_Publish": false,
            "Sex": "Male",
            "Status": "Active",
            "Employment_Date": "2022-03-01",
            "Termination_Date": "0001-01-01",
            "Inactive_Date": "0001-01-01",
            "Job_Title": "",
            "Job_Title_English": "",
            "Profession_Category_No": "",
            "Profession_Category_Decs": "",
            "Profession_Group_Code": "",
            "Profession_Group_Description": "",
            "Working_Factor": 1,
            "Noviciate": false,
            "E_Mail": "",
            "Company_E_Mail": "Kalle@tuur.ee",
            "Phone_No_1": "",
            "Phone_No_2": "",
            "Mobile_Phone_No_1": "",
            "Mobile_Phone_No_2": "",
            "Address": ""
        }
    ]
}
```

```
"Address_2": "",  
"City": "",  
"Post_Code": "",  
"County": "",  
"Country_Code": "",  
"Seniority_Date": "0001-01-01",  
"Level_1_No": "10",  
"Level_1_Name": "Nõukogu",  
"Level_1_Name_English": "",  
"Level_2_No": "100",  
"Level_2_Name": "Juhatus",  
"Level_2_Name_English": "",  
"Level_3_No": "103",  
"Level_3_Name": "Müügiosakond",  
"Level_3_Name_English": "",  
"Level_4_No": "1034",  
"Level_4_Name": "EE",  
"Level_4_Name_English": "",  
"Manager_No": "",  
"Manager_Name": "",  
"Payroll_Dimension_1_Code": "",  
"Payroll_Dimension_2_Code": "",  
"Payroll_Dimension_3_Code": "",  
"Payroll_Dimension_4_Code": "",  
"Custom_Field_1": "",  
"Custom_Field_2": "",  
"Custom_Field_3": "",  
"Custom_Field_4": "",  
"Custom_Field_5": "",  
"Custom_Field_6": "",  
"Custom_Field_7": "",  
"Custom_Field_8": "",  
"Custom_Field_9": "",  
"Custom_Field_10": "",  
"I_Statistics_Group_Code": "",  
"II_Statistics_Group_Code": "",  
"Picture": "",  
"SQL_Timestamp": 54656480,  
"Entry_GUID": "1f827038-8b46-4de5-ab0e-59e5d47314b6",  
"Blocked": false,  
"Sch_From_Filter": "",  
"Sch_To_Filter": ""  
,  
...  
}
```

#### 4.26. Töötajate oskuste loend

Andmed loetakse BC-st tabelist PER Employee Skill 24008863. Võimaldab pärida kõigi ettevõtte töötajatele seadistatud oskusi ja nende tasemeid ja selle täitmist. Veebiteenuse lehe ID 24008492.

| Välja nimetus                      | Tüüp    | Märkus                              | Andmed tabelist PER Employee Skill (24008863) |
|------------------------------------|---------|-------------------------------------|---|
| <b>Employee_No</b>                 | Code    |                                     | Employee No.                                  |
| <b>Line_No</b>                     | Integer | Töötaja kohta oskuse rea number     | Line No                                       |
| <b>Employee_Name</b>               | Text    |                                     | Employee Name                                 |
| <b>Employee_Status</b>             | Option  | Active/Inactive/Prospect/Terminated | Employee Status                               |
| <b>Skill_Type_Code</b>             | Code    |                                     | Skill Type Code                               |
| <b>Skill_Type_Description</b>      | Text    |                                     | Skill Type Description                        |
| <b>Skill_Code</b>                  | Code    |                                     | Skill Code                                    |
| <b>Skill_Description</b>           | Text    |                                     | Skill Description                             |
| <b>Skill_Level_Code</b>            | Code    |                                     | Skill Level Code                              |
| <b>Skill_Level_Description</b>     | Text    |                                     | Skill Level Description                       |
| <b>From_Date</b>                   | Date    |                                     | From Date                                     |
| <b>Until_Date</b>                  | Date    |                                     | Until Date                                    |
| <b>Requested_Level_Code</b>        | Code    |                                     | Requested Level Code                          |
| <b>Requested_Level_Description</b> | Text    |                                     | Requested Level Description                   |
| <b>Comment</b>                     | Text    |                                     | Comment                                       |
| <b>Entry_GUID</b>                  | Guid    |                                     | Entry GUID                                    |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmployeeSkills](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/EmployeeSkills)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/EmployeeSkills",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0020rckNDVFg4bys4Lyt1dzllN1hwVFZjdWRuTjVkmWhyT3BxMkdhZX1
jSEE9MTswMDsn\\",
            "Employee_No": "T0002",
            "Line_No": 10000,
            "Employee_Name": "Kalle Malle",
            "Employee_Status": "Active",
            "Skill_Type_Code": "ARVUTI",
            "Skill_Type_Description": "Arvutiprogrammid",
        }
    ]
}
```

```
        "Skill_Code": "EXCEL",
        "Skill_Description": " ",
        "Skill_Level_Code": "B",
        "Skill_Level_Description": "Spetsialisti/konsultandi",
        "From_Date": "2022-09-01",
        "Until_Date": "0001-01-01",
        "Requested_Level_Code": "A",
        "Requested_Level_Description": "Arendaja",
        "Comment": "",
        "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
        "@odata.etag": "W/\\"JzQ00Zh0VU1FQXZXcVA1Nk5zK2xhTWFYTFIzQj1VM1AvbUI2SVVHV1dmU3R
Bdk09MTswMDsn\\",
        "Employee_No": "T0002",
        "Line_No": 2000,
        "Employee_Name": "Kalle Malle",
        "Employee_Status": "Active",
        "Skill_Type_Code": "KEELED",
        "Skill_Type_Description": "Keeled",
        "Skill_Code": "INGLISE",
        "Skill_Description": "Inglise keel",
        "Skill_Level_Code": "B",
        "Skill_Level_Description": "Spetsialisti/konsultandi",
        "From_Date": "0001-01-01",
        "Until_Date": "0001-01-01",
        "Requested_Level_Code": "D",
        "Requested_Level_Description": "Tavakasutaja",
        "Comment": "",
        "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
        "@odata.etag": "W/\\"JzQ003FFSGZIdkQvei9LVEJuTUt2Y2t0cDl0cnIxL211elU1dG1UNU0xMzB
DYk09MTswMDsn\\",
        "Employee_No": "T0003",
        "Line_No": 1000,
        "Employee_Name": "Teele Tuisk",
        "Employee_Status": "Active",
        "Skill_Type_Code": "ARVUTI",
        "Skill_Type_Description": "Arvutiprogrammid",
        "Skill_Code": "WORD",
        "Skill_Description": " ",
        "Skill_Level_Code": "B",
        "Skill_Level_Description": "Spetsialisti/konsultandi",
        "From_Date": "2022-09-01",
        "Until_Date": "0001-01-01",
        "Requested_Level_Code": "B",
        "Requested_Level_Description": "Spetsialisti/konsultandi",
        "Comment": "",
        "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    }
}
```

]  
}

#### 4.27. Puhkuste ajakava žurnaal

Andmed loetakse BC-st tabelist PLK Payroll Holiday Sch. Lines 24002050. Antud teenusega on võimalik pärida puhkuste ajakava žurnaali andmeid.

Veebiteenuse lehe ID 24008490.

|                           |         |                                     |   |
|---------------------------|---------|-------------------------------------|---|
| Välja nimetus             | Tüüp    | Märkus                              | Andmed tabelist PLK Payroll Holiday Sch. Lines (24002050) |
| <b>Entry_No</b>           | Integer |                                     | Entry No.   |
| <b>Journal_Batch_Name</b> | Code    | Töölehe nimetus                     | Journal Batch Name  |
| <b>Entry_GUID</b>         | Guid    | *                                   | Entry GUID  |
| <b>Employee_No</b>        | Code    |                                     | Employee No.  |
| <b>Employee_Name</b>      | Text    |                                     | Employee Name   |
| <b>Employee_Status</b>    | Option  | Active/Inactive/Prospect/Derminated | Employee Status   |
| <b>Holiday_Code</b>       | Code    |                                     | Holiday Code  |
| <b>From_Date</b>          | Date    |                                     | From Date   |
| <b>To_Date</b>            | Date    |                                     | To Date   |
| <b>Description</b>        | Text    |                                     | Description   |
| <b>Days</b>               | Decimal |                                     | Quantity(Days)  |
| <b>Holiday_Payment</b>    | Option  | Payday/Holiday/Monthly              | Holiday Payment   |
| <b>Notes</b>              | Text    |                                     | Notes   |
| <b>Posted</b>             | Boolean | True/False                          | Posted  |
| <b>Department_No</b>      | Code    |                                     | Department No.  |
| <b>Level_2_No</b>         | Code    | Struktuuri taseme kood              | Level 2 No.   |
| <b>Level_3_No</b>         | Code    | Struktuuri taseme kood              | Level 3 No.   |
| <b>Level_4_No</b>         | Code    | Struktuuri taseme kood              | Level 4 No.   |

Näidis püringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Holiday](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Holiday)

Näidis püringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
    /$metadata#Company('Tuuritaja%20AS')/Holiday",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzREeTRLQzM3Vm9TM1pBOXhkaG84Wk9oY29UMzJnNFVESWQ0Y05NdTE
    2ZGc9MTswMDsn\\",
            "Entry_No": 1,
```

```
"Journal_Batch_Name": "2023",
"Entry_GUID": "00000000-0000-0000-0000-000000000000",
"Employee_No": "T0001",
"Employee_Name": "Triinu Tuum",
"Employee_Status": "Active",
"Holiday_Code": "P_PUHKUS",
"From_Date": "2023-06-05",
"To_Date": "2023-06-11",
"Description": "Puhkus",
"Days": 7,
"Holiday_Payment": "Payday",
"Notes": "",
"Posted": false,
"Department_No": "10",
"Level_2_No": "100",
"Level_3_No": "102",
"Level_4_No": "1022"
},
{
"@odata.etag": "W/\\"JzQ003VQZDZWm5PMHN6bUdacG1rRH1ONhpNMkt0YUtSZHV6aFZ6dVhOWUN
meWM9MTswMDsn\\\"",
"Entry_No": 2,
"Journal_Batch_Name": "2023",
"Entry_GUID": "00000000-0000-0000-0000-000000000000",
"Employee_No": "T0002",
"Employee_Name": "Kalle Malle",
"Employee_Status": "Active",
"Holiday_Code": "P_PUHKUS",
"From_Date": "2023-03-20",
"To_Date": "2023-03-26",
"Description": "Puhkus",
"Days": 7,
"Holiday_Payment": "Payday",
"Notes": "",
"Posted": false,
"Department_No": "10",
"Level_2_No": "100",
"Level_3_No": "103",
"Level_4_No": "1034"
},
...
}
```

#### 4.28. Töötaja tööajatabeli kannete pärimine

Andmed saadakse BC tabelitest PLK Working Schedule Entries (24002101). Iga päringu rida on ühe töötaja tööajatabeli kande rida.  
Veebiteenuse lehe ID 24008472.

|                                  |         |   |   |
|----------------------------------|---------|---|---|
| Välja nimetus                    | Tüüp    | Märkus                                    | Andmed tabelist<br>PLK Working Schedule Entries<br>(24002101) |
| <b>Working_Schedule_Group_No</b> | Code    |   | Working Schedule Group No                                     |
| <b>Employee_No</b>               | Code    |   | Employee No.  |
| <b>Date</b>                      | Date    |   | Date  |
| <b>Entry_No</b>                  | Integer | Kande number töötaja päeva kande kohta    | Entry No  |
| <b>Line_No</b>                   | Integer | Rea number töötaja päeva kande kohta      | Line No   |
| <b>Employee_Name</b>             | Text    |   | Employee Name   |
| <b>Employee_Job_Title</b>        | Text    |   | Employee Job Title  |
| <b>Planning_Month</b>            | Date    |   | Planning Month  |
| <b>Planning_Month_Text</b>       | Text    |   |   |
| <b>Month_Normal_Hours</b>        | Decimal | Arvutatav välі kuu tundide kirjeldamiseks |   |
| <b>Month_Evening_Hours</b>       | Decimal | Arvutatav välі kuu tundide kirjeldamiseks |   |
| <b>Month_Night_Hours</b>         | Decimal | Arvutatav välі kuu tundide kirjeldamiseks |   |
| <b>Month_Holiday_Hours</b>       | Decimal | Arvutatav välі kuu tundide kirjeldamiseks |   |
| <b>Month_Total_Hours</b>         | Decimal | Arvutatav välі kuu tundide kirjeldamiseks |   |
| <b>Month_Nominal_Hours</b>       | Decimal | Arvutatav välі kuu tundide kirjeldamiseks |   |
| <b>Month_Hours_Difference</b>    | Decimal | Arvutatav välі kuu tundide kirjeldamiseks |   |
| <b>Month_Day_Overtime_Hours</b>  | Decimal | Arvutatav välі kuu tundide kirjeldamiseks |   |
| <b>Month_Amount</b>              | Decimal | Arvutatav välі kuu tundide kirjeldamiseks |   |
| <b>Month_Quantity</b>            | Decimal | Arvutatav välі kuu tundide kirjeldamiseks |   |

|                                    |         |                      |                             |
|------------------------------------|---------|----------------------|-----------------------------|
| <b>Weekday</b>                     | Option  | Mo,Tu,We,Th,Fr,Sa,Su | Weekday                     |
| <b>Route_Code</b>                  | Code    |                      | Route Code                  |
| <b>Route_Version_Code</b>          | Code    |                      | Route Version Code          |
| <b>Route_Day_Code</b>              | Date    |                      | Route Day Code              |
| <b>Working_Shift_Code</b>          | Code    |                      | Working Shift Code          |
| <b>Since</b>                       | Time    |                      | Since                       |
| <b>Till</b>                        | Time    |                      | Till                        |
| <b>Hours</b>                       | Decimal |                      | Hours                       |
| <b>Normal_Hours</b>                | Decimal |                      | Normal Hours                |
| <b>Evening_Hours</b>               | Decimal |                      | Evening Hours               |
| <b>Night_Hours</b>                 | Decimal |                      | Night Hours                 |
| <b>Holiday_Hours</b>               | Decimal |                      | Holiday Hours               |
| <b>Holiday_Normal_Hours</b>        | Decimal |                      | Holiday Normal Hours        |
| <b>Holiday_Evening_Hours</b>       | Decimal |                      | Holiday Evening Hours       |
| <b>Holiday_Night_Hours</b>         | Decimal |                      | Holiday Night Hours         |
| <b>Break_Hours</b>                 | Decimal |                      | Break Hours                 |
| <b>Break_Since</b>                 | Time    |                      | Break Since                 |
| <b>Break_Till</b>                  | Time    |                      | Break Till                  |
| <b>Break_Normal_Hours</b>          | Decimal |                      | Break Normal Hours          |
| <b>Break_Evening_Hours</b>         | Decimal |                      | Break Evening Hours         |
| <b>Break_Night_Hours</b>           | Decimal |                      | Break Night Hours           |
| <b>Break_Holiday_Normal_Hours</b>  | Decimal |                      | Break Holiday Normal Hours  |
| <b>Break_Holiday_Evening_Hours</b> | Decimal |                      | Break Holiday Evening Hours |
| <b>Break_Holiday_Night_Hours</b>   | Decimal |                      | Break Holiday Night Hours   |
| <b>Day_Overtime_Hours</b>          | Decimal |                      | Day Overtime Hours          |
| <b>Shortened_Nominal_Hours</b>     | Decimal |                      | Shortened Nominal Hours     |
| <b>Shortened_Holiday_Date</b>      | Date    |                      | Shortened Holiday Date      |
| <b>Entry_Type</b>                  | Code    |                      | Entry Type                  |
| <b>Percentage</b>                  | Decimal |                      | Percentage                  |
| <b>Quantity</b>                    | Decimal |                      | Quantity                    |
| <b>Hour_Cost</b>                   | Decimal |                      | Hour Cost                   |
| <b>Amount</b>                      | Decimal |                      | Amount                      |
| <b>Description</b>                 | Text    |                      | Description                 |
| <b>Comment</b>                     | Text    |                      | Comment                     |
| <b>Cause_of_Absence_Code</b>       | Code    |                      | Cause of Absence Code       |
| <b>Absence_Hours</b>               | Decimal |                      | Absence Hours               |
| <b>PER_Job_No</b>                  | Code    |                      | PER Job No.                 |
| <b>PER_Job_Description</b>         | Text    |                      | PER Job Description         |

|                                 |          |            |                          |
|---------------------------------|----------|------------|--------------------------|
| <b>PER_Task_No</b>              | Code     |            | PER Task No.             |
| <b>PER_Task_Description</b>     | Text     |            | PER Task Description     |
| <b>Payroll_Dimension_1_Code</b> | Code     |            | Payroll Dimension 1 Code |
| <b>Payroll_Dimension_2_Code</b> | Code     |            | Payroll Dimension 2 Code |
| <b>Payroll_Dimension_3_Code</b> | Code     |            | Payroll Dimension 3 Code |
| <b>Payroll_Dimension_4_Code</b> | Code     |            | Payroll Dimension 4 Code |
| <b>Leader_No</b>                | Code     |            | Leader No                |
| <b>Leader_Name</b>              | Text     |            | Leader Name              |
| <b>Brigade_Code</b>             | Code     |            | Brigade Code             |
| <b>Brigade_Name</b>             | Text     |            | Brigade Name             |
| <b>Submitted</b>                | Boolean  | True/False | Submitted                |
| <b>Submitted_Time</b>           | Datetime |            | Submitted Time           |
| <b>Accepted</b>                 | Boolean  | True/False | Accepted                 |
| <b>Accepted_Time</b>            | Datetime |            | Accepted Time            |
| <b>Registered</b>               | Boolean  | True/False | Registered               |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/IteraHolidayRequests](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/IteraHolidayRequests)

Näidis päringu vastus:

```
{
    "@odata.etag": "W/\\"JzQ002E5R3VHYWp0OVJuNHd1cnA0TWV1MkZzOUpLYWsweEF5MTVSNnFzR1hVaFk9MTswMDsn\\",
    "Working_Schedule_Group_No": "VEDURIJUHT",
    "Employee_No": "T0002",
    "Date": "2022-07-04",
    "Entry_No": 2,
    "Line_No": 0,
    "Employee_Name": "Kalle Malle",
    "Employee_Job_Title": "",
    "Planning_Month": "2022-07-01",
    "Planning_Month_Text": "July 2022",
    "Month_Normal_Hours": 13,
    "Month_Evening_Hours": 10,
    "Month_Night_Hours": 3,
    "Month_Holiday_Hours": 0,
    "Month_Total_Hours": 26,
    "Month_Nominal_Hours": 168,
    "Month_Hours_Difference": -142,
    "Month_Day_Overtime_Hours": 0,
    "Month_Amount": 0,
    "Month_Quantity": 0,
    "Weekday": "Mo",
    "Route_Code": "KPA",
}
```

```
"Route_Version_Code": "RP",
"Route_Day_Code": "2022-07-04",
"Working_Shift_Code": "",
"Since": "20:00:00",
"Till": "21:00:00",
"Hours": 1,
"Normal_Hours": 0,
"Evening_Hours": 1,
"Night_Hours": 0,
"Holiday_Hours": 0,
"Holiday_Normal_Hours": 0,
"Holiday_Evening_Hours": 0,
"Holiday_Night_Hours": 0,
"Break_Hours": 0,
"Break_Since": "00:00:00",
"Break_Till": "00:00:00",
"Break_Normal_Hours": 0,
"Break_Evening_Hours": 0,
"Break_Night_Hours": 0,
"Break_Holiday_Normal_Hours": 0,
"Break_Holiday_Evening_Hours": 0,
"Break_Holiday_Night_Hours": 0,
"Day_Overtime_Hours": 0,
"Shortened_Nominal_Hours": 0,
"Shortened_Holiday_Date": "0001-01-01",
"Entry_Type": "TÖÖAEG_2",
"Percentage": 0,
"Quantity": 0,
"Hour_Cost": 0,
"Amount": 0,
"Description": "",
"Comment": "2-päevase tuuri tööaeg",
"Cause_of_Absence_Code": "",
"Absence_Hours": 0,
"PER_Job_No": "",
"PER_Job_Description": "",
"PER_Task_No": "",
"PER_Task_Description": "",
"PER_Task_Description_Employee": "",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"Leader_No": "",
"Leader_Name": "",
"Brigade_Code": "",
"Brigade_Name": "",
"Submitted": false,
"Submitted_Time": "0001-01-01T00:00:00Z",
"Accepted": false,
"Accepted_Time": "0001-01-01T00:00:00Z",
```

```

    "Registered": false
},

```

## 4.29. Töötajate palgalipikud

Andmed päritakse raportiga 24002000 PLK Employee Salary Report.

Veebiteenuse lehe ID 24008301.

Päringuga tuleb kindlasti kaasa anda filter Calculation\_Filter\_In. Vajadusel saab lisada ka töötaja numbri filtri.

|                       |        |                     |   |
|-----------------------|--------|---------------------|---|
| Välja nimetus         | Tüüp   | Märkus              | Andmed aruandest<br>24002000 PLK<br>Employee Salary<br>Report |
| No                    | Code   |                     |   |
| Calculation_Filter_In | Code   | Formaadis '2022-09' |   |
| Department_No         | Code   |                     |   |
| CalculationFilter     | Code   |                     |   |
| SalaryReportB64       | Base64 |                     |   |

Näidis päringu aadress:

[http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Palgalipikud?\\$filter=Calculation\\_Filter\\_In eq '2022-09'](http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Palgalipikud?$filter=Calculation_Filter_In eq '2022-09')

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeuropeweb.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
  /$metadata#Company('Tuuritaja%20AS')/Palgalipikud",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ000UzTDZva01LeWpQUFQwVG81VnIyWGc3QTZvVjMvcVFZd2FaNlwvwVzY
      yLzQ9MTswMDsn\\",
      "No": "T0003",
      "Calculation_Filter_In": "",
      "Department_No": "10",
      "CalculationFilter": "2022-09",
      "SalaryReportB64": "JVBERi0xLjMNCjEgMCBvYmoNC1svUERGIC9UZXh0IC9jbWFnZUIgL0ltYwd
      1QyAvSW1hZ2VJXQ0KZW5kb2JqDQo2IDAgb2JqDQo8PCAvTGVuZ3RoIDE4NjMgL0ZpbHR1ciAvRmxhdGVEZWNvZGUgPj
      4gc3RyZWFrDQpYCbVa227cNhB9D+B/4KNTpCyHdwVBgRR1iyBB2sSb9qHpw8arBBvvOo531f5+hzeJuqwkyy2CvYTL4
      ZyZORwORz579JVs4XUBCQFI4jSmha8IBYEVKQu5L8SW70HjFaaCD5+90nIgwFvhAjCipMgSsxqgXhghplneTHM1wf
      f/STJIRJRrtJoNMkv/xPK/LDL4IUtCgKsvpImP+HKqTi1Alq1eIUFcu3EoFZYUgqw05f/72j4vL1fPVu58fk9Vnsvq
      OXKz0Hr05hRcMRbANYKWo5rqHGIowLUFW4KctwCyBUS5UC/PLF69fvyC/X1zMRR29zAE1SQIIumCWoC3Cqgh6UBAKQR
      mYw1Kh5+0cQY5oDV01oLaUCdEW/OrdEmaJMAvCLJFmNV6SxPS8JDRHxknnJW4VfgVcCadx5b10We3363sFNfnHGqrc5
      6SZiiikqEHHLTN41UzETZ2Vm8iVmKsmolWLSzK9E8hByhpvRIj8RqCqM081Yj4B2lIAceWeJAAbWF17lobw9lvsP5R2u
      y3lPt+A8+DmqB9zV3p8DytWQcvSXxISCyv1SSuXanzEmDGPmKrwUfpCSX5vwyUQYy39XF18afy/x5cYAP53cx+a3Zt6
      PXXvq+EV7tEzx65kjB8xpxc9SK1rmnHNJRd+HMX7aYnIwdjR+Ey6M8d0FpNaY6EFtg/XSzpZD9EzmVe8ZG7zKPsSxJM
      PxxaL3ZRyDsKab78dwgioyermehtdtXzckoGyWTvZbHEy+EUUbnJ5/AE4eJKJ8ma1I6RdUJvImuud1Xtqv36+tDTm0jVM
      nchqQSSybTU8gLPTHnalwMOpY9PDN6Y2huJJH2kFGHLA0AOPl0X8rsLL0ULgmL6K9IubtqZROboBI+wHuEpoKpjJUSMz
      oNBYqdzjINUKE7nmhAMPu9IKJHm9ot0x62Ytz72cWdwTiFdj3ucQDv/fxr5893Q02nQIJ7jNIZyjrfddhDuy76bQpn2
      XoT2x70bp4YQ304db7o3FVQI8xuKpsw2NFYv9m07/ln95F25N3ty/w+ydQFuzd4Z/vfjbBxxGsIv+Qv/7G/20cfYUr-f3
```

FDWGvI3nvcalmP7MjlfNk4ECvhtihWOJloqq9aevMyekwvTtUgM2FlBAU4Bfq/09zVkJ2meAbvtncZdPJz8Y6Cbma5a3  
Peq8BHZ7tR9rxIfEe50zfgxLdx17L5VWk+Z/

...

### 4.30 Veebiteenus palgakannete lugemiseks

Teenus võimaldab lugeda palgakannete andmeid tabelist PLK Payroll Ledger Entry (24002035).

Veebiteenuse lehe ID 24017190 "PER SOAP Payroll Entries".

| Välja nimetus                   | Tüüp    | Märkus             | Andmed tabelist PLK Payroll Ledger Entry (24002035). |
|---------------------------------|---------|--------------------|--|
| <b>EntryNo</b>                  | Integer |                    | Entry No.  |
| <b>AccountNo</b>                | Code    |                    | Account No.  |
| <b>EmployeeNo</b>               | Code    |                    | Employee No.   |
| <b>PostingDate</b>              | Date    |                    | Posting Date   |
| <b>AccountingPeriod</b>         | Code    |                    | Accounting Period                                    |
| <b>PaymentPeriod</b>            | Code    |                    | Payment Period                                       |
| <b>CalculationPeriod</b>        | Code    |                    | Calculation Period                                   |
| <b>DocumentNo</b>               | Code    |                    | Document No  |
| <b>Amount</b>                   | Decimal |                    | Amount   |
| <b>Description</b>              | Text    |                    | Description  |
| <b>Type</b>                     | Option  | Tavaline/Lisakanne | Type   |
| <b>Remark</b>                   | Text    |                    | Remark   |
| <b>WorkingScheduleGroupNo</b>   | Code    |                    | Working Schedule Group No.                           |
| <b>CurrencyCode</b>             | Code    |                    | Currency Code  |
| <b>CurrencyFactor</b>           | Decimal |                    | Currency Factor                                      |
| <b>CurrencyAmount</b>           | Decimal |                    | Currency Amount                                      |
| <b>EmployeeName</b>             | Text    |                    | Employee Name  |
| <b>MainContractNo</b>           | Code    |                    | Main Contract No.                                    |
| <b>VehicleRegistrationPlate</b> | Code    |                    | Vehicle Registration Plate                           |
| <b>BankNo</b>                   | Code    |                    | Bank No.   |
| <b>Dimension1</b>               | Code    | Palgadimensioon    | Payroll Dimension 1 Code                             |
| <b>Dimension2</b>               | Code    | Palgadimensioon    | Payroll Dimension 2 Code                             |
| <b>Dimension3</b>               | Code    | Palgadimensioon    | Payroll Dimension 3 Code                             |
| <b>Dimension4</b>               | Code    | Palgadimensioon    | Payroll Dimension 4 Code                             |
| <b>Dimension5</b>               | Code    | Palgadimensioon    | Payroll Dimension 5 Code                             |
| <b>Dimension6</b>               | Code    | Palgadimensioon    | Payroll Dimension 6 Code                             |

|                         |            |                 |                             |
|-------------------------|------------|-----------------|-----------------------------|
| <b>Dimension7</b>       | Code       | Palgadimensioon | Payroll Dimension 7<br>Code |
| <b>Dimension8</b>       | Code       | Palgadimensioon | Payroll Dimension 8<br>Code |
| <b>SystemCreatedAt</b>  | Date Time  |                 | System Created At           |
| <b>SystemId</b>         | GUID       |                 | SystemId                    |
| <b>SystemModifiedAt</b> | Date Time  |                 | SystemModifiedAt            |
| <b>Timestamp</b>        | BigInteger |                 | SQL Timestamp               |
| <b>EntryGUID</b>        | GUID       |                 | Entry GUID                  |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/ODataV4/Company\('DEMO%20AS'\)/PayrollEntries](http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/ODataV4/Company('DEMO%20AS')/PayrollEntries)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/ODataV4/$metadata#Company('DEMO%20AS')/PayrollEntries",
    "value": [
        {
            "@odata.etag": "W/\\"JzE50zI4MjEyMDA5MDMwNjQ20TgxNTQx0zAw0yc=\"",
            "EntryNo": 1,
            "AccountNo": "4010",
            "EmployeeNo": "T001",
            "PostingDate": "2019-09-30",
            "AccountingPeriod": "2019-09",
            "PaymentPeriod": "2019-10",
            "CalculationPeriod": "2019-09",
            "DocumentNo": "PALK 30.09.19",
            "Amount": 21,
            "Description": "Normtööpäevi kuus",
            "Type": "Normal",
            "Remark": "",
            "WorkingScheduleGroupNo": "",
            "CurrencyCode": "",
            "CurrencyFactor": 0,
            "CurrencyAmount": 0,
            "EmployeeName": "Mari Murakas",
            "MainContractNo": "",
            "VehicleRegistrationPlate": "",
            "BankNo": "",
            "Dimension1": "FIN",
            "Dimension2": "RMP",
            "Dimension3": "",
            "Dimension4": "",
            "Dimension5": "",
            "Dimension6": "",
            "Dimension7": "",
            "Dimension8": ""
        }
    ]
}
```

```
    "SystemCreatedAt": "0001-01-01T00:00:00Z",
    "SystemId": "489d19d7-57e0-e911-80f5-00155d420cda",
    "SystemModifiedAt": "0001-01-01T00:00:00Z",
    "Timestamp": 21277146,
    "EntryGUID": "b77944dd-25b6-487e-955f-d7c756a3b8ae"
},
```

## 5. HRM4Baltics GET ja POST teenused

All pool kirjeldatud teenuseid on võimalik kasutada nii tabelisse kirjutamiseks, kui ka lugemiseks. GET- lugemiseks, POST- kirjutamiseks.

### 5.1. Palga ametikohad

Andmed loetakse ja kirjutatakse BC-sse tabelisse PLK Payroll Profession (24002009), kus on kirjeldatud kõik ettevõtte ametikohad.

Veebiteenuse lehe ID 24008314.

| Välja nimetus                | Tüüp    | Märkus         | Andmed tabelis PLK Payroll Profession (24002009) |
|------------------------------|---------|----------------|--|
| No                           | Code    |                | No   |
| Type                         | Option  | Normal/Heading | Type   |
| Name                         | Text    |                | Name   |
| Name_English                 | Text    |                | Name English                                     |
| Locked                       | Boolean | True/False     | Locked   |
| ISCO_Code                    | Code    |                | ISCO Code  |
| Statistical_Jobs_Class_Code  | Code    |                | Statistical Jobs Class Code                      |
| Structure_Code               | Code    |                | Structure Code                                   |
| Structure_Subcode            | Code    |                | Structure Subcode                                |
| Profession_Group_Code        | Code    |                | Profession Group Code                            |
| Profession_Group_Description | Text    |                | Profession Group Description                     |

Näidis püringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/SoapAmetid](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/SoapAmetid)

JSON näidis POST püringuks:

```
{
    "No": "4-004",
    "Type": "Heading",
    "Name": "Ostuosaakond",
    "Name_English": "",
    "Locked": false,
    "ISCO_Code": "",
    "Statistical_Jobs_Class_Code": "",
```

```
"Structure_Code": "",  
"Structure_Subcode": "",  
"Profession_Group_Code": "",  
"Profession_Group_Description": "",  
"Job_Description": ""  
}
```

Näidis päringute vastus:

POST

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
/$metadata#Company('Tuuritaja%20AS')/SoapAmetid/$entity",  
    "@odata.etag": "W/\\"JzQ002cyU0FjV1VTK2tsczNoSk5DMGhqOUVJcHnbXRXT0pzRGczZmtTU3JVM2M9MTs  
wMDsn\\\"",  
    "No": "4-004",  
    "Type": "Heading",  
    "Name": "Ostuosaakond",  
    "Name_English": "",  
    "Locked": false,  
    "ISCO_Code": "",  
    "Statistical_Jobs_Class_Code": "",  
    "Structure_Code": "",  
    "Structure_Subcode": "",  
    "Profession_Group_Code": "",  
    "Profession_Group_Description": "",  
    "Job_Description": ""  
}
```

GET

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
/$metadata#Company('Tuuritaja%20AS')/SoapAmetid",  
    "value": [  
        {  
            "@odata.etag": "W/\\"JzQ000ZhOFBETVNMMjhJREpHcVBzYS94SUxYb0piOW1qUG5Ma01PTVBrbzF  
vbjA9MTswMDsn\\\"",  
            "No": "003",  
            "Type": "Normal",  
            "Name": "Raamatupidaja",  
            "Name_English": "Head Accountant",  
            "Locked": false,  
            "ISCO_Code": "",  
            "Statistical_Jobs_Class_Code": "24110002",  
            "Structure_Code": "",  
            "Structure_Subcode": "",  
            "Profession_Group_Code": "",  
            "Profession_Group_Description": "",  
            "Job_Description": "Ettevõtte raamatupiamise korraldamine ja meeskonna juhtimine  
e. Aastaaruanne koostamine."  
        },  
        {  
    ]
```

```

"@odata.etag": "W/\\"JzQ003YrMkdSc1Rpc2pNb3dEMEE4T0tKcndERjlxLysvUzBwYTRZUH1vUUN
UY289MTswMDsn\\",
    "No": "3-003",
    "Type": "Heading",
    "Name": "Raamatupidamine",
    "Name_English": "",
    "Locked": false,
    "ISCO_Code": "",
    "Statistical_Jobs_Class_Code": "",
    "Structure_Code": "",
    "Structure_Subcode": "",
    "Profession_Group_Code": "",
    "Profession_Group_Description": "",
    "Job_Description": ""
}
]
}

```

## 5.2. Passiivsuse põhjused

Andmed loetakse ja kirjutatakse BC-sse tabelisse PLK Payroll Cause of Inactive (24002003).  
Veebiteenuse lehe ID 24008493.

| Välja nimetus | Tüüp | Märkus | Andmed tabelis PLK Payroll Cause of Inactive (24002003) |
|---------------|------|--------|---|
| No            | Code |        | No  |
| Description   | Text |        | Description   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PassiivsuseP%C3%B5hjused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjused)

JSON näidis:

```
{
    "No": "PUH",
    "Description": "Isapuhkus"
}
```

Näidis päringu vastus:

POST

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjused/$entity",
    "@odata.etag": "W/\\"JzQ003huQU9GOU1vM3QvZ21iaWhPRG15azIxRHpwbjV0TEMzbFc4bk1Iczl6aHM9MTs
wMDsn\\",
    "No": "PUH",
    "Description": "Isapuhkus"
}
```

GET

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjused",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzhTYmRGRytJUGpSdDhCbm9pME9oS0NiYng0eWZDG03ZjN6VFdhKy9
rRVU9MTswMDsn\\",
            "No": "AJAT",
            "Description": "Ajateenistus"
        },
        {
            "@odata.etag": "W/\\"JzQ000JTcXNTbFtdtVgrdlJOMmRnRHF6ZlNhVW9nMURCOS9qU11LbzR6OUU
rMUU9MTswMDsn\\",
            "No": "LHOOLD",
            "Description": "Vanemapuhkus (kuni lapse 3.a saamiseni)"
        }
    ]
}
```

## 6. HRM4Baltics POST teenused

Kannete kirjutamiseks BC tabelitesse kasutatakse JSON formaati ja POST päringut.

### 6.1. Palga kannete lisamine

Andmed kirjutatakse BC-sse tabelisse 24002035. Teenus kirjutab protsessi käigus kõigepealt andmed tabelisse 24002033 (PLK Payroll Journal Line) ning seejärel registreerib read automaatselt tabelisse 24002036 (PLK Payroll Registers).

Veebiteenuse lehe ID 24008308.

| Välja nimetus             | Tüüp    | Märkus   | Andmed tabelisse<br>PLK Payroll Ledger<br>Entry 24002035 |
|---------------------------|---------|--|--|
| <b>SOAP_Entry_No</b>      |         | Primary Key ja<br>pannakse<br>automaatselt<br>taustal kaasa POST<br>toiminguga |  |
| <b>Entry_GUID</b>         | Guid    | *  | Entry GUID   |
| <b>Journal_Batch_Name</b> | Code    | Töölehe nimetus  | Journal Batch Name                                       |
| <b>Document_No</b>        | Code    |  | Document No.   |
| <b>Account_No</b>         | Code    |  | Account No   |
| <b>Employee_No</b>        | Code    |  | Employee No.   |
| <b>Posting_Date</b>       | Date    |  | Posting Date   |
| <b>Amount</b>             | Decimal |  | Amount   |
| <b>Description</b>        | Text    |  | Description  |
| <b>Remark</b>             | Text    |  | Remark   |
| <b>Accounting_Period</b>  | Code    |  | Accounting Period  |
| <b>Payment_Period</b>     | Code    |  | Payment Period   |

|                                 |         |  |                          |
|---------------------------------|---------|--|--------------------------|
| <b>Calculation_Period</b>       | Code    |  | Calculation Period       |
| <b>Payroll_Dimension_1_Code</b> | Code    |  | Payroll Dimension 1 Code |
| <b>Payroll_Dimension_2_Code</b> | Code    |  | Payroll Dimension 2 Code |
| <b>Payroll_Dimension_3_Code</b> | Code    |  | Payroll Dimension 3 Code |
| <b>Payroll_Dimension_4_Code</b> | Code    |  | Payroll Dimension 4 Code |
| <b>Currency_Code</b>            | Code    |  | Currency Code            |
| <b>Currency_Amount</b>          | Decimal |  | Currency Amount          |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/PERSOAPJournalInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/PERSOAPJournalInsert)

JSON näidis:

```
{
    "SOAP_Entry_No": 1,
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",
    "Journal_Batch_Name": "VAIKIMISI",
    "Document_No": "A124",
    "Account_No": "1223",
    "Employee_No": "T0004",
    "Posting_Date": "2022-09-30",
    "Amount": 100,
    "Description": "Lisatasu Stig",
    "Remark": "",
    "Accounting_Period": "2022-09",
    "Payment_Period": "2020-10",
    "Calculation_Period": "2021-09",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Currency_Code": "",
    "Currency_Amount": 0
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/$metadata#Company('Tuuritaja%20AS')/PERSOAPJournalInsert/$entity",
    "@odata.etag": "W/\\"JzQ000FEV2cyY2RUaHZNVUJDNLRYQWdBMDlVWkUwK1pUMnExOGljTWJ4LzlaNk09MTswMDsn\\",
    "SOAP_Entry_No": 4,
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",
    "Journal_Batch_Name": "VAIKIMISI",
    "Document_No": "A124",
    "Account_No": "1223",
```

```

    "Employee_No": "T0004",
    "Posting_Date": "2022-09-30",
    "Amount": 100,
    "Description": "Lisatasu Stig",
    "Remark": "",
    "Accounting_Period": "2022-09",
    "Payment_Period": "2020-10",
    "Calculation_Period": "2021-09",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Currency_Code": "",
    "Currency_Amount": 0
}
}

```

## 6.2. Töötaja lapse lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee Children (24002130).

Veebiteenuse lehe ID 24008304.

| Välja nimetus        | Tüüp    | Märkus   | Andmed tabelisse<br>PLK Employee<br>Children (24002130) |
|----------------------|---------|--|---|
| <b>SOAP_Entry_No</b> |         | Primary Key ja<br>pannakse<br>automaatselt<br>taustal kaasa POST<br>toiminguga |   |
| <b>Entry_GUID</b>    | Guid    | *  | Entry GUID  |
| <b>Employee_No</b>   | Code    |  | Employee No.  |
| <b>Name</b>          | Text    |  | Name  |
| <b>Personal_ID</b>   | Code    |  | Personal ID   |
| <b>Birth_Date</b>    | Date    |  | Birth Date  |
| <b>Sex</b>           | Option  | Male/Female  | Sex   |
| <b>Invalid</b>       | Boolean | True/False   | Invalid   |
| <b>Comment</b>       | Text    |  | Comment   |
| <b>Locked</b>        | Boolean | True/False   | Locked  |
| <b>Delete_Entry</b>  | Boolean | True/False   | Delete Entry  |

Näidis püringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/KidsInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/KidsInsert)

JSON näidis:

```
{
    "SOAP_Entry_No" : 3,
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",
    "Employee_No": "T0002",
    "Name": "Kertu Kukk",
    "Personal_ID": "467744444444",
}
```

```

"Birth_Date": "2015-10-06",
"Sex": "Male",
"Invalid": false,
"Comment": "",
"Locked": false,
"Delete_Entry": false
}
Näidis päringu vastus:
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/0DataV4
/$metadata#Company('Tuuritaja%20AS')/KidsInsert/$entity",
    "@odata.etag": "W/\\"JzQ00y9nRksxcU9Uei9SbGlaVVJZ3plWkxCcwZoeWtQVWFEdmJCS2RtTU1ndUE9MTs
wMDsn\\\"",
    "SOAP_Entry_No": 1,
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",
    "Employee_No": "T0002",
    "Name": "Kertu Kukk",
    "Personal_ID": "467744444444",
    "Birth_Date": "2015-10-06",
    "Sex": "Male",
    "Invalid": false,
    "Comment": "",
    "Locked": false,
    "Delete_Entry": false
}

```

### 6.3. Lepingute lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee Contracts (24002019).

Veebiteenuse lehe ID 24008302.

| Välja nimetus                    | Tüüp    | Märkus   | Andmed tabelisse<br>PLK Employee<br>Contracts (24002019) |
|----------------------------------|---------|--|--|
| <b>Employee_No</b>               | Code    |  | Employee No.   |
| <b>Entry_Type</b>                | Option  | Contract/Addendum                                      | Entry Type   |
| <b>Contract_No</b>               | Code    |  | Contract No  |
| <b>Contract_Code</b>             | Code    | Lepingu liigi tähis,<br>seadusest tulenevad<br>tähised | Contract Code  |
| <b>From_Date</b>                 | Date    |  | From Date  |
| <b>To_Date</b>                   | Date    |  | To Date  |
| <b>Description</b>               | Text    |  | Description  |
| <b>Profession_No</b>             | Code    |  | Profession No.   |
| <b>Profession_Category_No</b>    | Code    |  | Profession Category<br>No.                               |
| <b>Job_Title</b>                 | Text    |  | Job Title  |
| <b>Working_Factor</b>            | Decimal |  | Working Factor   |
| <b>Additional_Working_Factor</b> | Decimal |  | Additional Working<br>Factor                             |

|                              |         |  |                        |
|------------------------------|---------|--|------------------------|
| <b>Grounds_for_Term_Code</b> | Code    | Lahkumise aluse tähis, seadusest tulenev | Grounds for Term. Code |
| <b>Department_No</b>         | Code    |  | Department No.         |
| <b>Level_2_No</b>            | Code    | Struktuuri taseme kood                   | Level 2 No.            |
| <b>Level_3_No</b>            | Code    | Struktuuri taseme kood                   | Level 3 No.            |
| <b>Level_4_No</b>            | Code    | Struktuuri taseme kood                   | Level 4 No.            |
| <b>Delete_Entry</b>          | Boolean | True/False                               |                        |
| <b>Entry_GUID</b>            | Guid    | *  | Entry GUID             |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/ContractInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/ContractInsert)

JSON näidis:

```
{
    "Employee_No": "T0004",
    "Entry_Type": "Contract",
    "Contract_No": "L000004",
    "Contract_Date": "2002-01-04",
    "Contract_Code": "11",
    "From_Date": "2022-04-01",
    "To_Date": "0001-01-01",
    "Description": "Määramata ajaks, osalise tööajaga",
    "Profession_No": "001",
    "Profession_Category_No": "",
    "Job_Title": "Tuuritaja",
    "Working_Factor": 1,
    "Additional_Working_Factor": 0,
    "Grounds_for_Term_Code": "",
    "Department_No": "",
    "Level_2_No": "",
    "Level_3_No": "",
    "Level_4_No": "",
    "Noviciate_Ending_Date": "2022-01-01",
    "Delete_Entry": false,
    "Entry_GUID": "0000000-0000-0000-0000-000000000002"
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
/$metadata#Company('Tuuritaja%20AS')/ContractInsert/$entity",
    "@odata.etag": "W/\\"JzQ000NFU0dFQnB1d1RCbzEveTJMMk81VFZHaTFXbDI0U0pGwMf0NGhwN290dmM9MTs
wMDsn\\\"",
    "SOAP_Entry_No": 2,
    "Entry_GUID": "0000000-0000-0000-0000-000000000002",
    "Employee_No": "T0004",
    "Entry_Type": "Contract",
```

```

    "Contract_No": "L000004",
    "Contract_Date": "2002-01-04",
    "Contract_Code": "11",
    "From_Date": "2022-04-01",
    "To_Date": "0001-01-01",
    "Description": "Määramata ajaks, osalise tööajaga",
    "Profession_No": "001",
    "Job_Title": "Tuuritaja",
    "ISCO_Code": "",
    "Working_Factor": 1,
    "Additional_Working_Factor": 0,
    "Profession_Category_No": "",
    "Job_Description": "",
    "Grounds_for_Term_Code": "",
    "Department_No": "",
    "Level_2_No": "",
    "Level_3_No": "",
    "Level_4_No": "",
    "Noviciate_Ending_Date": "2022-01-01",
    "Delete_Entry": false
}

```

#### 6.4. Palgažurnaali lisa kande kirjutamine

Andmed kirjutatakse BC-sse tabelisse 24002033 (PLK Payroll Journal Line).

Veebiteenuse lehe ID 24012906.

| Välja nimetus                   | Tüüp    | Märkus              | Andmed tabelisse PLK Payroll Journal Line 24002033 |
|---------------------------------|---------|---------------------|--|
| <b>Journal_Batch_Name</b>       | Code    | Töölehe nimetus     | Journal Batch Name                                 |
| <b>Line_No</b>                  | Integer | Žurnaali rea number | Line No  |
| <b>Entry_GUID</b>               | Guid    |                     | Entry GUID   |
| <b>Type</b>                     | Option  | Normal/Additional   | Type   |
| <b>Account_No</b>               | Code    |                     | Account No   |
| <b>Employee_No</b>              | Code    |                     | Employee No.                                       |
| <b>Posting_Date</b>             | Date    |                     | Posting Date                                       |
| <b>Amount</b>                   | Decimal |                     | Amount   |
| <b>Description</b>              | Text    |                     | Description  |
| <b>Remark</b>                   | Text    | Märkus              | Remark   |
| <b>Accounting_Period</b>        | Code    |                     | Accounting Period                                  |
| <b>Payment_Period</b>           | Code    |                     | Payment Period                                     |
| <b>Calculation_Period</b>       | Code    |                     | Calculation Period                                 |
| <b>Currency_Factor</b>          | Decimal |                     | Currency Factor                                    |
| <b>Currency_Factor_Date</b>     | Date    |                     | Currency Factor Date                               |
| <b>Payroll_Dimension_1_Code</b> | Code    |                     | Payroll Dimension 1 Code                           |
| <b>Payroll_Dimension_2_Code</b> | Code    |                     | Payroll Dimension 2 Code                           |

|                                 |         |  |                          |
|---------------------------------|---------|--|--------------------------|
| <b>Payroll_Dimension_3_Code</b> | Code    |  | Payroll Dimension 3 Code |
| <b>Payroll_Dimension_4_Code</b> | Code    |  | Payroll Dimension 4 Code |
| <b>Currency_Code</b>            | Code    |  | Currency Code            |
| <b>Currency_Amount</b>          | Decimal |  | Currency Amount          |

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7748/PALK23APPTEST/ODATAV4/Company\('Ülle%20AS'\)/PLKSOAPJournalInsert](http://palk.westeuropa.cloudapp.azure.com:7748/PALK23APPTEST/ODATAV4/Company('Ülle%20AS')/PLKSOAPJournalInsert)

JSON näidis:

```
{
    "Journal_Batch_Name": "VAIKIMISI",
    "Type": "Additional",
    "Account_No": "5011",
    "Employee_No": "T0004",
    "Posting_Date": "2025-03-23",
    "Amount": 500,
    "Description": "",
    "Remark": "",
    "Accounting_Period": "2025-03",
    "Payment_Period": "2025-03",
    "Calculation_Period": "2025-03",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Currency_Code": "",
    "Currency_Amount": 0
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7748/PALK23APPTEST/ODATAV4/$metadata#Company('%C3%9Clle%20AS')/PLKSOAPJournalInsert/$entity",
    "@odata.etag": "W/\\"JzE50zQ1NDE5MTM3MzY4NjMyMzgzMDUxOzAw0yc=\\"", 
    "Journal_Batch_Name": "VAIKIMISI",
    "Line_No": 10600,
    "Entry_GUID": "f8c5d418-aa75-47fa-b959-aec6d35dcb1d",
    "Account_No": "5011",
    "Employee_No": "T0004",
    "Posting_Date": "2025-03-23",
    "Type": "Additional",
    "Amount": 500,
    "Description": "",
    "Remark": "",
    "Accounting_Period": "2025-03",
    "Payment_Period": "2025-03",
```

```

    "Calculation_Period": "2025-03",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Payroll_Dimension_5_Code": "",
    "Payroll_Dimension_6_Code": "",
    "Payroll_Dimension_7_Code": "",
    "Payroll_Dimension_8_Code": "",
    "Currency_Code": "",
    "Currency_Amount": 0
}

```

## 6.5. Panga lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse 24002017 (PLK Employee Banks).  
Veebiteenuse lehe ID 24008307.

| Välja nimetus         | Tüüp    | Märkus  | Andmed tabelisse<br>24002017 PLK<br>Employee Banks |
|-----------------------|---------|---|--|
| <b>SOAP_Entry_No</b>  |         |   |  |
| <b>Entry_GUID</b>     | Guid    | *   | Entry GUID   |
| <b>Employee_No</b>    | Code    |   | Employee No.                                       |
| <b>Grade_of_Class</b> | Integer | Konto<br>tähtsusjärjestus                         | Grade of Class                                     |
| <b>Bank_No</b>        | Code    | Eelseadistatud<br>pangakontod                     | Bank No  |
| <b>Bank_Account</b>   | Code    |   | Bank Account                                       |
| <b>Percentage</b>     | Decimal | Defineerib, mitu %<br>kantakse kuhu<br>kontole    | Percentage   |
| <b>Amount</b>         | Decimal | Defineerib, mis<br>summa kantakse<br>kuhu kontole | Amount   |
| <b>Description</b>    | Text    | Makse saaja nimi                                  | Description  |
| <b>IBAN</b>           | Code    |   | IBAN   |
| <b>Reference_No</b>   | Code    |   | Reference_No                                       |
| <b>Payment_Amount</b> | Decimal |   | Payment Amount                                     |
| <b>From_Date</b>      | Date    |   | From Date  |
| <b>To_Date</b>        | Date    |   | To Date  |
| <b>Delete_Entry</b>   | Boolean | True/False  |  |

Näidis päringu aadress:

[http://palk.westeuropäischecloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/PangaLisamine](http://palk.westeuropäischecloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/PangaLisamine)

JSON näidis:

{

```

"Employee_No": "T0004",
"Grade_of_Class": 10000,
"Bank_No": "LHV",
"Bank_Account": "",
"Percentage": 0,
"Amount": 0,
"IBAN": "korrektneIBANKood",
"Reference_No": "",
"Payment_Amount": 0,
"Description": "Triinu Kuur",
"From_Date": "0001-01-01",
"To_Date": "0001-01-01",
"Entry_GUID": "00000000-0000-0000-0000-000000000007",
"Delete_Entry": false
}

```

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/PangaLisamine/$entity",
  "@odata.etag": "W/\\"JzQ003lp0FRNNDd0MUpidHZPWTBLZFRCMVFxaUQ1VTdsM1VoQ2RuVG85b1lVMWc9MTs
wMDsn\\\"",
  "SOAP_Entry_No": 2,
  "Entry_GUID": "00000000-0000-0000-0000-000000000007",
  "Employee_No": "T0004",
  "Grade_of_Class": 10000,
  "Bank_No": "LHV",
  "Bank_Account": "",
  "Percentage": 0,
  "Amount": 0,
  "Description": "Triinu Kuur",
  "IBAN": " korrektneIBANKood",
  "Reference_No": "",
  "Payment_Amount": 0,
  "From_Date": "0001-01-01",
  "To_Date": "0001-01-01",
  "Delete_Entry": false
}

```

## 6.6. Töötaja parameetrite lisamine

Andmed kirjutatakse BC-sse tabelisse 24002021 (PLK Employee Parameters).

Veebiteenuse lehe ID 24008303.

| Välja nimetus | Tüüp | Märkus                                   | Andmed tabelisse<br>24002021 PLK<br>Employee<br>Parameters |
|---------------|------|--|--|
| SOAP_Entry_No |      |  |  |
| Entry_GUID    | Guid | Lisatakse päringu<br>käigus automaatselt | Entry GUID   |

|                     |         |                       |              |
|---------------------|---------|-----------------------|--------------|
|                     |         | ja ei pea kaasa andma |              |
| <b>Employee_No</b>  | Code    |                       | Employee No. |
| <b>Parameter_No</b> | Code    | Parameetri tähis      | Parameter No |
| <b>From_Date</b>    | Date    |                       | From Date    |
| <b>To_Date</b>      | Date    |                       | To Date      |
| <b>Description</b>  | Text    |                       | Description  |
| <b>Delete_Entry</b> | Boolean | True/False            |              |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ParameetriLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/ParameetriLisamine)

JSON näidis:

```
{
    "SOAP_Entry_No": 2,
    "Entry_GUID": "00000000-0000-0000-0000-000000000002",
    "Employee_No": "T0002",

    "Parameter_No": "PENSIONAR",
    "From_Date": "2056-04-01",
    "To_Date": "0001-01-01",
    "Description": "Pensionär alates 07.04.2056"

}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/ParameetriLisamine/$entity",
    "@odata.etag": "W/ \"JzQ003o4NytmU0ZaWmNRTG1CRzRoK0VFd0R4UmhxT3VkcZVTFZnekpjaw4zSms9MTswMDsn\"",
    "SOAP_Entry_No": 2,
    "Entry_GUID": "00000000-0000-0000-0000-000000000002",
    "Employee_No": "T0002",
    "Parameter_No": "PENSIONAR",
    "From_Date": "2056-04-01",
    "To_Date": "0001-01-01",
    "Description": "Pensionär alates 07.04.2056",
    "Delete_Entry": false
}
```

## 6.7. Puhkuseajakava lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Payroll Holiday Sch. Lines (24002050).  
Veebiteenuse lehe ID 24008491.

|                           |         |   |   |
|---------------------------|---------|---|---|
| Välja nimetus             | Tüüp    | Märkus  | Andmed tabelisse<br>24002050 PLK<br>Payroll Holiday<br>Sch. Lines |
| <b>SOAP_Entry_No</b>      | Integer |   |   |
| <b>Journal_Batch_Name</b> | Code    | Töölõhe nimetus, mis peab olema eelnevalt BC-sse loodud | Journal Batch Name  |
| <b>Entry_GUID</b>         | Guid    | *   | Entry GUID  |
| <b>Employee_No</b>        | Code    |   | Employee No.  |
| <b>Holiday_Code</b>       | Code    |   | Holiday Code  |
| <b>From_Date</b>          | Date    |   | From Date   |
| <b>To_Date</b>            | Date    |   | To Date   |
| <b>Description</b>        | Text    |   | Description   |
| <b>Holiday_Payment</b>    | Option  | Payday/Holiday/Monthly                                  | Holiday Payment   |
| <b>Child_No</b>           | Code    |   | Child No.   |
| <b>Notes</b>              | Text    |   | Notes   |
| <b>Delete_Entry</b>       | Boolean | True/False  |   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/holidayScheduleInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/holidayScheduleInsert)

JSON näidis:

```
{
    "SOAP_Entry_No": 2,
    "Journal_Batch_Name": "2023",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000",
    "Employee_No": "T0002",
    "Holiday_Code": "P_PUHKUS",
    "From_Date": "2023-07-05",
    "To_Date": "2023-07-11",
    "Description": "Puhkus",
    "Holiday_Payment": "Payday",
    "Child_No": 0,
    "Notes": "Asendab Mari"
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/$metadata#Company('Tuuritaja%20AS')/holidayScheduleInsert/$entity",
    "@odata.etag": "W/\\"JzQ002owaG94ejJoR0ZlbeU5MC9kVlxSelFrewZHqwlZwjdiVjQ1M0k3VWZG0w89MTswMDsn\\\"",
    "SOAP_Entry_No": 2,
    "Journal_Batch_Name": "2023",
    "Employee_No": "T0002",
    "Holiday_Code": "P_PUHKUS",
    "From_Date": "2023-07-05",
```

```

    "To_Date": "2023-07-11",
    "Description": "Puhkus",
    "Holiday_Payment": "Payday",
    "Child_No": 0,
    "Notes": "Asendab Mari",
    "Entry_GUID": "fb052813-1bdb-4dfb-add2-92996eff832e",
    "Delete_Entry": false
}

```

## 6.8. Puudumiste lisamine töötajale

Andmed kirjutatakse BC-sse esmalt tabelisse PLK Payroll Absence Jrn Line (24002027). Protsessi käigus registreeritakse puudumine automaatselt ning andmed jõuavad tabelisse PLK Payroll Registers (24002036). Täpsemad kirjad on näha tabelis PLK Payroll Abs. Ledger Entry (24002028).  
Veebiteenuse lehe ID 24012901.

|                              |            |                         |   |
|------------------------------|------------|-------------------------|---|
| Välja nimetus                | Tüüp       | Märkus                  | Andmed tabelisse PLK Payroll Abs. Ledger Entry 24002028 |
| <b>Log_Entry_No</b>          |            |                         |   |
| <b>Journal_Batch_Name</b>    | Code       |                         | Journal Batch Name                                      |
| <b>Employee_No</b>           | Code       |                         | Employee No.  |
| <b>Cause_of_Absence_Code</b> | Code       |                         | Cause of Absence Code                                   |
| <b>Description</b>           | Text       |                         | Description   |
| <b>From_Date</b>             | Date       |                         | From Date   |
| <b>To_Date</b>               | Date       |                         | To Date   |
| <b>Description</b>           | Text       |                         | Description   |
| <b>Hours</b>                 | Decimal    |                         | Hours   |
| <b>Holiday_Payment</b>       | Option     | Payday/Holiday/ Monthly | Holiday Payment   |
| <b>Notes</b>                 | Text       |                         | Notes   |
| <b>Sharepoint_Entry_No</b>   | BigInteger |                         | Sharepoint Entry No.                                    |
| <b>Entry_GUID</b>            | Code       |                         | Entry GUID  |
| <b>Delete_Entry</b>          | Boolean    | True/False              |   |
| <b>Child_No</b>              | Code       |                         | Child No.   |
| <b>Child_Name</b>            | Code       |                         | Child Name  |
| <b>Child_Personal_ID</b>     | Integer    |                         | Child Personal ID                                       |
| <b>Child_Birth_Date</b>      | Date       |                         | Child Birth Date  |
| <b>No_Posting</b>            | Boolean    | True/False              |   |
| <b>Applied_Entry_GUID</b>    | Guid       | Seotud kande Guid       |   |

Näidis päringu aadress:

[http://PALKBBC:7548/PALK21APPTEST/ODataV4/Company\('%C3%9Clle%20AS'\)/SOAPAbsenceInsertPost](http://PALKBBC:7548/PALK21APPTEST/ODataV4/Company('%C3%9Clle%20AS')/SOAPAbsenceInsertPost)

JSON näidis:

```
{  
    "Journal_Batch_Name": "VAIKIMISI",  
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",  
    "Employee_No": "T007",  
    "Cause_of_Absence_Code": "P_PUHKUS",  
    "From_Date": "2024-10-15",  
    "To_Date": "2024-10-15",  
    "Description": "Puhkus",  
    "Hours": 5,  
    "Holiday_Payment": " ",  
    "Notes": "",  
    "Sharepoint_Entry_No": 0,  
    "Delete_Entry": false,  
    "Child_No": 0,  
    "Child_Name": "",  
    "Child_Personal_ID": "",  
    "Child_Birth_Date": "0001-01-01",  
    "No_Posting": false  
}
```

Näidis päringu vastus:

```
{  
    "@odata.context":  
        "http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/ODataV4/$metadata#Com  
        pany('DEMO%20AS')/AbsenceIns_andPost/$entity",  
    "@odata.etag": "W/\\"JzIw0zE30Tc0NTc2MjczMDA4MDk3NzcyMTswMDsn\\\"",  
    "Log_Entry_No": 6,  
    "Journal_Batch_Name": "VAIKIMISI",  
    "Employee_No": "T007",  
    "Cause_of_Absence_Code": "P_PUHKUS",  
    "From_Date": "2024-10-15",  
    "To_Date": "2024-10-15",  
    "Description": "Puhkus",  
    "Hours": 5,  
    "Holiday_Payment": " ",  
    "Notes": "",  
    "Sharepoint_Entry_No": 0,  
    "Entry_GUID": "00000000-0000-0000-0000-000000000001",  
    "Delete_Entry": false,  
    "Child_No": 0,  
    "Child_Name": "",  
    "Child_Personal_ID": "",  
    "Child_Birth_Date": "0001-01-01",  
    "No_Posting": false,  
    "Applied_Entry_GUID": "00000000-0000-0000-0000-000000000000"  
}
```

## 6.9. Seisundi lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse PLK Employee Status (24002016).

Veebiteenuse lehe ID 24008306. Seisundi uuendamisega on võimalik uuendada nii töösuhte, kui ka passiivsuse lehti. Kasutades teenust töötaja töösuhte lõpetamiseks ning lisades staatuse väärtsuseks „Inactive”, lõpetatakse ka töötajaga seotud teised parameetrid näiteks leping, töötasud, parameetrid.

| Välja nimetus                    | Tüüp    | Märkus                              | Andmed tabelisse PLK Employee Status (24002016) |
|----------------------------------|---------|-------------------------------------|---|
| <b>Employee_No</b>               | Code    |                                     | Employee No.                                    |
| <b>Status</b>                    | Option  | Active/Inactive/Prospect/Terminated | Status  |
| <b>From_Date</b>                 | Date    |                                     | From Date                                       |
| <b>Description</b>               | Text    |                                     | Description                                     |
| <b>Initial_Date</b>              | Date    |                                     | Initial Date                                    |
| <b>To_Date</b>                   | Date    |                                     | To Date   |
| <b>Cause_of_Inactivity_Code</b>  | Code    |                                     | Cause of Inactivity Code                        |
| <b>Remark</b>                    | Text    |                                     | Remark  |
| <b>Cov_Working_Register_ID</b>   | Code    | Tööregistri ID                      | Cov. Working Register ID                        |
| <b>Amount</b>                    | Decimal |                                     | Amount  |
| <b>Grounds_for_Term_Code</b>     | Code    |                                     | Grounds for Term. Code                          |
| <b>Cause_of_Term_Code</b>        | Code    |                                     | Cause of Term. Code                             |
| <b>Cause_of_Term_Description</b> | Text    |                                     | Cause of Term. Description                      |
| <b>Entry_GUID</b>                | Guid    | Genereeritakse automaatselt         | Entry GUID                                      |
| <b>SOAP_Entry_No</b>             | Integer |                                     |   |
| <b>Delete_Entry</b>              | Boolean | True/False                          |   |
| <b>Previous_Contract</b>         | Code    |                                     | Previous Contract                               |

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/SeisundiLisamine](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/SeisundiLisamine)

JSON näidis:

```
{
    "Employee_No": "T0003",
    "Status": "Active",
    "From_Date": "2022-03-01",
    "Description": "Leping",
    "Initial_Date": "0001-01-01",
```

```

    "To_Date": "0001-01-01",
    "Cause_of_Inactivity_Code": "",
    "Remark": "",
    "Cov_Working_Register_ID": "1112",
    "Amount": 0,
    "Grounds_for_Term_Code": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Previous_Contract": "",
    "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867636"
}

```

Näidis päringu vastus:

```

{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/SeisundiLisamine/$entity",
    "@odata.etag": "W/\\"JzQ0OzRDYzR6N2540ExRbkV2dnpYODUrMTdvUm9MV2RzVkJ6dzZLQ3h0ekN4aVk9MTs
wMDsn\\\"",
    "SOAP_Entry_No": 2,
    "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867636",
    "Employee_No": "T0003",
    "Status": "Active",
    "Description": "Leping",
    "Initial_Date": "0001-01-01",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Cause_of_Inactivity_Code": "",
    "Grounds_for_Term_Code": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Remark": "",
    "Cov_Working_Register_ID": "1112",
    "Amount": 0,
    "Previous_Contract": "",
    "Delete_Entry": false
}

```

## 6.10. Tasu lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse PLK Employee Salaries (24002020).  
Veebiteenuse lehe ID 24008305.

| Välja nimetus      | Tüüp | Märkus                        | Andmed tabelisse<br>PLK Employee<br>Salaries (24002020) |
|--------------------|------|-------------------------------|---|
| <b>Employee_No</b> | Code |                               | Employee No.  |
| <b>Salary_No</b>   | Code | Eelseadistatud<br>palga tähis | Salary No.  |
| <b>From_Date</b>   | Date |                               | From Date   |
| <b>To_Date</b>     | Date |                               | To Date   |
| <b>Description</b> | Text |                               | Description   |

| Amount                | Decimal |                        | Amount                 |
|-----------------------|---------|------------------------|------------------------|
| Connected_Employee_No | Code    | Seotud töötaja         | Connected Employee No. |
| Payment_Code          | Code    | Väljamakse liigi tähis | Payment Code           |
| Annual_Salary         | Decimal |                        | Annual Salary          |
| Entry_GUID            | Guid    | *                      | Entry GUID             |
| SOAP_Entry_No         | Integer |                        |                        |
| Delete_Entry          | Boolean | True/False             |                        |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuu  
ritaja%20AS'\)/TasuLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/TasuLisamine)

JSON näidis:

```
{
  "Employee_No": "T0001",
  "Salary_No": "TASU_KUUPALK",
  "From_Date": "2022-04-01",
  "To_Date": "0001-01-01",
  "Description": "Kuupalk, päevapõhine arvestus",
  "Amount": 1000,
  "Connected_Employee_No": "",
  "Payment_Code": "10",
  "Annual_Salary": 0,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/TasuLisamine/$entity",
  "@odata.etag": "W/\\"JzQ003VpN1RIR1JiaFRXV2ZVZm1yME50cVZaYUJ0ZUtrR3l0QnZqZmhmoTN5eWs9MTs
wMDsn\\",
  "SOAP_Entry_No": 1,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Employee_No": "T0001",
  "Salary_No": "TASU_KUUPALK",
  "From_Date": "2022-04-01",
  "To_Date": "0001-01-01",
  "Description": "Kuupalk, päevapõhine arvestus",
  "Amount": 1000,
  "Connected_Employee_No": "",
  "Payment_Code": "10",
  "Annual_Salary": 0,
  "Delete_Entry": false
}
```

## 6.11. Tööajatabeli kannete lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Working Schedule Employee (24002100).  
Veebiteenuse lehe ID 24008489.

|                                  |         |                            |  |
|----------------------------------|---------|----------------------------|--|
| Välja nimetus                    | Tüüp    | Märkus                     | Andmed tabelisse<br>PLK Working<br>Schedule Employee<br>(24002100) |
| <b>Working_Schedule_Group_No</b> | Code    |                            | Working Schedule<br>Group No                                       |
| <b>Employee_No</b>               | Code    |                            | Employee No.   |
| <b>Date</b>                      | Date    |                            | Date   |
| <b>Working_Shift_Code</b>        | Code    |                            | Working Shift Code   |
| <b>Since</b>                     | Time    |                            | Since  |
| <b>Till</b>                      | Time    |                            | Till   |
| <b>Hours</b>                     | Decimal |                            | Hours  |
| <b>Break_Hours</b>               | Decimal |                            | Break Hours  |
| <b>Day_Overtime_Hours</b>        | Decimal |                            | Day Overtime Hours   |
| <b>Entry_Type</b>                | Code    |                            | Entry Type   |
| <b>Percentage</b>                | Decimal |                            | Percentage   |
| <b>Quantity</b>                  | Decimal |                            | Quantity   |
| <b>Hour_Cost</b>                 | Decimal |                            | Hour Cost  |
| <b>Amount</b>                    | Decimal |                            | Amount   |
| <b>Description</b>               | Text    |                            | Description  |
| <b>Comment</b>                   | Text    |                            | Comment  |
| <b>Cause_of_Absence_Code</b>     | Code    |                            | Cause of Absence<br>Code   |
| <b>Absence_Hours</b>             | Decimal |                            | Absence Hours  |
| <b>Payroll_Dimension_1_Code</b>  | Code    |                            | Payroll Dimension 1<br>Code  |
| <b>Payroll_Dimension_2_Code</b>  | Code    |                            | Payroll Dimension 2<br>Code  |
| <b>Payroll_Dimension_3_Code</b>  | Code    |                            | Payroll Dimension 3<br>Code  |
| <b>Payroll_Dimension_4_Code</b>  | Code    |                            | Payroll Dimension 4<br>Code  |
| <b>Retain_Time</b>               | Boolean | Antakse vastusega<br>kaasa |  |
| <b>Log_Entry_No</b>              | Integer | Antakse vastusega<br>kaasa |  |
| <b>Entry_GUID</b>                | Guid    | Antakse vastusega<br>kaasa |  |
| <b>Delete_Entry</b>              | Boolean | Antakse vastusega<br>kaasa |  |
| <b>Delete_Employee</b>           | Boolean | Antakse vastusega<br>kaasa |  |

|              |         |                         |  |
|--------------|---------|-------------------------|--|
| Delete_Month | Boolean | Antakse vastusega kaasa |  |
|--------------|---------|-------------------------|--|

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/WorkingSched\\_Insert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/WorkingSched_Insert)

JSON näidis:

```
{
    "Working_Schedule_Group_No": "VEDURIJUHT",
    "Employee_No": "T0003",
    "Date": "2022-10-01",
    "Working_Shift_Code": "UU",
    "Since": "15:50:00",
    "Till": "20:40:00",
    "Hours": 4.84,
    "Break_Hours": 0,
    "Day_Overtime_Hours": 0,
    "Entry_Type": "TÖÖAEG_2",
    "Percentage": 0,
    "Quantity": 0,
    "Amount": 0,
    "Description": "",
    "Comment": "2-päevase tuuri tööaeg",
    "Cause_of_Absence_Code": "",
    "Absence_Hours": 0,
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": ""
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/$metadata#Company('Tuuritaja%20AS')/WorkingSched_Insert/$entity",
    "@odata.etag": "W/\\"JzQ00ysyZjc4TUVuWXFyYk00ZbFYzdldtakFVeU9NYjNiU3d0Ylo2cWtIQjA9MTswMDsn\\",
    "Log_Entry_No": 1,
    "Working_Schedule_Group_No": "VEDURIJUHT",
    "Employee_No": "T0003",
    "Date": "2022-10-01",
    "Entry_Type": "TÖÖAEG_2",
    "Working_Shift_Code": "UU",
    "Retain_Time": false,
    "Since": "15:50:00",
    "Till": "20:40:00",
    "Hours": 4.84,
    "Break_Hours": 0,
    "Cause_of_Absence_Code": "",
    "Absence_Hours": 0,
```

```

    "Percentage": 0,
    "Day_Overtime_Hours": 0,
    "Quantity": 0,
    "Amount": 0,
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Description": "",
    "Comment": "2-päevase tuuri tööaeg",
    "Entry_GUID": "4ecae2f1-df06-4b2f-8cd5-4d5abc7beddb",
    "Delete_Entry": false,
    "Delete_Employee": false,
    "Delete_Month": false
}
}

```

## 6.12. Tööajatabeli projekti lisamine

Andmed kirjutatakse BC-sse tabelisse PER Working Schedule Job Task (24013066). Andmete edastamine eeldab, et projekt on eelnevalt loodud BC tabelisse PER Working Schedule Job (24013069). Teenus kirjeldab BC-s Palga tööajatabeli projektide ülesandeid. Veebiteenuse lehe ID 24008485.

|                                 |      |                                    |  |
|---------------------------------|------|------------------------------------|--|
| Välja nimetus                   | Tüüp | Märkus                             | Andmed tabelisse PER Working Schedule Job Task (24013066). |
| <b>Job_No</b>                   | Code |                                    | PER Job No.  |
| <b>Task_No</b>                  | Code |                                    | PER Task No.   |
| <b>Description</b>              | Text |                                    | Description  |
| <b>Sorting_No</b>               | Code | Sorteerimise järjekorra nr tabelis | Sorting No.  |
| <b>Task_Type_Code</b>           | Code |                                    | Task Type Code   |
| <b>From_Date</b>                | Date |                                    | From Date  |
| <b>To_Date</b>                  | Date |                                    | To Date  |
| <b>Payroll_Dimension_1_Code</b> | Code |                                    | Payroll Dimension 1 Code                                   |
| <b>Payroll_Dimension_2_Code</b> | Code |                                    | Payroll Dimension 2 Code                                   |
| <b>Payroll_Dimension_3_Code</b> | Code |                                    | Payroll Dimension 3 Code                                   |
| <b>Payroll_Dimension_4_Code</b> | Code |                                    | Payroll Dimension 4 Code                                   |
| <b>Connected_Job_No</b>         | Code |                                    | Connected Job No.  |
| <b>Connected_Task_No</b>        | Code |                                    | Connected Task No.   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Workingschedul etask](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Workingschedul etask)

JSON näidis:

```
{  
    "Job_No": "01",  
    "Task_No": "1.1",  
    "Description": "Kaare tn 7",  
    "Sorting_No": "2",  
    "Task_Type_Code": "",  
    "From_Date": "2022-11-01",  
    "To_Date": "2024-01-01",  
    "Payroll_Dimension_1_Code": "",  
    "Payroll_Dimension_2_Code": "",  
    "Payroll_Dimension_3_Code": "",  
    "Payroll_Dimension_4_Code": "",  
    "Connected_Job_No": "",  
    "Connected_Task_No": ""  
}
```

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
/$metadata#Company('Tuuritaja%20AS')/Workingscheduletask/$entity",  
    "@odata.etag": "W/\\"JzQ003RENXJZVkpkZ0pLM2NWQkh0Y203VVp20DVHR20zcGMzek4yMmFWcGIzckE9MTs  
wMDsn\\\"",  
    "Job_No": "01",  
    "Task_No": "1.1",  
    "Description": "Kaare tn 7",  
    "Sorting_No": "2",  
    "Task_Type_Code": "",  
    "From_Date": "2022-11-01",  
    "To_Date": "2024-01-01",  
    "Payroll_Dimension_1_Code": "",  
    "Payroll_Dimension_2_Code": "",  
    "Payroll_Dimension_3_Code": "",  
    "Payroll_Dimension_4_Code": "",  
    "Connected_Job_No": "",  
    "Connected_Task_No": ""  
}
```

### 6.13. Töötajate lisamine ja töötaja andmete uuendamine

Andmed kirjutatakse BC-sse tabelisse PLK Payroll Employee (24002014).  
Veebiteenuse lehe ID 24008300.

Andmete esmakordsel saatmisel võib päringuga kaasa lisada töötajale soovitud Entry GUID väärtsuse. Kui seda päringuga kaasa ei anta, loob BC töötajale ise Entry GUID väljale väärtsuse. Juba olemas oleva töötaja andmete muutmiseks BC-s tuleb päringuga kaasa anda Entry GUID väärtsus, mis on töötajal tabelis 24002014.

| Välja nimetus            | Tüüp   | Märkus  | Andmed tabelisse<br>PLK Payroll Employee<br>(24002014) |
|--------------------------|--------|---|--|
| No                       | Code   |   | No   |
| Personal_ID              | Text   |   | Personal ID  |
| First_Name               | Text   |   | First Name   |
| Last_Name                | Text   |   | Last Name  |
| Birth_Date               | Date   |   | Birth Date   |
| Sex                      | Option | Male/Female   | Sex  |
| E_Mail                   | Text   |   | E-Mail   |
| Company_E_Mail           | Text   |   | Company E-Mail   |
| Default_E_mail_Type      | Option | Company/Personal/None   | Default E-mail type                                    |
| Phone_No_1               | Text   |   | Phone No. 1  |
| Phone_No_2               | Text   |   | Phone No. 2  |
| Mobile_Phone_No_1        | Text   |   | Mobile Phone No. 1                                     |
| Mobile_Phone_No_2        | Text   |   | Mobile Phone No. 2                                     |
| Address                  | Text   |   | Address  |
| Address_2                | Text   |   | Address 2  |
| City                     | Text   |   | City   |
| Post_Code                | Code   |   | Post Code  |
| Country_Code             | Code   |   | Country Code   |
| Manager_No               | Code   |   | Manager No   |
| Payroll_Dimension_1_Code | Code   |   | Payroll Dimension 1 Code                               |
| Payroll_Dimension_2_Code | Code   |   | Payroll Dimension 2 Code                               |
| Payroll_Dimension_3_Code | Code   |   | Payroll Dimension 3 Code                               |
| Payroll_Dimension_4_Code | Code   |   | Payroll Dimension 4 Code                               |
| Payroll_Dimension_5_Code | Code   |   | Payroll Dimension 5 Code                               |
| Payroll_Dimension_6_Code | Code   |   | Payroll Dimension 6 Code                               |
| Payroll_Dimension_7_Code | Code   |   | Payroll Dimension 7 Code                               |
| Payroll_Dimension_8_Code | Code   |   | Payroll Dimension 8 Code                               |
| Workstation_Code         | Code   |   | Workstation Code                                       |
| Seniority_Date           | Date   |   | Seniority Date   |
| Custom_Field_1           | Code   | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 1   |

| Custom_Text_Field_1 | Text |   | Custom Field Text Value   |
|---------------------|------|---|---------------------------|
| Custom_Field_2      | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 2            |
| Custom_Text_Field_2 | Text |   | Custom Field Text Value 2 |
| Custom_Field_3      | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 3            |
| Custom_Text_Field_3 | Text |   | Custom Field Text Value 3 |
| Custom_Field_4      | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 4            |
| Custom_Text_Field_4 | Text |   | Custom Field Text Value 4 |
| Custom_Field_5      | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 5            |
| Custom_Text_Field_5 | Text |   | Custom Field Text Value 5 |
| Custom_Field_6      | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 6            |
| Custom_Text_Field_6 | Text |   | Custom Field Text Value 6 |
| Custom_Field_7      | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 7            |
| Custom_Text_Field_7 | Text |   | Custom Field Text Value 7 |
| Custom_Field_8      | Code | Võimaldab seadistada kliendi poolt eel defineeritud väärustega                                    | Custom Field 8            |

|                             |         |   |                            |
|-----------------------------|---------|---|----------------------------|
|                             |         | või sisestatava tekstiga väärtsusi  |                            |
| <b>Custom_Text_Field_8</b>  | Text    |   | Custom Field Text Value 8  |
| <b>Custom_Field_9</b>       | Code    | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 9             |
| <b>Custom_Text_Field_9</b>  | Text    |   | Custom Field Text Value 9  |
| <b>Custom_Field_10</b>      | Code    | Võimaldab seadistada kliendi poolt eel defineeritud väärustega või sisestatava tekstiga väärtsusi | Custom Field 10            |
| <b>Custom_Text_Field_10</b> | Text    |   | Custom Field Text Value 10 |
| <b>Entry_GUID</b>           | Guid    | *   | Entry GUID                 |
| <b>Delete_Entry</b>         | Boolean | True/False  |                            |
| <b>SOAP_Entry_No</b>        | Integer |   |                            |

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7448/PALK20APPTEST/ODataV4/Company\('Ülle%20AS'\)/EmployeeInsert](http://palk.westeuropa.cloudapp.azure.com:7448/PALK20APPTEST/ODataV4/Company('Ülle%20AS')/EmployeeInsert)

JSON näidis:

```
{

```

```

"No": "TRI-0259",
"Personal_ID": "",
"First_Name": "Kaari",
"Last_Name": "Savila",
"Birth_Date": "1991-01-01",
"Sex": "Female",
"E_Mail": "sille@rt.ee",
"Company_E_Mail": "",
"Default_E_mail_Type": "None",
"Phone_No_1": "",
"Phone_No_2": "",
"Mobile_Phone_No_1": "55446677",
"Mobile_Phone_No_2": "",
"Address": "Saatte tee 12",
"Address_2": "",
"City": "Tallinn",
"Post_Code": "11223",
"County": "",
"Country_Code": "",
"Manager_No": "A001",

```

```
        "Payroll_Dimension_1_Code": "",  
        "Payroll_Dimension_2_Code": "",  
        "Payroll_Dimension_3_Code": "",  
        "Payroll_Dimension_4_Code": "",  
        "Payroll_Dimension_5_Code": "",  
        "Payroll_Dimension_6_Code": "",  
        "Payroll_Dimension_7_Code": "",  
        "Payroll_Dimension_8_Code": "",  
        "Workstation_Code": "TLN",  
        "Seniority_Date": "0001-01-01",  
        "Custom_Field_1": "",  
        "Custom_Text_Field_1": "",  
        "Custom_Field_2": "",  
        "Custom_Text_Field_2": "",  
        "Custom_Field_3": "",  
        "Custom_Text_Field_3": "",  
        "Custom_Field_4": "",  
        "Custom_Text_Field_4": "",  
        "Custom_Field_5": "",  
        "Custom_Text_Field_5": "",  
        "Custom_Field_6": "",  
        "Custom_Text_Field_6": "",  
        "Custom_Field_7": "",  
        "Custom_Text_Field_7": "",  
        "Custom_Field_8": "",  
        "Custom_Text_Field_8": "",  
        "Custom_Field_9": "",  
        "Custom_Text_Field_9": "",  
        "Custom_Field_10": "",  
        "Custom_Text_Field_10": ""  
  
    }  

```

#### Näidis päringu vastus:

```
{  
    "@odata.context":  
    "http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/ODATAV4/$metadata#Com  
pany('%C3%9Cll%C2%A5')/EmployeeInsert/$entity",  
    "@odata.etag": "W/\\"JzIwOzEwOTk2NjQ5NDQ1MzU2NDMwNzg3MTswMDsn\\\"",  
    "SOAP_Entry_No": 7,  
    "Entry_GUID": "00000000-0000-0000-000000000000",  
    "No": "TRI-0259",  
    "Personal_ID": "",  
    "First_Name": "Kaari",  
    "Last_Name": "Savila",  
    "Birth_Date": "1991-01-01",  
    "Sex": "Female",  
    "E_Mail": "sille@rt.ee",  
    "Company_E_Mail": "",  
    "Default_E_mail_Type": "None",  
    "Phone_No_1": ""  
}
```

```
"Phone_No_2": "",  
"Mobile_Phone_No_1": "55446677",  
"Mobile_Phone_No_2": "",  
"Address": "Saate tee 12",  
"Address_2": "",  
"City": "Tallinn",  
"Post_Code": "11223",  
"County": "",  
"Country_Code": "",  
"Manager_No": "A001",  
"Payroll_Dimension_1_Code": "",  
"Payroll_Dimension_2_Code": "",  
"Payroll_Dimension_3_Code": "",  
"Payroll_Dimension_4_Code": "",  
"Payroll_Dimension_5_Code": "",  
"Payroll_Dimension_6_Code": "",  
"Payroll_Dimension_7_Code": "",  
"Payroll_Dimension_8_Code": "",  
"Workstation_Code": "TLN",  
"Seniority_Date": "0001-01-01",  
"Custom_Field_1": "",  
"Custom_Text_Field_1": "",  
"Custom_Field_2": "",  
"Custom_Text_Field_2": "",  
"Custom_Field_3": "",  
"Custom_Text_Field_3": "",  
"Custom_Field_4": "",  
"Custom_Text_Field_4": "",  
"Custom_Field_5": "",  
"Custom_Text_Field_5": "",  
"Custom_Field_6": "",  
"Custom_Text_Field_6": "",  
"Custom_Field_7": "",  
"Custom_Text_Field_7": "",  
"Custom_Field_8": "",  
"Custom_Text_Field_8": "",  
"Custom_Field_9": "",  
"Custom_Text_Field_9": "",  
"Custom_Field_10": "",  
"Custom_Text_Field_10": "",  
"Delete_Entry": false  
}
```

## 6.14. Väliste projektide lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee External Projects (24012901).  
Veebiteenuse lehe ID 24012965.

|                            |         |                                     |   |
|----------------------------|---------|-------------------------------------|---|
| Välja nimetus              | Tüüp    | Märkus                              | Andmed tabelisse<br>PLK Employee<br>External Projects<br>(24012901) |
| <b>Entry_No</b>            | Integer | Pannakse automaatselt päringu külge |   |
| <b>Entry_GUID</b>          | Guid    | *                                   | Entry GUID  |
| <b>Country_Code</b>        | Code    |                                     | Country Code  |
| <b>External_Project_No</b> | Code    |                                     | External Project No.  |
| <b>Employee_No</b>         | Code    |                                     | Employee No.  |
| <b>From_Date</b>           | Date    |                                     | From Date   |
| <b>To_Date</b>             | Date    |                                     | To Date   |
| <b>Days</b>                | Integer |                                     | Days  |
| <b>Closed</b>              | Boolean | True/False                          | Closed  |
| <b>Delete</b>              | Boolean | True/False                          |   |
| <b>Status_Message</b>      | Text    | Veateate tagastuse sisestuseks      |   |
| <b>Status_Error</b>        | Boolean | Kas oli error või ei ehk True/False |   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company\('Tuuritaja%20AS'\)/ExternalProjects](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4/Company('Tuuritaja%20AS')/ExternalProjects)

JSON näidis:

```
{
    "Employee_No": "T0004",
    "Country_Code": "",
    "External_Project_No": "111",
    "From_Date": "2023-01-01",
    "To_Date": "2024-01-01",
    "Days": 0,
    "Closed": false,
    "Entry_GUID": "6ab2eb22-1a34-441e-b876-6e9282d67750"
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODATAV4
    /$metadata#Company('Tuuritaja%20AS')/ExternalProjects/$entity",
```

```

"@odata.etag": "W/\\"JzQ001JhNUx3QkY3WGJrZ2NMLzI5MTFuM1hVdWxRaWg1Y0YwTUdnRkx4MjRoQlU9MTswMDsn\\\"",
"Entry_No": 3,
"Entry_GUID": "6ab2eb22-1a34-441e-b876-6e9282d67750",
"Country_Code": "",
"External_Project_No": "111",
"Employee_No": "T0004",
"From_Date": "2023-01-01",
"To_Date": "2024-01-01",
"Days": 0,
"Closed": false,
"Delete": false,
>Status_Message": "Entry inserted",
>Status_Error": false
}

```

## 6.15. Tööajatabeli projekti ülesande lisamine

Andmed kirjutatakse BC-sse tabelisse PER Working Schedule Job (24013069).

Veebiteenuse lehe ID 24008486.

| Välja nimetus                   | Tüüp    | Märkus                             | Andmed tabelisse PER Working Schedule Job (24013069) |
|---------------------------------|---------|------------------------------------|--|
| <b>Job_No</b>                   | Code    |                                    | PER Job No.  |
| <b>Main_Job_No</b>              | Code    |                                    | Main Job No.   |
| <b>Description</b>              | Text    |                                    | Description  |
| <b>Sorting_No</b>               | Code    | Sorteerimise järjekorra nr tabelis | Sorting No.  |
| <b>Task_Batch_No</b>            | Code    |                                    | Task Batch No  |
| <b>Responsible_No</b>           | Code    |                                    | Responsible No.                                      |
| <b>Split_Type</b>               | Option  | Percentage/Proportional            | Split Type   |
| <b>Split_Insert_Type</b>        | Option  | Keep/Zero/Remaining                | Split Insert Type                                    |
| <b>Percentage</b>               | Decimal |                                    | Percentage   |
| <b>Expected_Hour_Cost</b>       | Decimal |                                    | Expected Hour Cost                                   |
| <b>Substitute_No</b>            | Code    |                                    | Substitute No.                                       |
| <b>Closed</b>                   | Boolean | True/False                         | Closed   |
| <b>Payroll_Dimension_1_Code</b> | Code    |                                    | Payroll Dimension 1 Code                             |
| <b>Payroll_Dimension_2_Code</b> | Code    |                                    | Payroll Dimension 2 Code                             |
| <b>Payroll_Dimension_3_Code</b> | Code    |                                    | Payroll Dimension 3 Code                             |
| <b>Payroll_Dimension_4_Code</b> | Code    |                                    | Payroll Dimension 4 Code                             |
| <b>Connected_Job_No</b>         | Code    |                                    | Connected Job No.                                    |
| <b>Connected_Task_No</b>        | Code    |                                    | Connected Task No.                                   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6ajatabelProjekt](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6ajatabelProjekt)

JSON näidis:

```
{  
    "Job_No": "02",  
    "Description": "Kuuri tn 2",  
    "Task_Batch_No": "",  
    "Responsible_No": "T0004",  
    "Split_Type": "Percentage",  
    "Split_Insert_Type": "Keep",  
    "Percentage": 0,  
    "Expected_Hour_Cost": 0,  
    "Substitute_No": "T0010",  
    "Closed": false,  
    "Payroll_Dimension_1_Code": "",  
    "Payroll_Dimension_2_Code": "",  
    "Payroll_Dimension_3_Code": "",  
    "Payroll_Dimension_4_Code": "",  
    "Connected_Job_No": "",  
    "Connected_Task_No": ""  
}
```

Näidis päringu vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4  
    /$metadata#Company('Tuuritaja%20AS')/T%C3%B6ajatabelProjekt/$entity",  
    "@odata.etag": "W/\\"JzQ002ZZcVQwSjdQZmVXRm9UYjZwRlhYUjZKMzJpUytzbkdXMGpBU0FhTDY5LzQ9MTs  
    wMDsn\\\"",  
    "Job_No": "02",  
    "Main_Job_No": "",  
    "Description": "Kuuri tn 2",  
    "Task_Batch_No": "",  
    "Responsible_No": "T0004",  
    "Split_Type": "Percentage",  
    "Split_Insert_Type": "Keep",  
    "Percentage": 0,  
    "Expected_Hour_Cost": 0,  
    "Substitute_No": "T0010",  
    "Closed": false,  
    "Payroll_Dimension_1_Code": "",  
    "Payroll_Dimension_2_Code": "",  
    "Payroll_Dimension_3_Code": "",  
    "Payroll_Dimension_4_Code": "",  
    "Connected_Job_No": "",  
    "Connected_Task_No": ""  
}
```

## 6.16. Asendamiste saatmine BC-sse

Andmed kirjutatakse BC tabelisse PLK Payroll Subst. Led. Entry (24002099).

Veebiteenuse lehe ID 24012979.

JSON-i loomisel tuleb andmed võtta tabelist 24002028, kellele soovitakse asendust BC-sse saata.

| Välja nimetus             | Tüüp    | Märkus   | Andmed tabelisse PLK Payroll Subst. Led. Entry (24002099) |
|---------------------------|---------|--|---|
| <b>Log_Entry_No</b>       | Integer | Kande number tabelis   | Abs. Entry No.  |
| <b>From_Date</b>          | Date    |  | From Date   |
| <b>To_Date</b>            | Date    |  | To Date   |
| <b>Substituent_No</b>     | Code    |  | Substituent No.   |
| <b>Description</b>        | Text    |  | Description   |
| <b>Absence_Entry_GUID</b> | Guid    | Entry GUID tabelist 24002028 puhkuse kandega kokku viimiseks | Entry GUID  |
| <b>Response_Text</b>      | Text    | 24002028 tabelisse sisestatud Entry No.välja väärthus        | Entry No.   |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Substitution](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/Company('Tuuritaja%20AS')/Substitution)

JSON näidis:

```
{
    "Log_Entry_No": "2",
    "From_Date": "2022-07-15",
    "To_Date": "2022-07-17",
    "Substituent_No": "T0004",
    "Description": "Asendab klienti AS Sisu",
    "Absence_Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
    "Response_Text": "Entry No. 1"
}
```

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Substitution/$entity",
    "@odata.etag": "W/\\"JzQ00281Zi9ZUmSTHdmWWhwSTd1SHdXVDlzaWxOTTFYaHpyaVhVaU1wVEo4VTA9MTswMDsn\\",
    "Log_Entry_No": 2,
    "From_Date": "2022-07-15",
    "To_Date": "2022-07-17",
    "Substituent_No": "T0004",
```

```
        "Description": "Asendab klienti AS Sisu",
        "Absence_Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
        "Response_Text": "Entry No. 1"
    }
```

## 7. Rest api päringud

### 7.1. Rest API päringu üld selgitused

Teenuste üldpäringu aadress:

GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/)

Vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata",
    "value": [
        {
            "name": "entityDefinitions",
            "kind": "EntitySet",
            "url": "entityDefinitions"
        },
        {
            "name": "companies",
            "kind": "EntitySet",
            "url": "companies"
        },
        {
            "name": "subscriptions",
            "kind": "EntitySet",
            "url": "subscriptions"
        },
        {
            "name": "holidayRequests",
            "kind": "EntitySet",
            "url": "holidayRequests"
        },
        {
            "name": "holidayRequestsShort",
            "kind": "EntitySet",
            "url": "holidayRequestsShort"
        }
    ]
}
```

Ettevõtte ID päring (sellega saab ettevõtte ID-d, mida URL-is kasutada, et vajadusel teha päringud teise ettevõttesse, nt. testettevõttesse):

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies)

Vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS  
_Itera_Payroll365/Absences/v2.0/$metadata#companies",  
    "value": [  
        {  
            "id": "e5b4a36e-b3b3-eb11-b82e-000d3a2059de",  
            "systemVersion": "18.0.23013.23795",  
            "name": "2021 DEMO",  
            "displayName": "",  
            "businessProfileId": "",  
            "systemCreatedAt": "2021-05-13T06:21:21.167Z",  
            "systemCreatedBy": "00000000-0000-0000-0000-000000000001",  
            "systemModifiedAt": "2021-05-13T06:21:21.167Z",  
            "systemModifiedBy": "00000000-0000-0000-0000-000000000001"  
        },  
        {  
            "id": "c28ad877-e1b3-eb11-b82e-000d3a2059de",  
            "systemVersion": "18.0.23013.23795",  
            "name": "2021 M_DEMO",  
            "displayName": "",  
            "businessProfileId": "",  
            "systemCreatedAt": "2021-05-13T11:50:54.027Z",  
            "systemCreatedBy": "00000000-0000-0000-0000-000000000001",  
            "systemModifiedAt": "2021-05-13T11:50:54.027Z",  
            "systemModifiedBy": "00000000-0000-0000-0000-000000000001"  
        },  
        {  
            "id": "b706f204-4dc5-ec11-b83d-000d3a2059de",  
            "systemVersion": "18.0.23013.23795",  
            "name": "Tuuritaja AS",  
            "displayName": "Tuuritaja AS",  
            "businessProfileId": "",  
            "systemCreatedAt": "2022-04-26T10:38:33.777Z",  
            "systemCreatedBy": "ea67b200-0503-412b-8f4e-63c70aed8345",  
            "systemModifiedAt": "2022-04-26T10:40:14.023Z",  
            "systemModifiedBy": "ea67b200-0503-412b-8f4e-63c70aed8345"  
        },  
    ]  
}
```

Õige ettevõtte pihta tehtava päringu jaoks tuleb ettevõtte ID panna anda päringuga kaasa nt  
GET:

http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\_Itera\_Payroll365/Absences/v2.0/companies(b  
706f204-4dc5-ec11-b83d-000d3a2059de)

Vastus:

```
{  
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS  
_Itera_Payroll365/Absences/v2.0/$metadata#companies/$entity",  
    "id": "b706f204-4dc5-ec11-b83d-000d3a2059de",  
    "systemVersion": "18.0.23013.23795",  
    "name": "Tuuritaja AS",  
    "displayName": "Tuuritaja AS",
```

```

    "businessProfileId": "",
    "systemCreatedAt": "2022-04-26T10:38:33.777Z",
    "systemCreatedBy": "ea67b200-0503-412b-8f4e-63c70aed8345",
    "systemModifiedAt": "2022-04-26T10:40:14.023Z",
    "systemModifiedBy": "ea67b200-0503-412b-8f4e-63c70aed8345"
}

```

#### Filtri kasutamise näidis:

GET:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/\\$metadata#companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/holidayRequestsShort](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/holidayRequestsShort?$filter=StartingDate gt 2021-03-01)

Vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/holidayRequestsShort",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzFKUWs2MnA1VmxyUTl6bnpoR1FUSjZiVmFPN0RMbDNHVmxLR3paUmlWS2s9MTswMDsn\\",
            "EmployeeNo": "T0003",
            "StartingDate": "2021-04-01",
            "EndingDate": "2021-04-10",
            "EmployeeName": "Kati Karu",
            "EmployeeEmail": "aile.pahkel@ettevote.ee",
            "Substitutions": "Eedit Kekk"
        },
        {
            "@odata.etag": "W/\\"JzQ000EwZmpwbHd0Vn1KYThqNks3bU9kVkFTTm51V3lIT1ZkNTRBRVpaQ1JiTE09MTswMDsn\\",
            "EmployeeNo": "T0043",
            "StartingDate": "2021-03-08",
            "EndingDate": "2021-03-28",
            "EmployeeName": "Herta Lai",
            "EmployeeEmail": "",
            "Substitutions": ""
        }
    ]
}
```

## 7.2. Puhkuse taotluste lühi pärting

Puhkuse taotlusi on võimalik pärida BC-st lehelt PER Payroll Request (24013072).

| Välja nimetus        | Tüüp | Märkus | Andmed tabelist PER Payroll Request (24013072) |
|----------------------|------|--------|--|
| <b>EmployeeNo</b>    | Code |        | Employee No.                                   |
| <b>StartingDate</b>  | Date |        | Starting Date                                  |
| <b>EndingDate</b>    | Date |        | Ending Date                                    |
| <b>EmployeeName</b>  | Text |        | Full Name                                      |
| <b>EmployeeEmail</b> | Text |        | Employee E-mail                                |

|                      |      |   |                      |
|----------------------|------|---|----------------------|
| <b>Substitutions</b> | Text | Andmed tabelist PER Request Substitution (24013053) | <b>Substitutions</b> |
|----------------------|------|---|----------------------|

#### Näidis päringu aadress:

http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\_Itera\_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequestsShort

#### Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequestsShort",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ00ytSRWl4cGJDRVJBR1ZsZXlHNi9XcWsyQkswMnR5U0xtb2hUNjZLREJV2c9MTswMDsn\\",
            "EmployeeNo": "T0003",
            "StartingDate": "2022-10-03",
            "EndingDate": "2022-10-09",
            "EmployeeName": "Teele Tuisk",
            "EmployeeEmail": "",
            "Substitutions": ""
        },
        {
            "@odata.etag": "W/\\"JzQ002RjSk5GdTg3M1FYVFZreEduSEZKcnY0Vwhwc1B4RFQyRm1sNHJtQVA3RXc9MTswMDsn\\",
            "EmployeeNo": "T0003",
            "StartingDate": "2023-05-08",
            "EndingDate": "2023-05-14",
            "EmployeeName": "Teele Tuisk",
            "EmployeeEmail": "",
            "Substitutions": ""
        }
    ]
}
```

### 7.3. Puhkuste taotluste päring

Andmeid päritakse BC lehelt PER Payroll Request (24013072).

|                        |        |  |  |
|------------------------|--------|--|--|
| Välja nimetus          | Tüüp   | Märkus   | Andmed tabelist PER Payroll Request (24013072) |
| <b>EmployeeNo</b>      | Code   |  | Employee No.                                   |
| <b>StartingDate</b>    | Date   |  | Starting Date                                  |
| <b>EndingDate</b>      | Date   |  | Ending Date                                    |
| <b>HolidayTypeCode</b> | Code   |  | Holiday Type                                   |
| <b>ApprovalStatus</b>  | Option | New/Rejected/Waiting Approval/Approved/Submitted /Completed/Canceled | Approval Status                                |

|                               |         |   |                          |
|-------------------------------|---------|---|--------------------------|
| <b>EmployeeName</b>           | Text    |   | Full Name                |
| <b>Level1No</b>               | Code    |   | Level 1 No.              |
| <b>Level2No</b>               | Code    |   | Level 2 No.              |
| <b>Level3No</b>               | Code    |   | Level 3 No               |
| <b>Level4No</b>               | Code    |   | Level 4 No.              |
| <b>EmployeeEmail</b>          | Text    |   | Employee E-mail          |
| <b>HolidayTypeDescription</b> | Text    |   | Holiday Type Description |
| <b>Days</b>                   | Decimal |   | Days                     |
| <b>Substitutions</b>          | Text    | Andmed tabelist PER Request Substitution (24013053) | Substitutions            |
| <b>RequestNo</b>              | Code    |   | Request No               |
| <b>RequestInfo</b>            | Text    |   | Request Info             |
| <b>RequestURL</b>             |         |   |                          |

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/holidayRequests](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequests)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequests",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ000dqNU100U1DUE9UQzRtdGk3SH1zQmlFNGVReWZaeFZYS1lsQlpZYmR6N289MTswMDsn\\",
            "EmployeeNo": "T0003",
            "StartingDate": "2022-10-03",
            "EndingDate": "2022-10-09",
            "HolidayTypeCode": "P_PUHKUS",
            "ApprovalStatus": "Approved",
            "EmployeeName": "Teele Tuisk",
            "Level1No": "10",
            "Level2No": "100",
            "Level3No": "101",
            "Level4No": "1011",
            "EmployeeEmail": "",
            "HolidayTypeDescription": "Põhipuhkus",
            "Days": 7,
            "Substitutions": "",
            "RequestNo": "PUH0001",
            "RequestInfo": "Põhipuhkus 03.10.22 - 09.10.22",
            "RequestURL": "http://palk.westeuropa.cloudapp.azure.com:8016/PALK18APPTEST/?company=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAAwADE%3d"
        },
        {
            "@odata.etag": "W/\\"JzQ003hzRkhBa2s4Y0hHTlIrcm9SVHRHL2FHTjFlcWl0S31KcWlKTjdjRkZrTk9MTswMDsn\\",
            "EmployeeNo": "T0003",
            "StartingDate": "2022-10-03",
            "EndingDate": "2022-10-09",
            "HolidayTypeCode": "P_PUHKUS",
            "ApprovalStatus": "Approved",
            "EmployeeName": "Teele Tuisk",
            "Level1No": "10",
            "Level2No": "100",
            "Level3No": "101",
            "Level4No": "1011",
            "EmployeeEmail": "",
            "HolidayTypeDescription": "Põhipuhkus",
            "Days": 7,
            "Substitutions": "",
            "RequestNo": "PUH0001",
            "RequestInfo": "Põhipuhkus 03.10.22 - 09.10.22",
            "RequestURL": "http://palk.westeuropa.cloudapp.azure.com:8016/PALK18APPTEST/?company=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAAwADE%3d"
        }
    ]
}
```

```

        "EmployeeNo": "T0003",
        "StartingDate": "2023-05-08",
        "EndingDate": "2023-05-14",
        "HolidayTypeCode": "P_PUHKUS",
        "ApprovalStatus": "Approved",
        "EmployeeName": "Teele Tuisk",
        "Level1No": "10",
        "Level2No": "100",
        "Level3No": "101",
        "Level4No": "1011",
        "EmployeeEmail": "",
        "HoldiayTypeDescription": "Põhipuhkus",
        "Days": 7,
        "Substitutions": "",
        "RequestNo": "PUH0002",
        "RequestInfo": "Põhipuhkus 08.05.23 - 14.05.23",
        "RequestURL": "http://palk.westeuropa.cloudapp.azure.com:8016/PALK18APPTEST/?company=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAAwADI%3d"
    }
]
}
}
    
```

#### 7.4. Töötajate loend

Päring võimaldab pärida kõiki ettevõtte töötajaid. Andmed päritakse lehelt PLK Payroll Employee (24002014).

| Välja nimetus        | Tüüp    | Märkus                                | Andmed tabelist PLK Payroll Employee (24002014) |
|----------------------|---------|---------------------------------------|---|
| No                   | Code    |                                       | No  |
| PersonalID           | Text    |                                       | Personal ID                                     |
| FirstName            | Text    |                                       | First Name                                      |
| LastName             | Text    |                                       | Last Name                                       |
| FullName             | Text    |                                       | Full Name                                       |
| PreviousName         | Text    |                                       | Previous Name                                   |
| Status               | Option  | Active/ Inactive/Prospect /Terminated | Status  |
| BirthDate            | Date    |                                       | BirthDate                                       |
| DenyBirthDatePublish | Boolean | Yes/No                                | Deny Birth Date Publish                         |
| Sex                  | Option  | Male/Female                           | Sex   |
| UserID               | Code    |                                       | User ID   |
| NonResident          | Boolean | Yes/No                                | Non-Resident                                    |
| CitizenshipCode      | Code    |                                       | Citizenship Code                                |
| CitizenshipName      | Text    |                                       | Citizenship Name                                |
| NativeLanguageCode   | Code    |                                       | Native Language Code                            |

|                                |         |        |                           |
|--------------------------------|---------|--------|---------------------------|
| <b>NativeLanguageName</b>      | Text    |        | Native Language Name      |
| <b>Address</b>                 | Text    |        | Address                   |
| <b>Address2</b>                | Text    |        | Address2                  |
| <b>City</b>                    | Text    |        | City                      |
| <b>PostCode</b>                | Code    |        | Post Code                 |
| <b>County</b>                  | Text    |        | County                    |
| <b>CountryCode</b>             | Code    |        | Country Code              |
| <b>PersonalPhoneNo</b>         | Text    |        | Phone No. 1               |
| <b>CompanyPhoneNo</b>          | Text    |        | Phone No. 2               |
| <b>PersonalMobilePhoneNo</b>   | Text    |        | Mobile Phone No. 1        |
| <b>CompanyMobilePhoneNo</b>    | Text    |        | Mobile Phone No. 2        |
| <b>EMail</b>                   | Text    |        | E-Mail                    |
| <b>CompanyEMail</b>            | Text    |        | Company E-Mail            |
| <b>Blocked</b>                 | Boolean | Yes/No | Blocked                   |
| <b>JobTitle</b>                | Text    |        | Job Title                 |
| <b>JobTitleEnglish</b>         | Text    |        | Job Title(English)        |
| <b>WorkingRoomNo</b>           | Text    |        | Working Room No.          |
| <b>MainContractNo</b>          | Code    |        | Main Contract No.         |
| <b>Noviciate</b>               | Boolean | Yes/No | Noviciate                 |
| <b>AdditionalWorkingFactor</b> | Decimal |        | Additional Working Factor |
| <b>WorkingFactor</b>           | Decimal |        | Working Factor            |
| <b>NoviciateEndingDate</b>     | Date    |        | Noviciate Ending Date     |
| <b>SeniorityDate</b>           | Date    |        | Seniority Date            |
| <b>EmploymentDate</b>          | Date    |        | Employment Date           |
| <b>EmploymentContractCode</b>  | Code    |        | Emplymt. Contract Code    |
| <b>TerminationDate</b>         | Date    |        | Termination Date          |
| <b>WorkstationCode</b>         | Code    |        | Workstation Code          |
| <b>WorkstationName</b>         | Text    |        | Workstation Name          |
| <b>ManagerNo</b>               | Code    |        | Manager No                |
| <b>ManagerName</b>             | Text    |        | Manager Name              |
| <b>ManagerJob</b>              | Text    |        | Manager Job               |
| <b>Level1No</b>                | Code    |        | Level 1 No.               |
| <b>Level1Name</b>              | Text    |        | Level 1 Name              |
| <b>Level2No</b>                | Code    |        | Level 2 No.               |
| <b>Level2Name</b>              | Text    |        | Level 2 Name              |
| <b>Level3No</b>                | Code    |        | Level 3 No.               |
| <b>Level3Name</b>              | Text    |        | Level 3 Name              |
| <b>Level4No</b>                | Code    |        | Level 4 No.               |
| <b>Level4Name</b>              | Text    |        | Level 4 Name              |
| <b>Statistics1Code</b>         | Code    |        | I Statistics Group Code   |

|                          |          |   |                          |
|--------------------------|----------|---|--------------------------|
| <b>Statistics2Code</b>   | Code     |   | II Statistics Group Code |
| <b>Dimension1Code</b>    | Code     |   | Dimension 1 Code         |
| <b>Dimension2Code</b>    | Code     |   | Dimension 2 Code         |
| <b>Dimension3Code</b>    | Code     |   | Dimension 3 Code         |
| <b>Dimension4Code</b>    | Code     |   | Dimension 4 Code         |
| <b>Dimension5Code</b>    | Code     |   | Dimension 5 Code         |
| <b>Dimension6Code</b>    | Code     |   | Dimension 6 Code         |
| <b>Dimension7Code</b>    | Code     |   | Dimension 7 Code         |
| <b>Dimension8Code</b>    | Code     |   | Dimension 8 Code         |
| <b>Dimension1Name</b>    | Code     |   | Dimension 1 Name         |
| <b>Dimension2Name</b>    | Code     |   | Dimension 2 Name         |
| <b>Dimension3Name</b>    | Code     |   | Dimension 3 Name         |
| <b>Dimension4Name</b>    | Code     |   | Dimension 4 Name         |
| <b>Dimension5Name</b>    | Code     |   | Dimension 5 Name         |
| <b>Dimension6Name</b>    | Code     |   | Dimension 6 Name         |
| <b>Dimension7Name</b>    | Code     |   | Dimension 7 Name         |
| <b>Dimension8Name</b>    | Code     |   | Dimension 8 Name         |
| <b>CustomField1</b>      | Code     |   | Custom Field 1           |
| <b>CustomField2</b>      | Code     |   | Custom Field 2           |
| <b>CustomField3</b>      | Code     |   | Custom Field 3           |
| <b>CustomField4</b>      | Code     |   | Custom Field 4           |
| <b>CustomField5</b>      | Code     |   | Custom Field 5           |
| <b>CustomField6</b>      | Code     |   | Custom Field 6           |
| <b>CustomField7</b>      | Code     |   | Custom Field 7           |
| <b>CustomField8</b>      | Code     |   | Custom Field 8           |
| <b>CustomField9</b>      | Code     |   | Custom Field 9           |
| <b>CustomField10</b>     | Code     |   | Custom Field 10          |
| <b>CustomTextField</b>   | Text     |   | Custom Text Field        |
| <b>CustomTextField2</b>  | Text     |   | Custom Text Field 2      |
| <b>CustomTextField3</b>  | Text     |   | Custom Text Field 3      |
| <b>CustomTextField4</b>  | Text     |   | Custom Text Field 4      |
| <b>CustomTextField5</b>  | Text     |   | Custom Text Field 5      |
| <b>CustomTextField6</b>  | Text     |   | Custom Text Field 6      |
| <b>CustomTextField7</b>  | Text     |   | Custom Text Field 7      |
| <b>CustomTextField8</b>  | Text     |   | Custom Text Field 8      |
| <b>CustomTextField9</b>  | Text     |   | Custom Text Field 9      |
| <b>CustomTextField10</b> | Text     |   | Custom Text Field 10     |
| <b>PrevHealthCheck</b>   | Date     | Info tabelist PER Health Certificate (24008854) | Health Check Date        |
| <b>NextHealthCheck</b>   | Date     | Info tabelist PER Health Certificate (24008854) | Next Health Check Date   |
| <b>Picture</b>           | BLOB     |   | Picture                  |
| <b>SystemCreatedAt</b>   | DateTime |   | System Created At        |
| <b>SystemId</b>          | GUID     |   | System Id                |

|                         |            |  |                    |
|-------------------------|------------|--|--------------------|
| <b>SystemModifiedAt</b> | DateTime   |  | System Modified At |
| <b>Timestamp</b>        | BigInteger |  | SQL Timestamp      |
| <b>EntryGUID</b>        | GUID       |  | Entry GUID         |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/payrollEmployees](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/payrollEmployees)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/payrollEmployees",
  "value": [
    {
      "@odata.etag": "W/\\"JzE40zMyNTQyNjMjc1MjQ5MjM5NDE7MDA7Jw==\\\"",
      "No": "A002",
      "PersonalID": "38710010356",
      "FirstName": "Kuldar",
      "LastName": "Petersell",
      "FullName": "Kuldar Petersell",
      "PreviousName": "",
      "Status": "Active",
      "BirthDate": "1987-10-01",
      "DenyBirthDatePublish": false,
      "Sex": "Male",
      "UserID": "KADRIKEKK",
      "NonResident": false,
      "CitizenshipCode": "EE",
      "CitizenshipName": "Eesti",
      "NativeLanguageCode": "ETI",
      "NativeLanguageName": "Eesti",
      "Address": "Muru 2-3",
      "Address2": "",
      "City": "Tallinn",
      "PostCode": "10110",
      "County": "Harju maakond",
      "CountryCode": "EE",
      "PersonalPhoneNo": "",
      "CompanyPhoneNo": "",
      "PersonalMobilePhoneNo": "59 88 99 776",
      "CompanyMobilePhoneNo": "",
      "EMail": "yllek@itera.ee",
      "CompanyEMail": "",
      "Blocked": false,
      "JobTitle": "Müigidirektor",
      "JobTitleEnglish": "Sales Director",
      "WorkingRoomNo": "",
      "MainContractNo": "",
      "Noviciate": false
    }
  ]
}
```

```
"AdditionalWorkingFactor": 0,  
"WorkingFactor": 0.5,  
"NoviciateEndingDate": "0001-01-01",  
"SeniorityDate": "0001-01-01",  
"EmploymentDate": "2017-10-03",  
"EmploymentContractCode": "11",  
"TerminationDate": "0001-01-01",  
"WorkstationCode": "TLN",  
"WorkstationName": "Tallinna kontor",  
"ManagerNo": "A001",  
"ManagerName": "Holger Saviauk",  
"ManagerJob": "",  
"Level1No": "13",  
"Level1Name": "Müügiosakond",  
"Level2No": "1302",  
"Level2Name": "Jaemüük",  
"Level3No": "",  
"Level3Name": "",  
"Level4No": "",  
"Level4Name": "",  
"Statistics1Code": "",  
"Statistics2Code": "",  
"Dimension1Code": "JAE",  
"Dimension2Code": "JK0001",  
"Dimension3Code": "",  
"Dimension4Code": "",  
"Dimension5Code": "",  
"Dimension6Code": "",  
"Dimension7Code": "",  
"Dimension8Code": "",  
"Dimension1Name": "Jaemügi osakond",  
"Dimension2Name": "JK0001",  
"Dimension3Name": "",  
"Dimension4Name": "",  
"Dimension5Name": "",  
"Dimension6Name": "",  
"Dimension7Name": "",  
"Dimension8Name": "",  
"CustomField1": "",  
"CustomField2": "",  
"CustomField3": "",  
"CustomField4": "",  
"CustomField5": "",  
"CustomField6": "",  
"CustomField7": "",  
"CustomField8": "",  
"CustomField9": "",  
"CustomField10": "",  
"CustomTextField": "",  
"CustomTextField2": "",  
"CustomTextField3": "",
```

```

    "CustomTextField4": "",
    "CustomTextField5": "",
    "CustomTextField6": "",
    "CustomTextField7": "",
    "CustomTextField8": "",
    "CustomTextField9": "",
    "CustomTextField10": "",
    "PrevHealthCheck": "2022-03-01",
    "NextHealtCheck": "0001-01-01",
    "Picture": "/9j/4AAQSkZJRgABAgEAAAAAAD/2wBDAkGBwgHBgkICAgKCgkLDhcPDg0NDhwUFREXIh4jIyEeICA
1KjUtJScyKCAgLj8vMjc5PDw8JC1CRkE6RjU7PDn/2wBDAQoKCg4MDhsPDxs5JiAm0Tk50Tk50Tk50Tk
50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tn/wgARCAF2AX0DACIAAREBAhEB/8Q
AGwAAAqMBAQEAAAAAAAAAUDBAYBAgf/xAAaAQADAQEBAQAAAAAAAAQIDBAUG/9oADAM
AAAEEQAhAAAAFpZ5a+Z3rFkydYsgKT3B6MWfUdSRjywoh3ff0fVWewczdgoj35gsYReqWTu+qXbVrxU
kos9qeQtSQuMpAdnJzlg46rlgCvUZwd0RcZ99/BZxoArGgCsveQp5zzNNjc6zwawZiFoyELesQF3b4
C/rDgUC0vTiicRp0bduiL2XutL4mpQv4xAU2LvQo8viKPboFEvAUS8BRLwFEvGi53z3Zd4usItAMqrHK
RHvPt1CeQZq2lIAAAAADikr4Fht497FC9RdJqqbKmiaa/Rb8zQzVIAbwWAzMtaT0HPPprpzoAAAAAAc8
+VSKV6o55dM/emhqXMn09M16TTgZ1VoEkvSNFj0kAAvpsqmRIwQxo4+RANriR3oR17mebvy+faGqf3YZ
J0GgAOZ915HkamsU5bpjvopvqPn1msvoZzt5AAAcA8+lYdF9vn6Umxtbc4BSAqBZx7/MzV1r822lRq+
86PiljQghqN62YvY16uY2ZUY+s9yerQc0gAAAAAAchmThnNWqr56uce9zka9mrb04chU0wuCroMzKXUS
VdEum4UWnjnRhIGuAEIS52/Ui7me00Uz2zu2x0360TUd8e1RBPAFP3c9hmIX/...
        "SystemCreatedAt": "2022-01-26T07:29:49.457Z",
        "SystemId": "5beddabd-797e-ec11-b837-000d3a2059de",
        "SystemModifiedAt": "2025-02-10T05:00:02.28Z",
        "Timestamp": 75701615,
        "EntryGUID": "2c684e70-f19f-4a7b-ab7b-823ac3d7bc12"
    },
    ...
}

```

## 7.5. Tagasi lükatud maksed

Teenus võimaldab kirjutada BC tabelisse PLK Payroll Payment Register (24008816) ebaõnnestunud panga makseid. Lisaks genereeritakse makse ebaõnnestumise kohta Palgaregistri kanne tabelisse PLK Payroll Registers (24002036).

| Välja nimetus       | Tüüp    | Märkus | Andmed tabelisse PLK Payroll Registers (24002036) ja PLK Payroll Payment Register (24008816) |
|---------------------|---------|--------|--|
| <b>soapEntryNo</b>  | Integer |        |  |
| <b>Filename</b>     | Text    |        |  |
| <b>fileInBase64</b> | Text    |        |  |

Ebaõnnestunud makse faili näidis:

```

<Document>
<CstmrPmtStsRpt>
<GrpHdr>
<MsgId>4013840</MsgId>
<CreDtTm>2022-07-26T11:21:59.864+03:00</CreDtTm>
<InitgPty>
<Id>

```

```
<OrgId>
<AnyBIC>EPBEEE2XXXX</AnyBIC>
</OrgId>
</Id>
</InitgPty>
</GrpHdr>
<OrgnlGrpInfAndSts>
<OrgnlMsgId>PALK365-FAIL1</OrgnlMsgId>
<OrgnlMsgNmId>pain.001.001.08</OrgnlMsgNmId>
<GrpSts>RJCT</GrpSts>
</OrgnlGrpInfAndSts>
<OrgnlPmtInfAndSts>
<OrgnlPmtInfId>PALK365-MAKSEJUHIS-0002</OrgnlPmtInfId>
<TxInfAndSts>
<OrgnlInstrId>PALKx573x1</OrgnlInstrId>
<OrgnlEndToEndId>PALKx573x1</OrgnlEndToEndId>
<TxSts>RJCT</TxSts>
<StsRsnInf>
<Orgtr>
<Id>
<OrgId>
<AnyBIC>EPBEEE2XXXX</AnyBIC>
</OrgId>
</Id>
</Orgtr>
<Rsn>
<Cd>AGNT</Cd>
</Rsn>
<AddtlInf>Agent in the payment workflow is incorrect</AddtlInf>
</StsRsnInf>
</TxInfAndSts>
</OrgnlPmtInfAndSts>
</CstmrPmtStsRpt>
</Document>
```

JSON näidis andmete kirjutamiseks:

```
{    "Filename": "Pangamakse_247.xml",
    "FileInBase64" : "PD94bWwgdmVyc2lvbj0iMS4wIiB1bmNvZGlzZ0iVVRGLTgiIHN0YW5kYWxvbmlU9In1lcy
I/Pg0KPERvY3VtZW50DQogICAgG1sbmM9InVybjppc286c3RkOmlzbzoyMDAyMjp0ZWNoOnhzZDpwYwluLjAwMi4wM
DEuMTIiPg0KICAgIDx0c1JwdD4NCiAgICAgICAgPEdycEhkjc4NCiAgICAgICAgICAgIDxNc2dJZD40
MDEzODQwPC9Nc2dJZD4NCiAgICAgICAgICAgIDxDcmVEdFRtPjIwMjItMDctMjZUMTE6MjE6NTkuODY0KzAzOjAwPC9
DcmVEdFRtPg0KICAgICAgICAgPEluaXRnUHR5Pg0KICAgICAgICAgIDxJZD4NCiAgICAgICAgIDxNc2dJZD40
AgICAgICAgPE9yZ01kPg0KICAgICAgICAgICAgICAgICAgICAgPEFueUJJQz5FUEJFRUuyWFhYWDwvQW55Qk1DP
g0KICAgICAgICAgICAgICAgICA8L09yZ01kPg0KICAgICAgICAgICAgIDwvSWQ+DQogICAgICAgICAgICA8
L01uaXRnUHR5Pg0KICAgICAgICA8L0dycehkjc4NCiAgICAgICAgPE9yZ25sR3JwSW5mQW5kU3RzPg0KICAgICAgICA
gICAgPE9yZ25sTXNnSWQ+UEFMSzM2NS1GQU1MMTwvT3JnbmxNc2dJZD4NCiAgICAgICAgICAgIDxPcmdubE1zZ05tSW
Q+cGFpb4wMDEuMDAxLjA4PC9PcmdubE1zZ05tSWQ+DQogICAgICAgICAgICA8R3JwU3RzP1JKQ1Q8L0dycFN0cZ4NC
iAgICAgICAgPC9PcmdubEdycEluZkFuZFN0cZ4NCiAgICAgICAgPE9yZ25sUG10SW5mQW5kU3RzPg0KICAgICAgICA
gICAgPE9yZ25sUG10SW5mSWQ+UEFMSzM2NS1NQUtTRUpVSE1TLTAwMDI8L09yZ25sUG10SW5mSWQ+DQogICAgICAgICA
gICAgPE9yZ25sRW5kVG9FbmRJZD5QQUxLeDU3M3gxPC9PcmdubEluc3
RySWQ+DQogICAgICAgICAgICAgPE9yZ25sRW5kVG9FbmRJZD5QQUxLeDU3M3gxPC9PcmdubEVuZFRvRW5kSWQ+D
QogICAgICAgICAgICAgICAgICAgPFR4U3RzP1JKQ1Q8L1R4U3RzPg0KICAgICAgICAgICAgIDxTdHNSc25JbmY+DQog
ICAgICAgICAgICAgICAgICAgIDxPcmd0cj4NCiAgICAgICAgICAgICAgICAgICAgICAgIDxJZD4NCiAgICAgICAgICA
```

```
gICAgICAgICAgICAgICA8T3JnSWQ+DQogICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgIDxBbn1CSUM+RV
BCRUVFmlhYWFn8L0FueUJJQz4NCiAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICA8L09yZ01kPg0KICAgICAgICAgI
CAgICAgICAgICAgICAgPC9JZD4NCiAgICAgICAgICAgICAgICAgICAgICAgICAgPC9Pcmd0cj4NCiAgICAgICAgICAgICAg
ICAgPFJzbj4NCiAgICAgICAgICAgICAgICAgICAgIDxDZD5BR05UPC9DZD4NCiAgICAgICAgICAgICAgICAgICA
gPC9Sc24+DQogICAgICAgICAgICAgICAgIDxBZGR0bEluZj5BZ2VudCBpbib0aGugcGF5bwVudCB3b3JrZmxvdy
BpcyBpbmNvcnJlY3Q8L0FkZHRsSW5mPg0KICAgICAgICAgICAgICAgICAgIDwvU3RzUnNuSW5mPg0KICAgICAgICAgICAgP
C9UeEluZkFuZFN0cz4NCiAgICAgICAgICAgPC9PcmdubFBtdEluZkFuZFN0cz4NCiAgICAgICA8L0NzdG1yUG10U3RzUnB0Pg0K
PC9Eb2N1bwVudD4=" }
```

## Näidis päringu aadress:

POST:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(f0c56148-6111-ec11-b830-000d3a2059de\)/rejectedPayments](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(f0c56148-6111-ec11-b830-000d3a2059de)/rejectedPayments)

## Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(f0c56148-6111-ec11-b830-000d3a2059de)/rejectedPayments/$entity",
  "@odata.etag": "W/\\"JzQ00zhxd1dtYXRJMnc0KzdFM2xVTDzoYTVLV0RsL0Z1VC9qbzJYMe+Muk1TwDA9MTswMDsn\\",
  "soapEntryNo": 1,
  "Filename": "Pangamakse_247.xml",
  "FileInBase64": "PD94bWwgdmVyc2lvbj0iMS4wIiBlbmNvZGluZz0iVVRGLTgiIHN0YW5kYWxvbmU9In1lc
I/Pg0KPERvY3VtZW50DQogICAgE1sbmM9InVybjppc286c3RkOmlzbzoyMDAyMjp0ZWNoOhzZDpwYWluLjAwMi4wM
DEuMTIiPg0KICAgIDxDc3RtclBtdFN0c1Jwd4NCiAgICAgICAgPEDycEhkjc4NCiAgICAgICAgIDxDc2dJZD40
MDEzODQwPC9Nc2dJZD4NCiAgICAgICAgICAgICAgIDxDcmVEdFrtPjIwMjItMDctMjZUMTE6MjE6NTkuODY0KzAzOjAwPC9
DcmVEdFrtPg0KICAgICAgICAgPEluaXRnUHR5Pg0KICAgICAgICAgICAgIDxDzD4NCiAgICAgICAgICAgIC
AgICAgICAgPE9yZ01kPg0KICAgICAgICAgICAgICAgICAgICAgPEFueUJJQz5FUEJFRUUyWFhYWdwvQW5Qk1DP
g0KICAgICAgICAgICAgICAgICA8L09yZ01kPg0KICAgICAgICAgICAgIDwvSWQ+DQogICAgICAgICAgICA8
L01uaXRnUHR5Pg0KICAgICAgICA8L0dycEhkjc4NCiAgICAgICAgPE9yZ25sR3JwSW5mQW5kU3RzPg0KICAgICAgICA
gICAgPE9yZ25sTXNnSWQ+UEFMSzM2NS1GQU1MMTwvT3JnbmxNc2dJZD4NCiAgICAgICAgICAgIDxDcmdubE1zZ05tSW
Q+cGFpb4wMDEuMDAxLjA4PC9PcmdubE1zZ05tSWQ+DQogICAgICAgICAgICA8R3JwU3RzP1JKQ1Q8L0dycFNU0cZ4NC
iAgICAgICAgPC9PcmdubEdycEluZkFuZFN0c2dJZD4NCiAgICAgICAgPE9yZ25sUG10SW5mQW5kU3RzPg0KICAgICAgICA
ICA8PE9yZ25sUG10SW5mSWQ+UEFMSzM2NS1NQUtTRUpVSE1TLTAwMDI8L09yZ25sUG10SW5mSWQ+DQogICAgICAgICA
gICA8VHhJbmZBbmRTdHM+DQogICAgICAgICAgICAgPE9yZ25sSW5zdHJJZD5QQUxLeDU3M3gxPC9PcmdubEluc3
RySWQ+DQogICAgICAgICAgICAgPE9yZ25sRW5kVG9FbmRJZD5QQUxLeDU3M3gxPC9PcmdubEVuZFRvRW5kSWQ+D
QogICAgICAgICAgICAgPFR4U3RzP1JKQ1Q8L1R4U3RzPg0KICAgICAgICAgICAgIDxDhNSc25JbmY+DQog
ICAgICAgICAgICAgICAgICAgIDxDcmd0cj4NCiAgICAgICAgICAgICAgICAgICAgIDxDzD4NCiAgICAgICAgICA
gICAgICAgICAgICAgICA8T3JnSWQ+DQogICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgIDxBbn1CSUM+RV
BCRUVFmlhYWFn8L0FueUJJQz4NCiAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICA8L09yZ01kPg0KICAgICAgICAgI
CAgICAgICAgICAgICAgPC9JZD4NCiAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg
ICAgPFJzbj4NCiAgICAgICAgICAgICAgICAgICAgICAgIDxDZD5BR05UPC9DZD4NCiAgICAgICAgICAgICAgICAgICAgICAgICA
gPC9Sc24+DQogICAgICAgICAgICAgICAgICAgIDxBZGR0bEluZj5BZ2VudCBpbib0aGugcGF5bwVudCB3b3JrZmxvdy
BpcyBpbmNvcnJlY3Q8L0FkZHRsSW5mPg0KICAgICAgICAgICAgICAgICAgIDwvU3RzUnNuSW5mPg0KICAgICAgICAgICAgP
C9UeEluZkFuZFN0cz4NCiAgICAgICAgICAgPC9PcmdubFBtdEluZkFuZFN0cz4NCiAgICAgICA8L0NzdG1yUG10U3RzUnB0Pg0K
PC9Eb2N1bwVudD4=" }
```

## 7.6. Palgaregistri püring

Andmed päritakse lehelt PLK Payroll Registers (24002036).

|                     |          |   |  |
|---------------------|----------|---|--|
| Välja nimetus       | Tüüp     | Märkus  | Andmed tabelist PLK Payroll Registers (24002036) |
| <b>no</b>           | Integer  |   | No.  |
| <b>type</b>         | Option   | Registration/Calculation/Absence/Absences<br>Cancellation/Bank Transfer/Tax Report/Pay Slip/Notification/G/L Posting/Export/Export Cancellation/Splitting/Import/E-mail/Report/Rejected Payment | Type   |
| <b>description</b>  | Text     |   | Description                                      |
| <b>creatingTime</b> | DateTime |   | Creating Time                                    |
| <b>deleted</b>      | Boolean  | True/False  | Deleted  |
| <b>fileInBase64</b> | Text     |   |  |

Näidis püringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/registers](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/registers)

Näidis püringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/registers",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ002l1NEdoOGRXdU9pdF1rVytBT0JYM011cj1QODhZNUs1VmVuMj1IMXBxMmc9MTswMDsn\\",
            "no": 1,
            "type": "Registration",
            "description": "Registreerimine",
            "creatingTime": "2022-04-27T06:56:06.513Z",
            "deleted": true,
            "fileInBase64": ""
        },
        {
            "@odata.etag": "W/\\"JzQ002wyTFNmdXZSdWxpT1RXVVNoMmd6dE4xN2ZLWTQ5anM1cTE5QkhPek5ncG89MTswMDsn\\",
            "no": 2,
            "type": "Registration",
            "description": "Tööaeg - 2 päevane tuur",
            "creatingTime": "2022-04-27T06:57:39.477Z",
            "deleted": true,
            "fileInBase64": ""
        }
    ]
}
```

```

"@odata.etag": "W/\\"JzQ000RZcUJoczY0cEdjazdKb3I5Vt4Uk1HTEFQdEtZU1BzU2p0TS9GaFZ
zQ1U9MTswMDsn\\",
  "no": 3,
  "type": "Registration",
  "description": "Registreerimine",
  "creatingTime": "2022-04-27T07:02:14.2Z",
  "deleted": true,
  "fileInBase64": ""

},
{
  "@odata.etag": "W/\\"JzQ002lrK2ErQTByQnVtZTU3NzBoVU5JSNdCQnJZNmpKaW10RwtEbjRVrlZ
ZamM9MTswMDsn\\",
  "no": 4,
  "type": "Registration",
  "description": "Registreerimine",
  "creatingTime": "2022-04-27T07:09:49.68Z",
  "deleted": true,
  "fileInBase64": ""

},
...

```

## 7.7. Töötajate sünnipäevade ja tööjuubelite päring

Päring võimaldab pärada töötajate sünnipäevi ja nende tööstaaži andmeid. Andmed päritakse lehelt PLK Payroll Employee (24002014).

| Välja nimetus          | Tüüp    | Märkus   | Andmed tabelist<br>PLK Payroll<br>Employee<br>(24002014) |
|------------------------|---------|--|--|
| <b>employeeNo</b>      | Code    |  | No   |
| <b>Status</b>          | Option  | Active/Inactive/Prospect/Terminated                        | Status   |
| <b>employeeName</b>    | Text    |  | Full Name  |
| <b>jobTitle</b>        | Text    |  | Job Title  |
| <b>companyEmail</b>    |         |  | Company E-mail   |
| <b>employmentDate</b>  | Date    |  | Employment Date  |
| <b>Seniority</b>       | Date    |  | Seniority  |
| <b>workAnniversary</b> | Boolean | True, kui Seniority jagub 10-ga/<br>False- kõik muud juhud | Seniority  |
| <b>birthDate</b>       | Date    |  | Birth Date   |
| <b>Age</b>             | Decimal |  | Age  |
| <b>level1No</b>        | Code    |  | Level 1 No.  |
| <b>level2No</b>        | Code    | Struktuuri taseme kood                                     | Level 2 No.  |
| <b>level3No</b>        | Code    | Struktuuri taseme kood                                     | Level 3 No.  |
| <b>level4No</b>        | Code    | Struktuuri taseme kood                                     | Level 4 No.  |

Näidis päringu aadress:

[http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/employeeBirthdays](http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/employeeBirthdays)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropa.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/employeeBirthdays",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O3VqbWZvWUNkb2R1MGR3Y3BPRHJCUUdBelRHeLY0Qm1VdnJWdDZWbHp5eGs9MTswMDsn\\\"",
            "employeeNo": "T0002",
            "status": "Active",
            "employeeName": "Ilmar Sepp",
            "jobTitle": "Vahetuse vanem",
            "companyEMail": "",
            "employmentDate": "2020-01-07",
            "seniority": 3.0,
            "workAnniversary": false,
            "birthDate": "1994-04-25",
            "age": 29.0,
            "level1No": "1050",
            "level2No": "",
            "level3No": "",
            "level4No": ""
        },
        ...
    ]
}
```

## 7.8. Palgakontode päring

Päring võimaldab pärida palgakontodel olevaid andmeid. Andmed päritakse lehelt PLK Payroll Accounts (24002044).

| Välja nimetus | Tüüp    | Märkus   | Andmed tabelist PLK Payroll Accounts (24002044) |
|---------------|---------|--|---|
| No            | Code    |  | No  |
| Name          | Text    |  | Name  |
| AccountType   | Option  | Kinnitamine / Summeerimine/ Pealkiri / Väljamaks | Account Type                                    |
| Totaling      | Text    |  | Totaling  |
| Blocked       | Boolean | True/False                                       | Blocked   |
| PostingGroup  | Code    |  | Posting Group                                   |
| PaymentType   | Code    | Väljamakse liik                                  | Default Payment Type                            |

|                         |             |  |                  |
|-------------------------|-------------|--|------------------|
| <b>Amount</b>           | Decimal     |  | <b>Amount</b>    |
| <b>BalanceAmount</b>    | Decimal     |  | Balance Amount   |
| <b>Description</b>      | Text        |  | Description      |
| <b>Marked</b>           | Boolean     |  | Marked           |
| <b>SystemCreatedAt</b>  | DateTime    |  | SystemCreatedAt  |
| <b>SystemId</b>         | GUID        |  | \$systemid       |
| <b>SystemModifiedAt</b> | DateTime    |  | SystemModifiedAt |
| <b>Timestamp</b>        | Binginteger |  | SQL Timestamp    |

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll1365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollAccounts](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll1365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollAccounts)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST
    /api/BCS_Itera_Payroll1365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-
    000d3a2059de)/payrollAccounts",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O0drN1ExTFdHTEVWM1Y5bXRFUWVRbW5TWncvaUZWOExoa3F
            MTkNQVFdrTDA9MTswMDsn\\",
            "AccountNo": "1000",
            "Name": "ARVESTATUD TULUD",
            "AccountType": "Heading",
            "Totaling": "",
            "Blocked": false,
            "PostingGroup": "",
            "PaymentType": "",
            "Amount": 0,
            "BalanceAmount": 0,
            "Description": "",
            "Marked": false,
            "SystemCreatedAt": "0001-01-01T00:00:00Z",
            "SystemId": "45972b92-e519-eb11-b823-000d3a2059de",
            "SystemModifiedAt": "0001-01-01T00:00:00Z",
            "Timestamp": 21084176
        }
    ]
}
```

## 7.9. Palgakannete päring

Päring võimaldab pärida palgakannete andmeid töötajate lõikes. Andmed päritakse lehelt PLK Payroll Ledger Entries (24002049).

|                  |            |        |   |
|------------------|------------|--------|---|
| Välja nimetus    | Tüüp       | Märkus | Andmed tabelist PLK Payroll Ledger Entries (24002049) |
| <b>EntryNo</b>   | Integr, PK |        | Entry No  |
| <b>AccountNo</b> | Code       |        | Account No  |

|                                 |            |                    |                            |
|---------------------------------|------------|--------------------|----------------------------|
| <b>EmployeeNo</b>               | Code       |                    | Employee No                |
| <b>PostingDate</b>              | Date       |                    | Posting Date               |
| <b>AccountingPeriod</b>         | Code       |                    | Accounting Period          |
| <b>PaymentPeriod</b>            | Code       |                    | Payment Period             |
| <b>CalculationPeriod</b>        | Code       |                    | Calculation Period         |
| <b>DocumentNo</b>               | Code       |                    | Document No                |
| <b>Amount</b>                   | Decimal    |                    | Amount                     |
| <b>Description</b>              | Text       |                    | Description                |
| <b>Type</b>                     | Option     | Tavaline/Lisakanne | Type                       |
| <b>Remark</b>                   | Text       | Märkus             | Remark                     |
| <b>WorkingScheduleGroupNo</b>   | Code       |                    | Working Schedule Group No  |
| <b>CurrencyCode</b>             | Code       |                    | Currency Code              |
| <b>CurrencyFactor</b>           | Decimal    |                    | Currency Factor            |
| <b>CurrencyAmount</b>           | Decimal    |                    | Currency Amount            |
| <b>EmployeeName</b>             | Text       |                    | Employee Name              |
| <b>MainContractNo</b>           | Code       |                    | Main Contract No           |
| <b>VehicleRegistrationPlate</b> | Code       |                    | Vehicle Registration Plate |
| <b>BankNo</b>                   | Code       |                    | Bank No                    |
| <b>Dimension1</b>               | Code       |                    | Payroll Dimension 1 Code   |
| <b>Dimension2</b>               | Code       |                    | Payroll Dimension 2 Code   |
| <b>Dimension3</b>               | Code       |                    | Payroll Dimension 3 Code   |
| <b>Dimension4</b>               | Code       |                    | Payroll Dimension 4 Code   |
| <b>SystemCreatedAt</b>          | DateTime   |                    | SystemCreatedAt            |
| <b>SystemId</b>                 | GUID       |                    | \$systemid                 |
| <b>SystemModifiedAt</b>         | DateTime   |                    | SystemModifiedAt           |
| <b>Timestamp</b>                | Biginteger |                    | SQL Timestamp              |
| <b>EntryGUID</b>                | GUID       |                    | Entry GUID                 |

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll1365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollEntries](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll1365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollEntries)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST
    /api/BCS_Itera_Payroll1365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-
    000d3a2059de)/payrollEntries",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ000RueXFZSk9aMFJSczFwR1JSRUYramNpWVA1ZTBHcWtKYkx
            pL2N6OT1Fems9MTswMDsn\\\"",
            "EntryNo": 1,
            "AccountNo": "5010",
            "EmployeeNo": "T0001",
            "PostingDate": "2020-09-30",
            "AccountingPeriod": "2020-09",
            "PaymentPeriod": "2020-10",
            "Amount": 1000.0,
            "Description": "Test payroll entry",
            "Type": "Tavaline",
            "Remark": "Test remark"
        }
    ]
}
```

```

    "CalculationPeriod": "2020-09",
    "DocumentNo": "PALK 30.09.20",
    "Amount": 176,
    "Description": "Töötatud tavatunnid",
    "Type": "Normal",
    "Remark": "",
    "WorkingScheduleGroupNo": "",
    "CurrencyCode": "",
    "CurrencyFactor": 0,
    "CurrencyAmount": 0,
    "EmployeeName": "Kalle Tamm",
    "MainContractNo": "",
    "VehicleRegistrationPlate": "",
    "BankNo": "",
    "Dimension1": "1050",
    "Dimension2": "",
    "Dimension3": "",
    "Dimension4": "",
    "Dimension5": "",
    "Dimension6": "",
    "Dimension7": "",
    "Dimension8": "",
    "SystemCreatedAt": "0001-01-01T00:00:00Z",
    "SystemId": "fc606260-7a29-eb11-b824-000d3a2059de",
    "SystemModifiedAt": "0001-01-01T00:00:00Z",
    "Timestamp": 21152955,
    "EntryGUID": "c71f9a1f-fbe3-4c94-a53f-878aa2621fa6"
}
]
}
}

```

## 7.10. Värvalogide püring

Püring võimaldab lugeda, kirjutada, kustutada ja muuta värvalogi kandeid tööajatabelites. Andmeid päritakse lehelt PLK Employee Permit Log (24002084).

| Välja nimetus             | Tüüp       | Märkus | Andmed tabelist PLK Payroll Permit Log (24002084) |
|---------------------------|------------|--------|---|
| <b>entryNo</b>            | Integr, PK |        | Entry No  |
| <b>gateNo</b>             | Code       |        | Gate No   |
| <b>employeeNo</b>         | Code       |        | Employee No                                       |
| <b>cardNo</b>             | Integr     |        | Card No   |
| <b>enteringTime</b>       | DateTime   |        | Entering Time                                     |
| <b>leavingTime</b>        | DateTime   |        | Leaving Time                                      |
| <b>approved</b>           | Boolean    |        | Approved  |
| <b>systemCreatedEntry</b> | Boolean    |        | System Created Entry                              |

Näidis püringu aadress GET:

[http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/permitLogs](http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs)

Näidis päringu vastus:

```
{  
    "@odata.context":  
        "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs",  
    "value": [  
        {  
            "@odata.etag": "W/\\"JzE40zI2Mjg40DgyODI4MzgzMTMzMjE7MDA7Jw==\"",  
            "entryNo": 2,  
            "gateNo": "",  
            "employeeNo": "A001",  
            "cardNo": "1",  
            "enteringTime": "2022-05-31T21:00:00Z",  
            "leavingTime": "2022-06-01T02:00:00Z",  
            "approved": false,  
            "systemCreatedEntry": false  
        },  
        ...  
    ]  
}
```

Näidis päringu aadress POST:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/permitLogs](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs)

JSON näidis:

```
{  
  
    "entryNo": 9,  
    "gateNo": "1",  
    "employeeNo": "A001",  
    "cardNo": "",  
    "enteringTime": "2025-02-15T08:30:00+02:00",  
    "leavingTime": "2025-02-15T17:30:00+02:00",  
    "approved": true,  
    "systemCreatedEntry": false  
}
```

Päringu vastus:

```
{  
    "@odata.context":  
        "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs/$entity",  
    "@odata.etag": "W/\\"JzE40zI3NTM30TU4NzEwMDUxNDI1NjE7MDA7Jw==\"",  
    "entryNo": 8,  
    "gateNo": "1",  
    "employeeNo": "A001",  
    "cardNo": "",  
    "enteringTime": "2025-01-01T07:00:00Z",  
    "leavingTime": "2025-01-01T12:00:00Z",  
    "approved": true,  
    "systemCreatedEntry": false  
}
```

```
    "systemCreatedEntry": false  
}
```

Värvavalogi kande uuendamiseks tuleb kasutada PUT/PATCH käsku ja võtta entryNo body-st ära ja panna hoopis urli:

[http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/permitLogs\(entryNo=ENTRYNOSIIA\)](http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs(entryNo=ENTRYNOSIIA))

OData Put/patchi puhul on ka vaja lisada selline HTTP header nagu If-Match ja selle väärtsuseks on odata.etag (tuleb päringu body-s kaasa kui teed GET päringu, mi on selline: "@odata.etag": "W/"JzE4OzI3NTY4MzI0NDEyMTYwMDQwOTE7MDA7Jw==\"", sealt tuleks eemaldada välimed jutumärgid, jutumärkide ees olevad kalkriipsud lõppitulemus If-Match: W/"JzE4OzI3NTY4MzI0NDEyMTYwMDQwOTE7MDA7Jw=="

Näidis Postmanis

Päring POST:

[http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/permitLogs\(entryNo=10\)](http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs(entryNo=10))

JSON:

```
{  
    "gateNo": "1",  
    "employeeNo": "A001",  
    "cardNo": "",  
    "enteringTime": "2025-02-15T08:30:00+02:00",  
    "leavingTime": "2025-02-15T20:30:00+02:00",  
    "approved": false,  
    "systemCreatedEntry": false  
}
```

Päringu vastus:

```
{  
    "@odata.context":  
        "http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs/$entity",  
    "@odata.etag": "W/"JzE4OzI3NTY5MTQ2NjM1MzUzMTE5NDE7MDA7Jw==\"",  
    "entryNo": 10,  
    "gateNo": "1",  
    "employeeNo": "A001",  
    "cardNo": "",  
    "enteringTime": "2025-02-15T06:30:00Z",  
    "leavingTime": "2025-02-15T18:30:00Z",  
    "approved": false,  
    "systemCreatedEntry": false  
}
```

## 7.11. Arvestusperioodi kanded

Päring võimaldab pärida arvestusperioodi kohta kannete arvu ning kõige väiksema ja kõige suurema kande numbri. Andmeid päritakse lehelt PLK Payroll Periods (24002034).

| Välja nimetus         | Tüüp        | Märkus | Andmed tabelist PLK Payroll Periods (24002034) |
|-----------------------|-------------|--------|--|
| <b>No</b>             | Code,<br>PK |        | No   |
| <b>beginningDate</b>  | Date        |        | Beginning Date                                 |
| <b>endDate</b>        | Date        |        | Ending Date                                    |
| <b>description</b>    | Text        |        | Description                                    |
| <b>firstEntryNo</b>   | Integr.     |        | First Entry No.                                |
| <b>lastEntryNo</b>    | Integr.     |        | Last Entry No.                                 |
| <b>payrollEntries</b> | Integr.     |        | Payroll Entries                                |
| <b>closed</b>         | Boolean     |        | Closed   |

Näidis päringu aadress GET:

[http://palk.westeuropew.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollPeriods](http://palk.westeuropew.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollPeriods)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeuropew.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollPeriods",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0OzhxaGNsZUhtR09RS1FZN2NKSFNXd0dPbnFOc1kzNnpFbnJQU2dqK0htb1U9MTswMDsn\\\"",
            "no": "2017-01",
            "beginningDate": "2017-01-01",
            "endDate": "2017-01-31",
            "description": "jaanuar 2017",
            "firstEntryNo": 0,
            "lastEntryNo": 0,
            "payrollEntries": 0,
            "closed": true
        }
    ]
}
```

## 7.12. Infoliikide kanded

Päring võimaldab lugeda infoliikidesse salvestatud kandeid. Andmeid päritakse lehelt PLK Payroll Info Entries (24002062).

| Välja nimetus     | Tüüp        | Märkus | Andmed tabelist PLK Payroll Info Entries (24002062) |
|-------------------|-------------|--------|---|
| <b>EmployeeNo</b> | Code,<br>PK |        | Employee No   |

|                     |               |                               |               |
|---------------------|---------------|-------------------------------|---------------|
| <b>EmployeeName</b> | Text          |                               | Employee Name |
| <b>InfoNo</b>       | Code,<br>PK   | Tuleneb infoliigi<br>kaardilt | Info No       |
| <b>InfoName</b>     | Text          | Tuleneb infoliigi<br>kaardilt | Info Name     |
| <b>LineNo</b>       | Integr,<br>PK |                               | Line No       |
| <b>Date1</b>        | Date          |                               | Date1         |
| <b>Date2</b>        | Date          |                               | Date2         |
| <b>Date3</b>        | Date          |                               | Date3         |
| <b>Code1</b>        | Code          |                               | Code1         |
| <b>Code2</b>        | Code          |                               | Code2         |
| <b>Code3</b>        | Code          |                               | Code3         |
| <b>Code4</b>        | Code          |                               | Code4         |
| <b>Decimal1</b>     | Decimal       |                               | Decimal1      |
| <b>Decimal2</b>     | Decimal       |                               | Decimal2      |
| <b>Text1</b>        | Text          |                               | Text1         |
| <b>Text2</b>        | Text          |                               | Text2         |
| <b>Text3</b>        | Text          |                               | Text3         |
| <b>Text4</b>        | Text          |                               | Text4         |
| <b>Text5</b>        | Text          |                               | Text5         |
| <b>Text6</b>        | Text          |                               | Text6         |

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/employeeInfos](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/employeeInfos)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTEST
/api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(77f87ebb-df3c-ec11-
b834-000d3a2059de)/employeeInfos",
    "value": [
        {
            "@odata.etag": "W/\\"JzQ0O01LQnBsVTZhbGg1Z2NLUU8xVUJTbC9ISzFvd3ZFeFBpYX1
yCHB3Q2E1bGc9MTswMDsn\\\"",
            "EmployeeNo": "T001",
            "InfoNo": "VESTLUSED",
            "LineNo": 10000,
            "EmployeeName": "Karmen Kaks",
            "InfoName": "Arenguvestlused",
            "Date1": "2020-04-09",
            "Date2": "2020-09-30",
            "Date3": "0001-01-01",
            "Code1": "",
            "Code2": "ERAKKORALINE VESTLUS",
            "Code3": "",
            "Code4": "",
            "Decimal1": 0,
            "Decimal2": 0,
        }
    ]
}
```

```

        "Text1": "Siim Susi",
        "Text2": "Erakorraline vestlus",
        "Text3": "",
        "Text4": "",
        "Text5": "",
        "Text6": ""
    }
]
}

```

### 7.13. Puhkuste ajakava lugemise teenus

Päring võimaldab lugeda infot puhkuste ajakavast. Andmeid päritakse lehelt PLK Payroll Holiday Schedule (24002078).

| Välja nimetus           | Tüüp    | Märkus | Andmed tabelist PLK Payroll Holiday Schedule (24002078) |
|-------------------------|---------|--------|---|
| <b>journalBatchName</b> | Code    |        | Journal Batch Name                                      |
| <b>entryNo</b>          | Integr. |        | Entry No  |
| <b>entryGUID</b>        | GUID    |        | Entry GUID  |
| <b>employeeNo</b>       | Code    |        | Employee No   |
| <b>employeeName</b>     | Text    |        | Employee Name   |
| <b>employeeStatus</b>   | Option  |        | Employee Status   |
| <b>holidayCode</b>      | Code    |        | Holiday Code  |
| <b>fromDate</b>         | Date    |        | From Date   |
| <b>toDate</b>           | Date    |        | To Date   |
| <b>Description</b>      | Text    |        | Description   |
| <b>quantityDays</b>     | Decimal |        | Quantity  |
| <b>holidayPayment</b>   | Option  |        | Holiday Payment   |
| <b>notes</b>            | Text    |        | Notes   |
| <b>professionNo</b>     | Code    |        | Profession No   |
| <b>professionDesc</b>   | Text    |        | Profession Desc.  |
| <b>departmentNo</b>     | Code    |        | Department No.  |
| <b>departmentDesc</b>   | Text    |        | Department Desc.  |
| <b>level2No</b>         | Code    |        | Level 2 No.   |
| <b>Level2Name</b>       | Text    |        | Level 2 Name  |
| <b>level3No</b>         | Code    |        | Level 3 No.   |
| <b>Level3Name</b>       | Text    |        | Level 3 Name  |
| <b>level4No</b>         | Code    |        | Level 4 No.   |
| <b>Level4Name</b>       | Text    |        | Level 4 Name  |

Näidis päringu aadress GET:

[http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/holidayScheduleLines](http://palk.westeuropa.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST
/api/BCS_Itera_Payroll1365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-
b834-000d3a2059de)/holidayScheduleLines",
    "value": [
        {
            "@odata.etag": "W/\\"JzIwOzE1NTE2NTQwODczMjE0ODk5NzY4MTswMDsn\\\"",
            "entryNo": 1,
            "journalBatchName": "2019",
            "entryGUID": "00000000-0000-0000-0000-000000000000",
            "employeeNo": "T001",
            "employeeName": "Karmen Kaks",
            "employeeStatus": "Inactive",
            "holidayCode": "P_PUHKUS",
            "fromDate": "2019-08-05",
            "toDate": "2019-08-08",
            "description": "Puhkus",
            "quantityDays": 4,
            "holidayPayment": "Payday",
            "notes": "",
            "professionNo": "1020-02",
            "professionDesc": "Vanemraamatupidaja",
            "departmentNo": "10",
            "departmentDesc": "Finantsosakond",
            "level2No": "1020",
            "Level2Name": "Raamatupidamine",
            "level3No": "",
            "Level3Name": "",
            "level4No": "",
            "Level4Name": ""
        }
    ]
}
}
```

## 7.14. Puudumiste žurnaali lugemine

Päring võimaldab lugeda infot Puudumiste žurnaalist. Andmed loetakse lehelt PLK Payroll Absence Jrn Line (24002027).

| Välja nimetus           | Tüüp    | Märkus | Andmed tabelist PLK Payroll Absence Jrn Line (24002027) |
|-------------------------|---------|--------|---|
| <b>journalBatchName</b> | Code    |        | Journal Batch Name                                      |
| <b>entryNo</b>          | Integr. |        | Entry No  |
| <b>entryGUID</b>        | GUID    |        | Entry GUID  |
| <b>employeeNo</b>       | Code    |        | Employee No   |
| <b>employeeName</b>     | Text    |        | Employee Name   |
| <b>holidayCode</b>      | Code    |        | Holiday Code  |
| <b>fromDate</b>         | Date    |        | From Date   |
| <b>toDate</b>           | Date    |        | To Date   |

| Description           | Type    |  | Description      |
|-----------------------|---------|--|------------------|
| <b>quantityDays</b>   | Decimal |  | Quantity         |
| <b>holidayPayment</b> | Option  |  | Holiday Payment  |
| <b>notes</b>          | Text    |  | Notes            |
| <b>professionNo</b>   | Code    |  | Profession No    |
| <b>professionDesc</b> | Text    |  | Profession Desc. |
| <b>departmentNo</b>   | Code    |  | Department No.   |
| <b>departmentDesc</b> | Text    |  | Department Desc. |
| <b>level2No</b>       | Code    |  | Level 2 No.      |
| <b>Level2Name</b>     | Text    |  | Level 2 Name     |
| <b>level3No</b>       | Code    |  | Level 3 No.      |
| <b>Level3Name</b>     | Text    |  | Level 3 Name     |
| <b>level4No</b>       | Code    |  | Level 4 No.      |
| <b>Level4Name</b>     | Text    |  | Level 4 Name     |

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll1365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/holidayScheduleLines](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll1365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll1365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines",
    "value": [
        {
            "@odata.etag": "W/\\"JzIwOzE1NTE2NTQwODczMjE0ODk5NzY4MTswMDsn\\\"",
            "entryNo": 1,
            "journalBatchName": "2019",
            "entryGUID": "00000000-0000-0000-000000000000",
            "employeeNo": "T001",
            "employeeName": "Karmen Kaks",
            "employeeStatus": "Inactive",
            "holidayCode": "P_PUHKUS",
            "fromDate": "2019-08-05",
            "toDate": "2019-08-08",
            "description": "Puhkus",
            "quantityDays": 4,
            "holidayPayment": "Payday",
            "notes": "",
            "professionNo": "1020-02",
            "professionDesc": "Vanemraamatupidaja",
            "departmentNo": "10",
            "departmentDesc": "Finantsosakond",
            "level2No": "1020",
            "Level2Name": "Raamatupidamine",
            "level3No": "",
            "Level3Name": ""
        }
    ]
}
```

```

        "level4No": "",
        "Level4Name": ""
    }
]
}
}
```

## 7.15. Puudumiste asendajate lugemise teenus

Päring võimaldab lugeda andmeid puudumiste asendajate kohta. Andmed loetakse lehelt PLK Payroll Subst. Jnl. Entry (24002158).

| Välja nimetus           | Tüüp    | Märkus | Andmed tabelist PLK Payroll Subst. Jnl. Entry (24002158) |
|-------------------------|---------|--------|--|
| <b>journalType</b>      | Option  |        | Journal Type   |
| <b>journalBatchName</b> | Code    |        | Journal Batch Name                                       |
| <b>jnlEntryNo</b>       | Integr. |        | Jnl. Entry No  |
| <b>substituentNo</b>    | Code    |        | Substituent No   |
| <b>substitutentName</b> | Text    |        | Substituent Name   |
| <b>fromDate</b>         | Date    |        | From Date  |
| <b>toDate</b>           | Date    |        | To Date  |
| <b>Description</b>      | Text    |        | Description  |

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS\\_Itera\\_Payroll1365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/substitutionsJournal](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST/api/BCS_Itera_Payroll1365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/substitutionsJournal)

Näidis päringu vastus:

```
{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTEST
/api/BCS_Itera_Payroll1365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-
b834-000d3a2059de)/substitutionsJournal",
    "value": [
        {
            "@odata.etag": "W/\\"JzIwOzE0MzIwMjcyMDEwNTczOTcxNTQxMTswMDsn\\\"",
            "journalType": "Absence",
            "journalBatchName": "PUHKUSED",
            "jnlEntryNo": 10000,
            "entryNo": 10000,
            "substituentNo": "A002",
            "substituentName": "Kuldar Petersell",
            "fromDate": "2023-02-27",
            "toDate": "2023-02-28",
            "description": ""
        }
    ]
}
```

## 7.16. Ettevõtte kõigi töötajad päring

Päring võimaldab pärinda kõiki ettevõtte töötajaid, sh lahkunud töötajaid. Andmed päratakse lehelt PLK Payroll Employee (24002014).

| Välja nimetus                | Tüüp    | Märkus                                | Andmed tabelist PLK Payroll Employee (24002014) |
|------------------------------|---------|---------------------------------------|---|
| <b>No</b>                    | Code    |                                       | No  |
| <b>PersonalID</b>            | Text    |                                       | Personal ID                                     |
| <b>FirstName</b>             | Text    |                                       | First Name                                      |
| <b>LastName</b>              | Text    |                                       | Last Name                                       |
| <b>FullName</b>              | Text    |                                       | Full Name                                       |
| <b>PreviousName</b>          | Text    |                                       | Previous Name                                   |
| <b>Status</b>                | Option  | Active/ Inactive/Prospect /Terminated | Status  |
| <b>BirthDate</b>             | Date    |                                       | BirthDate                                       |
| <b>DenyBirthDatePublish</b>  | Boolean | Yes/No                                | Deny Birth Date Publish                         |
| <b>Sex</b>                   | Option  | Male/Female                           | Sex   |
| <b>UserID</b>                | Code    |                                       | User ID   |
| <b>NonResident</b>           | Boolean | Yes/No                                | Non-Resident                                    |
| <b>CitizenshipCode</b>       | Code    |                                       | Citizenship Code                                |
| <b>CitizenshipName</b>       | Text    |                                       | Citizenship Name                                |
| <b>NativeLanguageCode</b>    | Code    |                                       | Native Language Code                            |
| <b>NativeLanguageName</b>    | Text    |                                       | Native Language Name                            |
| <b>Address</b>               | Text    |                                       | Address   |
| <b>Address2</b>              | Text    |                                       | Address2  |
| <b>City</b>                  | Text    |                                       | City  |
| <b>PostCode</b>              | Code    |                                       | Post Code                                       |
| <b>County</b>                | Text    |                                       | County  |
| <b>CountryCode</b>           | Code    |                                       | Country Code                                    |
| <b>PersonalPhoneNo</b>       | Text    |                                       | Phone No. 1                                     |
| <b>CompanyPhoneNo</b>        | Text    |                                       | Phone No. 2                                     |
| <b>PersonalMobilePhoneNo</b> | Text    |                                       | Mobile Phone No. 1                              |
| <b>CompanyMobilePhoneNo</b>  | Text    |                                       | Mobile Phone No. 2                              |
| <b>EMail</b>                 | Text    |                                       | E-Mail  |
| <b>CompanyEMail</b>          | Text    |                                       | Company E-Mail                                  |
| <b>Blocked</b>               | Boolean | Yes/No                                | Blocked   |
| <b>JobTitle</b>              | Text    |                                       | Job Title                                       |
| <b>JobTitleEnglish</b>       | Text    |                                       | Job Title(English)                              |
| <b>WorkingRoomNo</b>         | Text    |                                       | Working Room No.                                |
| <b>MainContractNo</b>        | Code    |                                       | Main Contract No.                               |
| <b>Noviciate</b>             | Boolean | Yes/No                                | Noviciate                                       |

|                                |         |  |                           |
|--------------------------------|---------|--|---------------------------|
| <b>AdditionalWorkingFactor</b> | Decimal |  | Additional Working Factor |
| <b>WorkingFactor</b>           | Decimal |  | Working Factor            |
| <b>NoviciateEndingDate</b>     | Date    |  | Noviciate Ending Date     |
| <b>SeniorityDate</b>           | Date    |  | Seniority Date            |
| <b>EmploymentDate</b>          | Date    |  | Employment Date           |
| <b>EmploymentContractCode</b>  | Code    |  | Emplymt. Contract Code    |
| <b>TerminationDate</b>         | Date    |  | Termination Date          |
| <b>WorkstationCode</b>         | Code    |  | Workstation Code          |
| <b>WorkstationName</b>         | Text    |  | Workstation Name          |
| <b>ManagerNo</b>               | Code    |  | Manager No                |
| <b>ManagerName</b>             | Text    |  | Manager Name              |
| <b>ManagerJob</b>              | Text    |  | Manager Job               |
| <b>Level1No</b>                | Code    |  | Level 1 No.               |
| <b>Level1Name</b>              | Text    |  | Level 1 Name              |
| <b>Level2No</b>                | Code    |  | Level 2 No.               |
| <b>Level2Name</b>              | Text    |  | Level 2 Name              |
| <b>Level3No</b>                | Code    |  | Level 3 No.               |
| <b>Level3Name</b>              | Text    |  | Level 3 Name              |
| <b>Level4No</b>                | Code    |  | Level 4 No.               |
| <b>Level4Name</b>              | Text    |  | Level 4 Name              |
| <b>Statistics1Code</b>         | Code    |  | I Statistics Group Code   |
| <b>Statistics2Code</b>         | Code    |  | II Statistics Group Code  |
| <b>Dimension1Code</b>          | Code    |  | Dimension 1 Code          |
| <b>Dimension2Code</b>          | Code    |  | Dimension 2 Code          |
| <b>Dimension3Code</b>          | Code    |  | Dimension 3 Code          |
| <b>Dimension4Code</b>          | Code    |  | Dimension 4 Code          |
| <b>Dimension5Code</b>          | Code    |  | Dimension 5 Code          |
| <b>Dimension6Code</b>          | Code    |  | Dimension 6 Code          |
| <b>Dimension7Code</b>          | Code    |  | Dimension 7 Code          |
| <b>Dimension8Code</b>          | Code    |  | Dimension 8 Code          |
| <b>Dimension1Name</b>          | Code    |  | Dimension 1 Name          |
| <b>Dimension2Name</b>          | Code    |  | Dimension 2 Name          |
| <b>Dimension3Name</b>          | Code    |  | Dimension 3 Name          |
| <b>Dimension4Name</b>          | Code    |  | Dimension 4 Name          |
| <b>Dimension5Name</b>          | Code    |  | Dimension 5 Name          |
| <b>Dimension6Name</b>          | Code    |  | Dimension 6 Name          |
| <b>Dimension7Name</b>          | Code    |  | Dimension 7 Name          |
| <b>Dimension8Name</b>          | Code    |  | Dimension 8 Name          |
| <b>CustomField1</b>            | Code    |  | Custom Field 1            |
| <b>CustomField2</b>            | Code    |  | Custom Field 2            |
| <b>CustomField3</b>            | Code    |  | Custom Field 3            |

|                          |            |   |                        |
|--------------------------|------------|---|------------------------|
| <b>CustomField4</b>      | Code       |   | Custom Field 4         |
| <b>CustomField5</b>      | Code       |   | Custom Field 5         |
| <b>CustomField6</b>      | Code       |   | Custom Field 6         |
| <b>CustomField7</b>      | Code       |   | Custom Field 7         |
| <b>CustomField8</b>      | Code       |   | Custom Field 8         |
| <b>CustomField9</b>      | Code       |   | Custom Field 9         |
| <b>CustomField10</b>     | Code       |   | Custom Field 10        |
| <b>CustomTextField</b>   | Text       |   | Custom Text Field      |
| <b>CustomTextField2</b>  | Text       |   | Custom Text Field 2    |
| <b>CustomTextField3</b>  | Text       |   | Custom Text Field 3    |
| <b>CustomTextField4</b>  | Text       |   | Custom Text Field 4    |
| <b>CustomTextField5</b>  | Text       |   | Custom Text Field 5    |
| <b>CustomTextField6</b>  | Text       |   | Custom Text Field 6    |
| <b>CustomTextField7</b>  | Text       |   | Custom Text Field 7    |
| <b>CustomTextField8</b>  | Text       |   | Custom Text Field 8    |
| <b>CustomTextField9</b>  | Text       |   | Custom Text Field 9    |
| <b>CustomTextField10</b> | Text       |   | Custom Text Field 10   |
| <b>PrevHealthCheck</b>   | Date       | Info tabelist PER Health Certificate (24008854) | Health Check Date      |
| <b>NextHealthCheck</b>   | Date       | Info tabelist PER Health Certificate (24008854) | Next Health Check Date |
| <b>SystemCreatedAt</b>   | DateTime   |   | System Created At      |
| <b>SystemId</b>          | GUID       |   | System Id              |
| <b>SystemModifiedAt</b>  | DateTime   |   | System Modified At     |
| <b>Timestamp</b>         | BigInteger |   | SQL Timestamp          |
| <b>EntryGUID</b>         | GUID       |   | Entry GUID             |
| <b>PostingGroup</b>      | Code       |   | Posting Group          |

Näisid päringu aadress:

[https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(e5b4a36eb3b3-eb11-b82e-000d3a2059de\)/payrollEmployeesAll](https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS_Itera_Payroll365/Employee/v2.0/companies(e5b4a36eb3b3-eb11-b82e-000d3a2059de)/payrollEmployeesAll)

Näidis päringu vastus:

```
{
    "@odata.etag": "W\"JzE50zE30TgzMTA5NzUzMzM0NjAwMzgx0zAw0yc=\"",
    "no": "11",
    "personalID": "3445678900981",
    "firstName": "Hannes",
    "lastName": "Kool",
    "fullName": "Hannes Kool",
    "previousName": "",
    "status": "Active",
    "birthDate": "1988-12-11",
    "denyBirthDatePublish": false,
    "sex": "Male",
    "UserID": "",
    "nonResident": false,
```

```
"citizenshipCode": "EE",
"citizenshipName": "Eesti",
"nativeLanguageCode": "ETI",
"nativeLanguageName": "Eesti",
"address": "Kase tee 12",
"address2": "",
"city": "Tallinn",
"postCode": "1244",
"county": "Harju maakond",
"countryCode": "EE",
"personalPhoneNo": "",
"companyPhoneNo": "",
"personalMobilePhoneNo": "",
"companyMobilePhoneNo": "554422331",
"eMail": "Hannes@hannes.ee",
"companyEMail": "",
"blocked": false,
"jobTitle": "",
"jobTitleEnglish": "",
"WorkingRoomNo": "1",
"mainContractNo": "",
"noviciate": true,
"additionalWorkingFactor": 0,
"WorkingFactor": 1,
"noviciateEndingDate": "2024-08-07",
"seniorityDate": "0001-01-01",
"employmentDate": "2024-04-08",
"employmentContractCode": "10",
"terminationDate": "0001-01-01",
"WorkstationCode": "TLN",
"WorkstationName": "Tallinn",
"managerNo": "T0001",
"managerName": "Kalle Kuusk",
"managerJob": "Turvajuht",
"level1No": "1060",
"level1Name": "Teenindus- ja juhtimiskeskus",
"level2No": "1061",
"level2Name": "Teeninduskeskus",
"level3No": "",
"level3Name": "",
"level4No": "",
"level4Name": "",
"statistics1Code": "",
"statistics2Code": "",
"dimension1Code": "1060",
"dimension2Code": "",
"dimension3Code": "",
"dimension4Code": "",
"dimension5Code": "",
"dimension6Code": "",
"dimension7Code": "",
```

```

"dimension8Code": "",
"dimension1Name": "Teenindus- ja juhtimiskeskus",
"dimension2Name": "",
"dimension3Name": "",
"dimension4Name": "",
"dimension5Name": "",
"dimension6Name": "",
"dimension7Name": "",
"dimension8Name": "",
"customField1": "M",
"customField2": "",
"customField3": "",
"customField4": "",
"customField5": "",
"customField6": "",
"customField7": "",
"customField8": "",
"customField9": "",
"customField10": "",
"customTextField": "",
"customTextField2": "",
"customTextField3": "",
"customTextField4": "",
"customTextField5": "",
"customTextField6": "",
"customTextField7": "",
"customTextField8": "",
"customTextField9": "",
"customTextField10": "",
"systemId": "29c06b34-f0f7-ee11-b858-000d3a2059de",
"timestamp": 44770756,
"entryGUID": "8631d5f3-49eb-4137-8891-4b43a60686f8",
"PrevHealthCheck": "2024-04-15",
"NextHealtCheck": "2026-04-11",
"systemCreatedAt": "2024-04-11T10:42:34.98Z",
"systemModifiedAt": "2024-04-15T10:25:58.197Z",
"PostingGroup": "KAUDNE"
},
...

```

### 7.17. Ettevõtte puudumiste päring iseteenindusest

Andmeid päritakse tabelist PER EP Absence (24008840). Päringuga on võimalik käte saada iseteenindusportaali ettevõtte töötajate puudumiste info.

| Välja nimetus       | Tüüp    | Märkus | Andmed tabelist PER EP Absence (24008840) |
|---------------------|---------|--------|---|
| <b>EntryNo</b>      | Integer |        | Entry No                                  |
| <b>indentation</b>  | Integer |        | Indentation                               |
| <b>employeeNo</b>   | Code    |        | Employee No                               |
| <b>employeeName</b> | Text    |        | Employee Name                             |

|                         |         |                                    |                  |
|-------------------------|---------|------------------------------------|------------------|
| <b>fromDate</b>         | Date    |                                    | From Date        |
| <b>toDate</b>           | Date    |                                    | To Date          |
| <b>Description</b>      | Text    |                                    | Description      |
| <b>days</b>             | Integer |                                    | Days             |
| <b>hours</b>            | Decimal |                                    | Hours            |
| <b>status</b>           | Option  |                                    | Status           |
| <b>requestNo</b>        | Code    |                                    | Request No       |
| <b>substituentNames</b> | Text    | Kuvatakse<br>asendajaid<br>1,2,3,4 | Substituent Name |

Näidis päringu aadress:

[https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/allAbsences](https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS_Itera_Payroll365/Absences/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/allAbsences)

Näidis päringu vastus:

```
{
    "@odata.context": "https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/allAbsences",
    "value": [
        {
            "@odata.etag": "W/\\"JzIw0zEw0DM00TcwMDIw0DYzNDE2MTE0MTswMDsn\\",
            "entryNo": 3000000,
            "indentation": 0,
            "employeeNo": "T0009",
            "employeeName": "-",
            "fromDate": "2020-01-01",
            "toDate": "0001-01-01",
            "description": "Lapsehoolduspuhkus",
            "days": 0,
            "hours": 0,
            "status": "Inactive",
            "requestNo": "",
            "substituentNames": ""
        },
        {
            "@odata.etag": "W/\\"JzIw0zEz0Tk20DU2Nzk40Tk50TQ3MjU4MTswMDsn\\",
            "entryNo": 3000006,
            "indentation": 0,
            "employeeNo": "T0040",
            "employeeName": "-",
            "fromDate": "2020-09-01",
            "toDate": "0001-01-01",
            "description": "Absence",
            "days": 0,
            "hours": 0,
            "status": "Inactive",
            "requestNo": "",
            "substituentNames": ""
        }
    ]
}
```

},  
...  
**7.18. Tööajatabeli kanded**

Andmeid päritakse tabelist PLK Working Schedule Entries (24002101). Pärtinguga on võimalik kätte saada kõigi tööajatabelite kanded töötaja kohta kande rea kaupa.

| Välja nimetus                   | Tüüp    | Märkus        | Andmed tabelist<br>PLK Working<br>Schedule Entries<br>(24002101) |
|---------------------------------|---------|---------------|--|
| <b>workingScheduleGroupNo</b>   | Code    |               | Working Schedule Group No.                                       |
| <b>employeeNo</b>               | Code    |               | Employee No.   |
| <b>date</b>                     | Date    |               | Date   |
| <b>entryNo</b>                  | Integer |               | Entry No   |
| <b>lineNo</b>                   | Integer |               | Line No  |
| <b>employeeName</b>             | Text    |               | Employee Name  |
| <b>employeeJobTitle</b>         | Text    |               | Employee Job Title   |
| <b>weekday</b>                  | Option  | E/T/K/N/R/L/P | Weekday  |
| <b>entryType</b>                | Code    |               | Entry Type   |
| <b>workingShiftCode</b>         | Code    |               | Working Shift Code   |
| <b>since</b>                    | Time    |               | Since  |
| <b>till</b>                     | Time    |               | Till   |
| <b>hours</b>                    | Decimal |               | Hours  |
| <b>normalHours</b>              | Decimal |               | Normal Hours   |
| <b>eveningHours</b>             | Decimal |               | Evening Hours  |
| <b>nightHours</b>               | Decimal |               | Night Hours  |
| <b>holidayHours</b>             | Decimal |               | Holiday Hours  |
| <b>holidayNormalHours</b>       | Decimal |               | Holiday Normal Hours   |
| <b>holidayEveningHours</b>      | Decimal |               | Holiday Evening Hours  |
| <b>holidayNightHours</b>        | Decimal |               | Holiday Night Hours  |
| <b>breakSince</b>               | Time    |               | Break Since  |
| <b>breakTill</b>                | Time    |               | Break Till   |
| <b>breakHours</b>               | Decimal |               | Break Hours  |
| <b>breakNormalHours</b>         | Decimal |               | Break Normal Hours   |
| <b>breakEveningHours</b>        | Decimal |               | Break Evening Hours  |
| <b>breakNightHours</b>          | Decimal |               | Break Night Hours  |
| <b>breakHolidayNormalHours</b>  | Decimal |               | Break Holiday Normal Hours                                       |
| <b>breakHolidayEveningHours</b> | Decimal |               | Break Holiday Evening Hours                                      |
| <b>breakHolidayNightHours</b>   | Decimal |               | Break Holiday Night Hours  |

|                              |          |                       |                          |
|------------------------------|----------|-----------------------|--------------------------|
| <b>dayOvertimeHours</b>      | Decimal  |                       | Day Overtime Hours       |
| <b>shortenedNominalHours</b> | Decimal  |                       | Shortened Normal Hours   |
| <b>quantity</b>              | Decimal  |                       | Quantity                 |
| <b>hourCost</b>              | Decimal  |                       | Hour Cost                |
| <b>amount</b>                | Decimal  |                       | Amount                   |
| <b>valueType</b>             | Option   | Tund/Kogus/Summa/Paus | Value Type               |
| <b>percentage</b>            | Decimal  |                       | Percentage               |
| <b>causeOfAbsenceCode</b>    | Code     |                       | Cause of Absence Code    |
| <b>description</b>           | Text     |                       | Description              |
| <b>perJobNo</b>              | Code     |                       | PER Job No.              |
| <b>perJobDescription</b>     | Text     |                       | PER Job Description      |
| <b>perTaskNo</b>             | Code     |                       | PER Task No.             |
| <b>perTaskDescription</b>    | Text     |                       | PER Task Description     |
| <b>routeCode</b>             | Code     |                       | Route Code               |
| <b>routeVersionCode</b>      | Code     |                       | Route Version Code       |
| <b>routeDayCode</b>          | Date     |                       | Route Day Code           |
| <b>payrollDimension1Code</b> | Code     |                       | Payroll Dimension Code 1 |
| <b>payrollDimension2Code</b> | Code     |                       | Payroll Dimension Code 2 |
| <b>payrollDimension3Code</b> | Code     |                       | Payroll Dimension Code 3 |
| <b>payrollDimension4Code</b> | Code     |                       | Payroll Dimension Code 4 |
| <b>payrollDimension5Code</b> | Code     |                       | Payroll Dimension Code 5 |
| <b>payrollDimension6Code</b> | Code     |                       | Payroll Dimension Code 6 |
| <b>payrollDimension7Code</b> | Code     |                       | Payroll Dimension Code 7 |
| <b>payrollDimension8Code</b> | Code     |                       | Payroll Dimension Code 8 |
| <b>planAccepted</b>          | Boolean  | Yes/No                | Plan Accepted            |
| <b>submitted</b>             | Boolean  | Yes/No                | Submitted                |
| <b>accepted</b>              | Boolean  | Yes/No                | Accepted                 |
| <b>acceptedTime</b>          | DateTime |                       | Accepted Time            |
| <b>registered</b>            | Boolean  | Yes/No                | Registered               |
| <b>comment</b>               | Text     |                       | Comment                  |
| <b>entryGUID</b>             | GUID     |                       | Entry GUID               |
| <b>SystemCreatedAt</b>       | DateTime |                       | System Created At        |
| <b>SystemModifiedAt</b>      | DateTime |                       | System Modified At       |

Näidis päring:

[https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/workingScheduleEntries](https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/workingScheduleEntries)

Näidis päringu vastus:

{

```
"@odata.etag": "W/\\"JzE50zQ4NDA2NjczMjk5MzcwNTQyMTYx0zAw0yc=\\"",  
"workingScheduleGroupNo": "002",  
"employeeNo": "T0006",  
"date": "2024-04-01",  
"entryNo": 1,  
"lineNo": 0,  
"employeeName": "Tatjana Müür",  
"employeeJobTitle": "Vahetuse vanem",  
"weekday": "Mo",  
"entryType": "RIKE_\\"",  
"workingShiftCode": "",  
"since": "12:00:00",  
"till": "14:00:00",  
"hours": 0,  
"normalHours": 0,  
"eveningHours": 0,  
"nightHours": 0,  
"holidayHours": 0,  
"holidayNormalHours": 0,  
"holidayEveningHours": 0,  
"holidayNightHours": 0,  
"breakSince": "14:00:00",  
"breakTill": "16:00:00",  
"breakHours": 2,  
"breakNormalHours": 2,  
"breakEveningHours": 0,  
"breakNightHours": 0,  
"breakHolidayNormalHours": 0,  
"breakHolidayEveningHours": 0,  
"breakHolidayNightHours": 0,  
"dayOvertimeHours": 0,  
"shortenedNominalHours": 0,  
"quantity": 0,  
"hourCost": 0,  
"amount": 0,  
"valueType": "Hour",  
"percentage": 0,  
"causeOfAbsenceCode": "",  
"description": "",  
"perJobNo": "",  
"perJobDescription": "",  
"perTaskNo": "",  
"perTaskDescription": "",  
"routeCode": "ELEKTER",  
"routeVersionCode": "E-R",
```

```
"routeDayCode": "2024-04-01",
"payrollDimension1Code": "1050",
"payrollDimension2Code": "",
"payrollDimension3Code": "",
"payrollDimension4Code": "",
"payrollDimension5Code": "",
"payrollDimension6Code": "",
"payrollDimension7Code": "",
"payrollDimension8Code": "",
"planAccepted": false,
"submitted": false,
"accepted": false,
"acceptedTime": "0001-01-01T00:00:00Z",
"registered": false,
"comment": "Rikketasu 2h",
"entryGUID": "ea343a52-5090-44d1-91e3-6a1b97cd6ec6",
"SystemCreatedAt": "2024-04-16T07:05:33.097Z",
"SystemModifiedAt": "2024-04-16T07:05:39.397Z"
},
{
"@odata.etag": "W\\"JzIwOzEyNzEyMTQ10DcxNDk4NzgwNjQ3MTswMDsn\""",
"workingScheduleGroupNo": "002",
"employeeNo": "T0006",
"date": "2024-04-02",
"entryNo": 1,
"lineNo": 0,
"employeeName": "Tatjana Müür",
"employeeJobTitle": "Vahetuse vanem",
"weekday": "Tu",
"entryType": "LISATASU",
"workingShiftCode": "",
"since": "00:00:00",
"till": "00:00:00",
"hours": 0,
"normalHours": 0,
"eveningHours": 0,
"nightHours": 0,
"holidayHours": 0,
"holidayNormalHours": 0,
"holidayEveningHours": 0,
"holidayNightHours": 0,
"breakSince": "00:00:00",
"breakTill": "00:00:00",
"breakHours": 0,
"breakNormalHours": 0,
"breakEveningHours": 0,
"breakNightHours": 0,
"breakHolidayNormalHours": 0,
"breakHolidayEveningHours": 0,
"breakHolidayNightHours": 0,
"dayOvertimeHours": 0,
```

```

    "shortenedNominalHours": 0,
    "quantity": 1,
    "hourCost": 0,
    "amount": 200,
    "valueType": "Amount",
    "percentage": 0,
    "causeOfAbsenceCode": "",
    "description": "",
    "perJobNo": "",
    "perJobDescription": "",
    "perTaskNo": "",
    "perTaskDescription": "",
    "routeCode": "",
    "routeVersionCode": "",
    "routeDayCode": "0001-01-01",
    "payrollDimension1Code": "1050",
    "payrollDimension2Code": "",
    "payrollDimension3Code": "",
    "payrollDimension4Code": "",
    "payrollDimension5Code": "",
    "payrollDimension6Code": "",
    "payrollDimension7Code": "",
    "payrollDimension8Code": "",
    "planAccepted": false,
    "submitted": false,
    "accepted": false,
    "acceptedTime": "0001-01-01T00:00:00Z",
    "registered": false,
    "comment": "Lisatasu tööajatabelist",
    "entryGUID": "44fb760c-1c71-4510-b723-a953c4870f08",
    "SystemCreatedAt": "2024-04-16T07:06:12.28Z",
    "SystemModifiedAt": "2024-04-16T07:06:34.017Z"
  },
  ...

```

### 7.19. Andmeedastuse staatuse muutmine

Andmeedastuse staatuse uuenduste saatmine BC tabelisse PER API Register Import History(42008338).

| Välja nimetus | Tüüp       | Märkus  | Andmed kirjutatakse tabelisse PER API Register Import Hist. (24008338) |
|---------------|------------|---|--|
| SoapEntryNo   | BigInteger |   | SOAP Entry No.   |
| no            | Integer    | Veateated: <ul style="list-style-type: none"> <li>• Kui No on täitmata:<br/><b>'No. must be filled'</b></li> <li>• Kui registri no-d ei ole võimalik BC-st leida</li> </ul> | No.  |

|                          |        |   |                     |
|--------------------------|--------|---|---------------------|
|                          |        | Register No. %1 does not exist                                  |                     |
| <b>dataSengingStatus</b> | Option | Not Sent,Sent,Failure on Send,Send in Progress,On Hold,Canceled | Data Sending Status |

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/updateRegisterDataSendingStatus](http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/updateRegisterDataSendingStatus)

Näidis päringu JSON:

```
{
  "no": 276,
  "dataSendingStatus": "Sent"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/updateRegisterDataSendingStatus/$entity",
  "@odata.etag": "W/\\"JzIw0zExMjQ2MDY1ODIwODkwMzMxNDM3MTswMDsn\\\"",
  "soapEntryNo": 1,
  "no": 276,
  "dataSendingStatus": "Sent"
}
```

## 7.20. Teavituse kanded

Teavituse kannete lävitamine BC-st PER API Notification Entries(page 24017219).

| Välja nimetus            | Tüüp    | Märkus  | Andmed tabelist PLK Payroll Notification Entry (24002198) |
|--------------------------|---------|---|---|
| <b>EntryNo</b>           | Integer |   | Entry No.   |
| <b>EmployeeNo</b>        | Code    |   | Employee No.  |
| <b>EmployeeName</b>      | Text    |   | Full Name   |
| <b>EmployeeFirstName</b> | Text    |   | First Name  |
| <b>EmployeeLastName</b>  | Text    |   | Last Name   |
| <b>Type</b>              | Option  | Riigipüha/Sünnipäev/Nimepäev/Tähtpäev/Pensionileminek/Tööl vötmine/Töölt lahkumine/Katseaeg keskel/Katseaja algus/Katseaja lõpp/Puhkuse algus/Puhkuse | Type  |

|                    |         |  |            |
|--------------------|---------|--|------------|
|                    |         | lõpp/Tervisekontroll/Tervisekontroll(järgmine)/Portaali<br>teade/Dokument<br>aegub/Puudumine/Passiivsus<br>e algus/Passiivsuse<br>lõpp/Koolituse<br>tagasiside/Teise riigi<br>püha/Vara kasutuse<br>lõppemine/Töökeskkonna<br>esindaja<br>lõppemine/Rahvusvaheline<br>tähtpäev. ENUM väärused. |            |
| <b>Date</b>        | Date    |  | Date       |
| <b>Description</b> | Text    |  | Integer    |
| <b>FromDate</b>    | Date    |  | From Date  |
| <b>ToDate</b>      | Date    |  | To Date    |
| <b>SortingNo</b>   | Integer |  | Sorting No |

Näidis päring:

[http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/api/BCS\\_Itera\\_Payroll365/Info/v2.0/\\$metadata#companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/notificationEntries](http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/api/BCS_Itera_Payroll365/Info/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/notificationEntries)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTEST/api/BCS_Itera_Payroll365/Info/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/notificationEntries",
  "value": [
    {
      "@odata.etag": "W/\\"JzE50zE2MTM5MzQ1NTYyNDk3MDA1NzKx0zAw0yc=\"",
      "EntryNo": 1,
      "EmployeeNo": "T0004",
      "EmployeeName": "Aira Kukk",
      "EmployeeFirstName": "Aira",
      "EmployeeLastName": "Kukk",
      "Type": "Birthday",
      "Date": "2020-11-19",
      "Description": "41. aasta sünnipäev",
      "FromDate": "0001-01-01",
      "ToDate": "0001-01-01",
      "SortingNo": 1
    },
    ...
  ]
}
```